

## 2015 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory

• Home begins at the door.



# Table of Contents

**NEW** for 2015

## Introduction

Door Systems ..... 4-5  
 Door System Components ..... 6-7  
 Door Selections ..... 8-15  
 Decorative & Specialty Glass ..... 16-19  
 The Therma-Tru Difference ..... 20-21  
 Impact Products ..... 22-23  
**NEW** Products ..... 24-31

## Classic-Craft® ..... 32-105

Decorative & Specialty Glass ..... 32-39  
 Accessories ..... 40-41  
 American Style Collection™ ..... 42-49  
 Mahogany Collection™ ..... 50-61  
 Rustic Collection™ ..... 62-75  
 Oak Collection™ ..... 76-87  
 Canvas Collection® ..... 88-105

## Fiber-Classic® & Smooth-Star®

..... 106-191  
 Decorative & Specialty Glass .... 110-117

## Steel ..... 192-216

Profiles™ ..... 192,194-210  
 Traditions ..... 193-195, 211-216  
 Decorative & Specialty Glass .... 194-195

## Fire Doors ..... 217-221

## Pulse® ..... 222-233

## Patio

Hinged ..... 234-242  
 Sliding ..... 243

## Door System Components

..... 244-253

## Same-Day® Stain Kit ..... 254-255

## Special Quote Program ..... 256

## **NEW** 3'6" Width Options Chart

..... 257

## **NEW** 7'0" & 6'6" Height Options Charts ..... 258-259

## Product Details ..... 260-261

## **NEW** Trade Resources ..... 262

## Index ..... 263-274



**Arborwatch™ Decorative Glass.**  
Page 24



**Borrassa™ Decorative Glass.**  
Page 25



**Zaha™ Decorative Glass.**  
Page 26



**Axis™ Decorative Glass.**  
Page 27



**Smooth-Star. 8'0" Flush-Glazed.**  
Page 28



**Smooth-Star. 7'0" Door Options.**  
Page 29



**Smooth-Star. & Traditions  
8'0" 1/2-Lite Door Style.**  
Page 30



**Continuous System with  
Spread Mullion Capability.**  
Page 30

\*Brand Use Studies, 2014 *Builder* and 2013 *Remodeling* magazines.

Cover: Classic-Craft Rustic Collection, Zaha Glass, Door – CCR1851, Sidelites – CCR1851SL  
 Right Page: Smooth-Star, Clear Glass with GBGs, Doors – S828





# DISCOVER

## • Therma-Tru. You're in expert hands.

Choosing Therma-Tru isn't about just selecting a door. It's about designing an inspired entrance. Creating a look everyone will love. And having confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers virtually unlimited choices to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.\* With more than 50 years of industry experience and technical know-how, we've built a reputation for delivering high-quality, low-maintenance exterior door products for the whole house – from entry to patio.

We invented the fiberglass door because we believe it combines the best characteristics of wood and steel – beauty and performance – without the compromises. And we remain committed to making smart, innovative new products – such as the Classic-Craft Canvas Collection and vented sidelites – that are better and more beautiful every year.

Whatever the entrance needs – from energy efficiency to security – your search ends here. You'll find a range of Therma-Tru® products to meet the criteria for the home and suit the homeowner's lifestyle.

**That's where the beauty of choosing  
Therma-Tru begins.**

# Therma-Tru® Door Systems

Uncompromising quality, inside and out.



A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. One that offers uncompromising quality, inside and out. We manufacture or specify every aspect – from the glass to the hinges – all engineered with craftsman precision for durability and reliability through the years. So you can be confident that it will perform as exceptionally as it looks.

• Backed by our lifetime limited warranty.

## Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



## Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



## Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.



## The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



### Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6–7.



### Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8–15.



### Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 16–19.



### Finish Options

Complete the desired look with stain or paint, including the Same-Day® Stain kit available in seven popular finish colors. More on pages 254–255.

## Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?


Also consider:

- Regional weather conditions and building codes. See pages 22–23 for more.
- Therma-Tru 2015 new products. See pages 24–31 for more.




# Engineered to Work Together


Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.




- 1 Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.



- 2 Corner seal pads** (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 3 Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.




- 4 Weatherstrip** is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door and frame**.





- 5 Multi-point locking system** (recommended) engages the **door** and **frame** at three points from top to bottom, helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.

## A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components shown here are our premium options for long-lasting durability.



### Composite Adjustable Sills ❖

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



### Dual-Bulb / Dual-Fin Bottom Sweeps ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



### 7-Shape Corner Seal Pads ❖ (Inswing Only)

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



### Removable Weatherstrip ❖

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



### Multi-Point Locking Systems ❖ (Recommended)

Increased engagement between door and frame enhances stability and the homeowner's sense of security.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



### Ball-Bearing Hinges ❖

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft. doors, 8'0" doors, doors with glass, and Impact- and Fire-rated fiberglass doors.)



### Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

For more, including these additional component options, see pages 245–253:

Sill Pans ❖, Rain Protection ❖, Strike Plate and Astragals ❖.



## Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense. system, which integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.\* Look for the (❖) icon. For details, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

### Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$250 \$500
Multi-Point Lock with Standard Assembly: with a Therma-Tru Sill Pan:	\$750 \$1,500
Multi-Point Lock with NAFS-Certified Door System: with a Therma-Tru Sill Pan:	\$1,000 <b>\$2,000</b>




\*For full details on the Tru-Defense Warranty Rider, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense). The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

# Door Selections

Choose from our many door selections to complement the architectural style of the home with a variety of options. Fiberglass or steel material choice. Wood-grained or smooth texture. Stainable or paintable finish.

## Classic-Craft® Collections Pages 32-105

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that rival custom wood.



Rated a *Consumers Digest* Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions.



# Fiber-Classic® Collections Pages 106–191

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



**Mahogany Collection™**



**Oak Collection™**



# Smooth-Star® Pages 107–191

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.




**Smooth-Star.**



# Steel Pages 192–216

Bring style and affordability together to create very attractive results with our steel doors.



**Profiles™**



Door & Glass



**Traditions**



Door



Glass

# Pulse® Pages 222–233


Pulse is form *and* function. Sleek, modern designs and retro glamour in entrances that perform to our standards.




Fiberglass



Steel



**Ari**



**Línea**



**Echo**



**Solei**



**See the difference.**

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



**Feel the difference.**

Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.

• Extraordinary in every way.






# Classic-Craft® Premium Entryways

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And it's rated a *Consumers Digest* Best Buy for its exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



## Compare for yourself.



**Premium – right down to the edge.**  
A solid hardwood square edge delivers a genuine wood appearance.

**Standard fiberglass bullnose edge.**  
The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.

**Architecturally correct for true classic beauty.**  
Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.

Up to 25% wider panels\*



**The look of real wood.**  
Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



**Details that define a custom door.**  
Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.



Classic-Craft Premium Door



Standard Fiberglass Door

\*Compared to other standard fiberglass doors.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions.  
Left Page: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM305, Sidelites – CCM3305SL, Transom – ASRT



- Find options to fit every entrance.






# Fiber-Classic® & Smooth-Star® Doors

Bring home the authentic look of wood doors with the low-maintenance benefits of fiberglass. From front entry to patio to utility doors, the Fiber-Classic and Smooth-Star portfolio offers flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, and decorative and specialty glass, as well as innovative solutions like vented sidelites. Also available: Impact-, Fire- and Sound Transmission Class- (STC) rated options.


## Portfolio versatility.

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.



## On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Light Oak stain.)



## High-definition panel embossments.

High-definition panel embossments are standard on all doors and sidelites.

Left Page Top: Fiber-Classic Oak Collection, Sedona Glass, Door – FC100, Sidelites – FC816SL

Left Page Bottom Left: Smooth-Star, Screen Vented Lite, Door – S243

Left Page Bottom Right: Smooth-Star, Clear Glass, Door – S8140

# Door Construction

Therma-Tru fiberglass doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. We combine craftsmanship and innovation to build our doors for long-lasting energy efficiency, durability and security.

## Classic-Craft® Premium Entryways



### 1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

### 2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A 4- $\frac{1}{8}$ " wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

### 3 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

### 4 Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.\*

### 5 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

\*Comparison of fiberglass to wood doors (both without glass).



## Fiber-Classic® & Smooth-Star® Doors



### 1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

### 2 Security

An enhanced lock block combined with 1- $\frac{1}{4}$ " engineered lumber lock and hinge stiles increase rigidity and stability.

### 3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

### 4 R-Values

Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency, offering up to four times the insulating R-Value of wood.\*

# Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Numerous glass colors, textures, shapes and coming options are available to complement any Therma-Tru door.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Our glass designs offer varying levels of privacy and light to suit homeowner needs.
- All Low-E and clear glass panels are tempered to provide added safety.

Doors come to life with Therma-Tru® glass.

More than 10%  
wider glass\*



**Classic-Craft  
Premium Glass**

**Standard Glass**

\*Compared to other standard fiberglass doors.  
Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on ENERGY STAR qualified products.

## Classic-Craft® Premium Entryways


- An exclusive collection of 13 decorative glass families, starting on page 32.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass\* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.





### Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 256.



#### Triple-Pane Construction

Most decorative and privacy glass features triple-pane construction for reduced outside noise and increased energy efficiency.

#### Fiber-Classic® & Smooth-Star® Doors

- A portfolio of 16 interchangeable decorative glass designs, starting on page 110.
- Standard 22" glass width with Lip-lite frame and flush-glazed options with 25"–27" glass width invite light into the home for a more brilliant interior. See page 169 for flush-glazed options.
- Lip-lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Contributes to an energy-efficient home.

## Privacy Glass

All Therma-Tru doors and sidelites can be fitted with our four elegant privacy glass designs – Chord, Chinchilla, Raininglass and Granite. Each of them enhances a home with privacy, peace of mind and the beauty of textured glass, while still allowing natural light to brighten the interior.

- Varying opacity levels range from 8–10 to find the right balance of privacy and light for the home.
- All privacy glass options are triple-pane, providing added security, thermal efficiency and reduced sound transmission.
- Triple-pane construction also allows for an easy-to-clean surface.


Available in Classic-Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.




• Convenient choices for more light.

## Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the ☀ icon.




In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

## Flush-Glazed Glass



Features frameless design.

Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a high-performance weather seal. Flush-glazed glass features clean lines and eliminates the need for screw plugs. It also offers up to a 16% increase in visible glass area compared to conventional lite frames.

Available in Classic-Craft, Fiber-Classic and Smooth-Star.


Look for the ☀ icon. See page 117 for more.

\*Available in Special Quote Program.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Chinchilla Glass, Door – CCV05020XJ, Sidelites – CCV100XJSL; Clear Glass, Transom – 19220T  
Right Page: Smooth-Star, Clear Glass with SDLs / GBGs, Door – S92, Transom – 19200T





## Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for maximum energy efficiency or standard clear glass.

Available in Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse® doors and sidelites.

① Single-Hand Operator    ② Privacy Bar

## Divided Lites


Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile and color choices. See page 116 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy glass, energy-efficient Low-E and clear.

Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles and Traditions.



### Wood-Grained & Smooth-Textured Simulated Divided Lite (SDL) Bar Options



### Contour & Flat Grilles Between Glass (GBG) Bar Options

Available in Fiber-Classic, Smooth-Star, Profiles & Traditions.



**Also Available:** Removable Wood Grilles & Fixed Grilles

# What Makes Therma-Tru Different?

## Classic-Craft® Canvas Collection®



### • The premium smooth, paintable choice.

For years, Classic-Craft premium entryways have defined beauty and durability for fiberglass doors. The innovative Canvas Collection delivers a high-performing alternative to custom wood and heavy-gauge steel. These doors pair durable Classic-Craft construction with crisp embossments and custom wood details. Find choices to match any home décor with a smooth surface that's paintable inside and out, and available in more than 380 door and glass combinations.

- The aesthetics of wood and the performance of fiberglass in a smooth, paintable door.
- Extraordinary in every detail with precision-engineered features and architecturally correct details.

- The largest line of door and glass combinations available in any Classic-Craft collection.
- Classic-Craft is rated a *Consumers Digest* Best Buy for the fiberglass entry door category.
- Available in many styles and sizes – including 8'0" heights – to complement more home styles.

See the collection, starting on page 88.



Fire-Rated  
Options

Tru-Defense  
Eligible

WBDR / HVHZ  
Options

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV22022



# What Makes Therma-Tru Different? Vented Sidelites



## • Ventilation and aesthetics second to none.



### Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen or storm door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Therma-Tru reinvented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

- Works as a small swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.
- Wide patio mullions provide required structural strength for years of dependable operation.

- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens – available in bronze and white – are easy to operate and designed for years of worry-free use.

Available in Fiber-Classic and Smooth-Star, starting on page 106.



Tru-Defense Eligible

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.


Top: Smooth-Star, Flush-Glazed Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C

Bottom: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

# Tough When You Need It. Beautiful Always.

## High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



■ Wind-Borne Debris Region (WBDR)  
■ High Velocity Hurricane Zone (HVHZ)


## Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

### 1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.\*

### 2 Use the icons to find available Therma-Tru® product options in this catalog.



**STANDARD DOOR**



**IMPACT GLASS**



**WBDR Option**

Designed to withstand wind forces up to 167 mph (DP-50).  
(ASTM E 1886 / ASTM E 1996)

Standard Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = WBDR Option



**IMPACT DOOR**



**IMPACT GLASS**



**HVHZ Option**

Designed to withstand wind forces up to 195 mph (DP-65).\*\*  
(TAS 201 / TAS 203)

Impact Steel-Plate Reinforced Fiberglass Door + Impact Laminated Glass with Impact Lip-Lite Frame = HVHZ Option



**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

### 3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*


### 4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

\*\*Impact and structural performance of a single Therma-Tru fiberglass door with a steel plate lining and a Therma-Tru multi-point locking system.


Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.



Constructed to help protect the interior of the home from flying debris and high-velocity winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in high-wind and coastal regions, including parts of Florida, Texas and the Carolinas.\*

### Impact Doors

Feature a built-in 24-gauge steel plate lining.



### Impact Glass

Features special laminated glass construction.



### Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### Other Considerations

#### Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 217–221.

#### Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 190.



**NEW**  
Available 2nd Quarter 2015

# Arborwatch™ Decorative Glass

for Classic-Craft® Premium Entryways



24

## Create a warm welcoming.



Black Nickel



Brushed Nickel

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reed glass, **2** M seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber artique glass and **6** clear bevels to create a welcoming entryway suited for homes with Craftsman-style architectural elements.

Available in a wide range of sizes in all five Classic-Craft collections, starting on page 32.

To learn more about availability, call 1-800-843-7628.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300

1 **6** 10

Glass Privacy Rating

**NEW**

# Borrassa™ Decorative Glass for Classic-Craft® Premium Entryways



## A statement of strength and beauty.



Wrought Iron

1

10

Glass Privacy Rating

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in Classic-Craft Mahogany, Rustic and Canvas Collections, starting on page 32.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Shown Left – Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Classic-Craft Mahogany Collection, Borrassa Glass, Door – CCM81519



**NEW**

# Zaha™ Decorative Glass

for Classic-Craft® Premium Entryways



26

## Make a bold entrance.



Black Nickel



Brushed Nickel

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in Classic-Craft Mahogany, Rustic and Canvas Collections, starting on page 32.



1 **3** 10

Glass Privacy Rating

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic-Craft Canvas Collection, Zaha Glass, Door – CCV1843




**NEW**  
Available 2nd Quarter 2015

# Axis™ Decorative Glass

for Fiber-Classic®, Smooth-Star®, Profiles™, Traditions & Pulse® Doors



## A touch of modern curb appeal.



Black Nickel

Simple and smart, Axis combines **1** narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.

Available in Fiber-Classic and Smooth-Star, starting on page 106, Profiles and Traditions, starting on page 192, and Pulse, starting on page 222.

To learn more about availability, call 1-800-843-7628.



Fiberglass\*



Steel\*



WBDR / HVHZ  
Options

1 **7** 10

Glass Privacy Rating

\*Included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass design may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Pulse Ari, Axis Glass, Door – S83AX, ©TheHouseDesigners.com

**NEW**

# Smooth-Star® 8'0" Flush-Glazed Door Style




28

• A timeless look with broad appeal.



3/4-Lite 1-Panel  
Flush-Glazed

## Available Grid Patterns



Perfect for front entry, yet versatile enough for patio. Get the timeless look of the 3/4-lite 1-panel door style with the beauty and performance of flush-glazed glass in a smooth, paintable surface. Now in 8'0" height to complete the statement on a grand entrance with high ceilings.

Available with specialty glass. See the entire flush-glazed selection available in a realistic wood grain or sleek, smooth surface, starting on page 169.

### **Flush-Glazed Fiberglass Door Replacement Rider**

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



Tru-Defense  
Eligible

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass, Doors – S82200

**NEW**

# Smooth-Star® 7'0" Door Options



## • Reach new heights.



2-Panel Square Top



6-Panel

The Smooth-Star fiberglass door portfolio expands to include the popular 2-panel square top and 6-panel door styles in 7'0" height. Designed to fit more openings, the 7'0" doors offer new options for taller entries with the same crisp, clean contours of this smooth, paintable fiberglass door line.

Available with decorative and specialty glass to create more than 350 new door and glass combinations, starting on page 106. Look for the (†) icon. For a quick reference of all the available 7'0" door style options, see the chart on page 258.



Fire-Rated Options

Tru-Defense Eligible

WBDR Options\*

\*Solid-panel doors only.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Smooth-Star Door – S210, Clear Glass with GBGs, Sidelites – S308SL



**NEW**

## 1/2-Lite 2-Panel Door Style for 8'0" Smooth-Star® & Traditions Doors



With growing trends toward taller ceiling heights and taller doors, Therma-Tru expands its 8'0" Smooth-Star and Traditions product lines to include 1/2-lite 2-panel configurations.

Available with decorative and specialty glass, starting on page 107 for Smooth-Star and page 193 for Traditions.



Smooth-Star



Traditions Door



Traditions Glass

ENERGY STAR  
PartnerTru-Defense  
EligibleWBDR / HVHZ  
Options

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Left: Smooth-Star, Granite Glass, Door – S81929PXN

30

**NEW**

## Continuous System with Spread Mullion Capability



Fit more replacement openings. Deliver the clean sight lines homeowners desire. This solution offers flexibility and aesthetics to meet the needs of the repair and remodel market with a continuous sill and head jamb, and spread mullion capability to fill 49"–75" rough openings.\*

**NEW** inswing composite adjustable sill in continuous length accepts active door bottom and fixed sidelites, available on page 246.



Fiberglass\*\*

Profiles. & Pulse.  
Steel\*\*

Traditions Steel\*\*

Tru-Defense  
Eligible\*\*

\*See the Therma-Tru 2015 *Architectural Details & Components* manual for actual unit size specifications.


\*\*Composite adjustable sill included in the limited warranty when installed in a Therma-Tru fiberglass or steel door system, and Tru-Defense eligible when properly assembled and installed in a Therma-Tru fiberglass door system with all Therma-Tru specified system components in accordance with the Rider.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and Tru-Defense Rider.

**NEW**  
Available 2nd Half 2015

# Classic-Craft® Premium Entryways

New 8'0" Door Sizes, Styles & Glass Options



Therma-Tru is proud to announce that our Classic-Craft premium entryways will soon be available in more sizes, styles and options to meet the growing trend toward taller doors and wider openings with a premium aesthetic. The additions feature the American Style Collection in a **NEW** 3'6" x 8'0" size, while our Rustic Collection expands its 3'0" x 8'0" and 3'6" x 8'0" doors to include **NEW** panel designs, as well as **NEW** glass options. Looks like some of our most popular doors are about to become even more sought after.

More to like about the doors you love.

For a quick reference of our current 3'6" door style options, see the chart on page 257.

**To learn more about availability, call 1-800-843-7628.**

## Classic-Craft® American Style Collection™

Introducing the 3'6" x 8'0" Craftsman 2-panel flush-glazed door with a bigger glass opening than other Therma-Tru® 8'0" Craftsman doors. Available with decorative and specialty glass in simulated divided lite configurations. Pairs with existing 8'0" full-lite sidelites and a new dentil shelf scaled to fit for true Craftsman appeal.



Sample of the New Styles

## Classic-Craft® Rustic Collection™

Introducing the 3'0" x 8'0" and 3'6" x 8'0" 2-panel square top doors with on-trend, wider panel embossments. Available with decorative and specialty glass options for new and existing 3'6" x 8'0" doors. Pairs with existing 8'0" full-lite sidelites, clavos and straps.



Sample of the New Styles

# Classic-Craft® Decorative & Specialty Glass Designs

## Villager™

Villager beautifully interprets the Craftsman chevron design with **1** bronze waterglass, **2** seeded glass, **3** clear bevels, **4** gray artique glass and coming. Artistically authentic in every detail.

Available in:  
 American Style Collection™  
**NEW** Mahogany Collection™  
**NEW** Rustic Collection™  
**NEW** Oak Collection™  
 Canvas Collection.

1 **5** 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.




## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass.

An ideal complement for a Transitional home design.

Available in:  
 American Style Collection™  
**NEW** Mahogany Collection™  
**NEW** Rustic Collection™  
**NEW** Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel

## Arcadia™

With its timeless petal design, Arcadia combines ① gray baroque glass, ② seeded glass, ③ clear curved bevels and coming for a distinctive display that evokes a simpler time.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Black Nickel



Brushed Nickel




Brass

## Augustine.

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and ① granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in:  
**NEW** Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®




Wrought Iron

Note: Features lite frame with authentic wrought iron look in a black finish. See image on page 65 to see how it appears on a home.

## Ashurst™

Ashurst recalls the familiar feel of American-crafted sophistication. ① Clear bevels, ② double waterglass and coming come together to provide modest privacy with a traditional vibe.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®



Black Nickel



Brushed Nickel


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together ① clear bevels, ② clear baroque glass, ③ rainglass, ④ seeded glass, ⑤ bronze waterglass and coming.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1  6  10   
 Glass Privacy Rating



Black Nickel



Brushed Nickel

## NEW Arborwatch™

Available 2nd Quarter 2015

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reed glass, ② M seedy glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber artique glass and ⑥ clear bevels.

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1  6  10   
 Glass Privacy Rating



Black Nickel



Brushed Nickel



## NEW Borrassa™

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with ① hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®

1 ————— 10  
 Glass Privacy Rating



Wrought Iron

Note: Features lite frame with authentic wrought iron look in a black finish. See image on page 274 to see how it appears on a home.

## Provincial™

A unique diamond-based motif features ① double waterglass, ② clear bevels and coming surrounded by a ③ gray baroque glass border. Provincial captivates with stunning clarity.

Available in:  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 ————— 6 ————— 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass


Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with ① seeded glass, ② clear bevels, ③ granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection.

1 8 10  
 Glass Privacy Rating



Black Nickel




Brushed Nickel

## Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19<sup>th</sup> century-inspired elegance with modest privacy using ① crystalline glue chip glass, ② clear curved bevels, ③ double waterglass and coming.

Available in:  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.

1 8 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

## NEW Zaha™

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features ① oceana and ② seedy glass, ③ clear and ④ multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Canvas Collection®

1 ③ 10  
 Glass Privacy Rating



Black Nickel




Brushed Nickel

## Lucerna.

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of ① curved, ② diamond and ③ rectangular bevels surrounded by smooth, swirling ④ barn wood and heavily textured ⑤ diamond border glass.

Available in:  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection®

1 ⑦ 10  
 Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.



## Privacy Glass



### Chord Glass

A vertical flowing pattern reminiscent of waves on the water.

---

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Glass Privacy Rating



### Chinchilla Glass

A free-flowing configuration, presenting quiet lines and curves.

---

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Glass Privacy Rating



### Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

---

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Glass Privacy Rating



### Granite Glass

A coarse grained arrangement with surface detail over the entirety of glass.

---

Available in:  
 American Style Collection™  
 Mahogany Collection™  
 Rustic Collection™  
 Oak Collection™  
 Canvas Collection.



Glass Privacy Rating



## Clavos & Strap Hinges

Add a finishing touch of Rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, and strap hinges.



1-1/2"    1-1/4"    1"            1-3/4"    1-1/4"    1"



18"



Top: Classic-Craft Rustic Collection Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges





## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic-Craft. American Style Collection. 4-Block Dentil Shelf



Classic-Craft. American Style Collection. 16-Block Dentil Shelf



Classic-Craft. Canvas Collection. 4-Block Dentil Shelf





Classic-Craft®  
Collection™  
Entry Doors

THERMA TRU  
DOORS



INSPIRE

# Classic-Craft® American Style Collection™

- Vertical Douglas Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways create a timeless look that is perfect for Craftsman-inspired Cottage- and Bungalow-style homes.



# Classic-Craft® American Style Collection™

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed doors and sidelites.
- Exclusive glass designs.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.


## Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates rerailing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

## Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

- Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 254–255.



\*Compared to other standard fiberglass doors.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Classic-Craft American Style Collection, Villager Glass with SDLs, Door – CCA232, Sidelites – CCA3402SL, Transom – VGRT  
Right Page: Classic-Craft American Style Collection, Homeward Glass, Door – CCA211, Sidelites – CCA3401SL, Transom – HWRT, Dentil Shelf



# Decorative Glass Designs



**Villager**<sup>™</sup> Page 46  
Glass Privacy Rating: **5**



**Homeward**<sup>™</sup> Page 46  
Glass Privacy Rating: **4**



**Arborwatch**<sup>™</sup> Page 46  
Glass Privacy Rating: **6**

Also Available:

**Privacy Glass** Page 47

**Low-E Glass** Page 48

### Caming Options

- ▣ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Glass Privacy Rating Scale


1 2 3 4 5 6 7 8 9 10

Clear

Opaque




# Villager™



CCA212  
3'0" x 6'8"



CCA8212  
3'0" x 8'0"



CCA222  
3'0" x 6'8"



CCA8222  
3'0" x 8'0"



CCA232  
3'0" x 6'8"



CCA8232  
3'0" x 8'0"



CCA3402SL  
12" x 6'8"  
14" x 6'8"




CCA3502SL  
12" x 8'0"  
14" x 8'0"



CCA212SL  
12" x 6'8"  
14" x 6'8"




VGRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



VG30T  
3'0" Door Only


# Homeward™




CCA211  
3'0" x 6'8"




CCA8211  
3'0" x 8'0"



CCA221  
3'0" x 6'8"



CCA8221  
3'0" x 8'0"



CCA231  
3'0" x 6'8"



CCA8231  
3'0" x 8'0"



CCA3401SL  
12" x 6'8"  
14" x 6'8"



CCA3501SL  
12" x 8'0"  
14" x 8'0"

CCA211SL  
12" x 6'8"  
14" x 6'8"




HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only


# NEW Arborwatch™ Available 2nd Quarter 2015



CCA9100  
3'0" x 6'8"




CCA89100  
3'0" x 8'0"



CCA9200  
3'0" x 6'8"



CCA89200  
3'0" x 8'0"



CCA9300  
3'0" x 6'8"



CCA89300  
3'0" x 8'0"



CCA1423SL  
12" x 6'8"  
14" x 6'8"



CCA81423SL  
12" x 8'0"  
14" x 8'0"

CCA9100SL  
12" x 6'8"  
14" x 6'8"



ABRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



AB30T  
3'0" Door Only

Note: See page 261 for important product details that may help with your purchase decision.


Right Page (Both): Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220, Sidelites – S81086SL

# Privacy Glass



CCA210XJ  
CCA210XR  
CCA210XN  
CCA210XC  
▲  
3'0" x 6'8"

CCA8210XJ  
CCA8210XR  
CCA8210XN  
CCA8210XC  
▲  
3'0" x 8'0"



CCA220XJ  
CCA220XR  
CCA220XN  
CCA220XC  
▲  
3'0" x 6'8"

CCA8220XJ  
CCA8220XR  
CCA8220XN  
CCA8220XC  
▲  
3'0" x 8'0"



CCA230XJ  
CCA230XR  
CCA230XN  
CCA230XC  
▲  
3'0" x 6'8"

CCA8230XJ  
CCA8230XR  
CCA8230XN  
CCA8230XC  
▲  
3'0" x 8'0"



CCA240XJ  
CCA240XR  
CCA240XN  
CCA240XC  
▲  
3'0" x 6'8"

CCA8240XJ  
CCA8240XR  
CCA8240XN  
CCA8240XC  
▲  
3'0" x 8'0"



CCA260XJ  
CCA260XR  
CCA260XN  
CCA260XC  
▲  
3'0" x 6'8"

CCA8260XJ  
CCA8260XR  
CCA8260XN  
CCA8260XC  
▲  
3'0" x 8'0"



CCA3400XJSL  
CCA3400XRSL  
CCA3400XNSL  
CCA3400XCSSL  
▲  
12" x 6'8"  
14" x 6'8"

CCA3500XJSL  
CCA3500XRSL  
CCA3500XNSL  
CCA3500XCSSL  
▲  
12" x 8'0"  
14" x 8'0"



CCA3450XJSL  
CCA3450XRSL  
CCA3450XNSL  
CCA3450XCSSL  
▲  
12" x 6'8"  
14" x 6'8"

CCA3560XJSL  
CCA3560XRSL  
CCA3560XNSL  
CCA3560XCSSL  
▲  
12" x 8'0"  
14" x 8'0"



CCA210XJSL  
CCA210XRSL  
CCA210XNSL  
CCA210XCSSL  
▲  
12" x 6'8"  
14" x 6'8"



CCA220XJSL  
CCA220XRSL  
CCA220XNSL  
CCA220XCSSL  
▲  
12" x 6'8"  
14" x 6'8"



## Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- Simulated Divided Lites (SDL)
- ▲ Flush-Glazed Glass (FG)

## Optional Dentil Shelves

Available option for all American Style Collection doors.



4-Block Dentil Shelf



16-Block Dentil Shelf

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass



# Low-E Glass

					
CCA210 🔥🌟 3'0" x 6'8"	CCA8210 🔥🌟 3'0" x 8'0"	CCA220 🔥🌟🌟 3'0" x 6'8"	CCA8230 🔥🌟🌟 3'0" x 8'0"	CCA240 🔥🌟🌟 3'0" x 6'8"	CCA8260 🔥🌟🌟 3'0" x 8'0"
					
CCA3400SL 🔥🌟 12" x 6'8" 14" x 6'8"	CCA3500SL 🔥🌟 12" x 8'0" 14" x 8'0"	CCA3450SL 🔥🌟🌟 12" x 6'8" 14" x 6'8"	CCA3560SL 🔥🌟🌟 12" x 8'0" 14" x 8'0"	CCA210SL 🔥🌟 12" x 6'8" 14" x 6'8"	CCA220SL 🔥🌟🌟 12" x 6'8" 14" x 6'8"
					
					19220T 🌟 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems
					
					19200T 🌟 3'0" Door Only

NEW  
Available 2nd Half 2015

## Classic-Craft® American Style Collection™

### Coming Soon in 3'6" x 8'0" Door Size






Sample of the New Styles

- Introducing the 3'6" x 8'0" Craftsman 2-panel flushed-glazed door with a bigger glass opening than other Therma-Tru® 8'0" Craftsman doors.
- Available with Homeward™, Arborwatch™, Rainglass and Low-E glass.
- Simulated divided lite configurations available.
- Pairs with existing 8'0" full-lite sidelites.
- New dentil shelf option is scaled to fit for true Craftsman appeal.

For a quick reference of our current 3'6" door style options, see the chart on page 257.

To learn more about availability, call 1-800-843-7628.

### Features Key

-  Simulated Divided Lites (SDL)
-  Flush-Glazed Glass (FG)
-  Low-E Glass (LE)

### Optional Dentil Shelves

Available option for all American Style Collection doors.



4-Block Dentil Shelf

16-Block Dentil Shelf

Note: See page 261 for important product details that may help with your purchase decision.

Right Page: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA260XC, Sidelites – CCA220XCSSL, Dentil Shelf







Classic-Craft®  
Collection™  
Entry Doors

THERMA TRU  
DOORS



D R E A M





# Classic-Craft<sup>®</sup>

## Mahogany Collection<sup>™</sup>


51

- Rich, warm Mahogany wood tones.

Especially suited to European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

# Classic-Craft® Mahogany Collection™

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 254–255.

### Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.

### Heavier Construction




- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

### Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates rerailing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

### Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.

- 
 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
- 
 Fire-rated options available on solid-panel doors. See page 217.
- 
 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Mahogany Collection, Arcadia Glass, Door – CCM209, Sidelites – CCM3309SL


Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET



# Decorative Glass Designs




**Villager<sup>™</sup>** Page 54  
Glass Privacy Rating: **5**



**Homeward<sup>™</sup>** Page 54  
Glass Privacy Rating: **4**



**Arcadia<sup>™</sup>** Page 55  
Glass Privacy Rating: **5**



**Augustine<sup>®</sup>** Page 55  
Glass Privacy Rating: **10**



**Ashurst<sup>™</sup>** Page 56  
Glass Privacy Rating: **8**



**Bella<sup>™</sup>** Page 56  
Glass Privacy Rating: **6**



**Arborwatch<sup>™</sup>** Page 57  
Glass Privacy Rating: **6**




**Borrassa<sup>™</sup>** Page 57  
Glass Privacy Rating: **10**



**Longford<sup>™</sup>** Page 58  
Glass Privacy Rating: **8**



**Zaha<sup>™</sup>** Page 58  
Glass Privacy Rating: **3**



**Lucerna<sup>®</sup>** Page 59  
Glass Privacy Rating: **7**

Also Available:

**Privacy Glass** Page 59

**Low-E Glass** Page 60

### Caming Options

- ❖ Brass Caming (1A)
- ❑ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- ✕ Wrought Iron (1W)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**

Clear

Opaque





# NEW Villager<sup>™</sup>



CCM9812  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM9816  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM89818  
 ♦ ♦ ♦  
 3'0" x 8'0"



CCM9811  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM9812SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



CCM89812SL  
 ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



VGRT  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only




VG30T  
 ♦ ♦ ♦  
 3'0" Door Only

# NEW Homeward<sup>™</sup>



CCM9925  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM9923  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM89922  
 ♦ ♦ ♦  
 3'0" x 8'0"



CCM9926  
 ♦ ♦ ♦  
 3'0" x 6'8"



CCM9925SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



CCM89925SL  
 ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



HWRT  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



HW30T  
 ♦ ♦ ♦  
 3'0" Door Only



Note: See page 261 for important product details that may help with your purchase decision.  
 Bottom: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL

# Arcadia™



CCM109  
❖ ❖ ❖  
3'0" x 6'8"



CCM209  
❖ ❖ ❖  
3'0" x 6'8"



CCM894  
❖ ❖ ❖  
3'0" x 8'0"



CCM309  
❖ ❖ ❖  
3'0" x 6'8"



CCM409  
❖ ❖ ❖  
3'0" x 6'8"



CCM509  
❖ ❖ ❖  
3'0" x 6'8"



CCM609  
❖ ❖ ❖  
3'0" x 6'8"



CCM709  
❖ ❖ ❖  
3'0" x 6'8"



CCM809  
❖ ❖ ❖  
3'0" x 6'8"



CCM3409SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



CCM8003SL  
❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"



CCM3309SL  
❖ ❖ ❖  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



CCM3509SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



ARHRT  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC620T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC060T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC600T  
❖ ❖ ❖  
3'0" Door Only

# NEW Augustine.

Note: Product images show exterior side of door.



CCM30027  
X  
3'0" x 6'8"



CCM1485  
X  
3'0" x 6'8"



CCM805027  
X  
3'0" x 8'0"



CCM1495  
X  
3'0" x 6'8"



CCM3400XNSL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



CCM8000XNSL  
❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

## Options Key

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)

## Features Key

- ❖ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)



# Ashurst<sup>™</sup>



CCM105  
 ♦ ♦  
 3'0" x 6'8"



CCM205  
 ♦ ♦  
 3'0" x 6'8"



CCM893  
 ♦ ♦  
 3'0" x 8'0"



CCM305  
 ♦ ♦  
 3'0" x 6'8"



CCM405  
 ♦ ♦  
 3'0" x 6'8"



CCM505  
 ♦ ♦  
 3'0" x 6'8"



CCM605  
 ♦ ♦  
 3'0" x 6'8"



CCM705  
 ♦ ♦  
 3'0" x 6'8"



CCM805  
 ♦ ♦  
 3'0" x 6'8"



CCM3405SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



CCM8002SL  
 ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



CCM3305SL  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



CCM3505SL  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



ASHRT  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



ASRT  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



ASET  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AS30T  
 ♦ ♦  
 3'0" Door Only

# Bella<sup>™</sup>



CCM110B  
 ♦ ♦  
 3'0" x 6'8"



CCM210B  
 ♦ ♦  
 3'0" x 6'8"



CCM895B  
 ♦ ♦  
 3'0" x 8'0"



CCM310B  
 ♦ ♦  
 3'0" x 6'8"



CCM610B  
 ♦ ♦  
 3'0" x 6'8"



CCM710B  
 ♦ ♦  
 3'0" x 6'8"



CCM810B  
 ♦ ♦  
 3'0" x 6'8"

**CCM3410BSL**  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**CCM8004BSL**  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**CCM3310BSL**  
 ▲ ◆ ◆ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**CCM3510BSL**  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**BEBHRT**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**BERT-B**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**BEET-B**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## NEW Arborwatch<sup>™</sup> Available 2nd Quarter 2015

**CCM1423**  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"

**CCM1419**  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"

**CCM81418**  
 ◆ ◆ ◆ ◆  
 3'0" x 8'0"

**CCM1424**  
 ◆ ◆ ◆ ◆  
 3'0" x 6'8"

**CCM1423SL**  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**CCM81423SL**  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

**AB30T**  
 ◆ ◆ ◆ ◆  
 3'0" Door Only

**ABRT**  
 ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## NEW Borrassa<sup>™</sup>

Note: Product images show exterior side of door.

**CCM1528**  
 X  
 3'0" x 6'8"

**CCM1475**  
 X  
 3'0" x 6'8"

**CCM81519**  
 X  
 3'0" x 8'0"

**CCM1465**  
 X  
 3'0" x 6'8"

**CCM3400XHSL**  
 ▲ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

**CCM8000XHSL**  
 ▲ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

### Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ▲ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)



# Longford<sup>™</sup>



CCM103  
◆◆  
3'0" x 6'8"

CCM203  
◆◆◆  
3'0" x 6'8"

CCM892  
◆◆◆  
3'0" x 8'0"


CCM303  
◆◆◆  
3'0" x 6'8"

CCM403  
◆◆◆  
3'0" x 6'8"

CCM503  
◆◆◆  
3'0" x 6'8"

CCM603  
◆◆◆  
3'0" x 6'8"

CCM703  
◆◆◆  
3'0" x 6'8"



CCM803  
◆◆◆  
3'0" x 6'8"

CCM3403SL  
◆◆◆◆  
12" x 6'8"  
14" x 6'8"

CCM8001SL  
◆◆◆◆  
12" x 8'0"  
14" x 8'0"

CCM3303SL  
◆◆◆◆  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

CCM3503SL  
◆◆◆◆  
12" x 6'8"  
14" x 6'8"

LFHRT  
◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

LFRT  
◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

LFET  
◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

LF30T  
◆◆◆  
3'0" Door Only

# NEW Zaha<sup>™</sup>

Note: Product images show exterior side of door.



CCM1851  
◆◆◆  
3'0" x 6'8"

CCM1844  
◆◆◆  
3'0" x 6'8"

CCM81843  
◆◆◆  
3'0" x 8'0"

CCM1842  
◆◆◆  
3'0" x 6'8"

CCM1851SL  
◆◆◆◆  
12" x 6'8"  
14" x 6'8"

CCM81851SL  
◆◆◆◆  
12" x 8'0"  
14" x 8'0"

CCM1843SL  
◆◆◆◆  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



ZHHRT  
◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ZHRT  
◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only


# Lucerna



CCM10022  
 ■ ■ ◆  
 3'0" x 6'8"



CCM204  
 ■ ■ ◆  
 3'0" x 6'8"



CCM898  
 ■ ■ ◆  
 3'0" x 8'0"



CCM302  
 ■ ■ ◆  
 3'0" x 6'8"



CCM612  
 ■ ■ ◆  
 3'0" x 6'8"



CCM702  
 ■ ■ ◆  
 3'0" x 6'8"



CCM822  
 ■ ■ ◆  
 3'0" x 6'8"



CCM3412SL  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



CCM8102SL  
 ▲ ■ ◆  
 12" x 8'0"  
 14" x 8'0"



CCM3302SL  
 ▲ ■ ◆  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

CCM3502SL  
 ▲ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



LCERT  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LCRT  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LCET  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LC30T  
 ■ ■ ◆  
 3'0" Door Only

# Privacy Glass



CCM100XJ  
 CCM100XR  
 CCM100XN  
 CCM100XC  
 3'0" x 6'8"



CCM200XJ  
 CCM200XR  
 CCM200XN  
 CCM200XC  
 3'0" x 6'8"



CCM891XJ  
 CCM891XR  
 CCM891XN  
 CCM891XC  
 3'0" x 8'0"



CCM300XJ  
 CCM300XR  
 CCM300XN  
 CCM300XC  
 3'0" x 6'8"



CCM600XJ  
 CCM600XR  
 CCM600XN  
 CCM600XC  
 3'0" x 6'8"



CCM3400XJSL  
 CCM3400XRSL  
 CCM3400XNLSL  
 CCM3400XCSSL  
 ▲  
 12" x 6'8"  
 14" x 6'8"

CCM8000XJSL  
 CCM8000XRSL  
 CCM8000XNLSL  
 CCM8000XCSSL  
 ▲  
 12" x 8'0"  
 14" x 8'0"

## Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ▲ Flush-Glazed Glass (FG)

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

# Low-E Glass



<b>CCM100</b> * 3'0" x 6'8"	<b>CCM200</b> * 3'0" x 6'8"	<b>CCM891</b> * 3'0" x 8'0"	<b>CCM300</b> * 3'0" x 6'8"	<b>CCM400</b> * 3'0" x 6'8"	<b>CCM500</b> * 3'0" x 6'8"	<b>CCM600</b> * 3'0" x 6'8"	<b>CCM700</b> * 3'0" x 6'8"
-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------



<b>CCM800</b> * 3'0" x 6'8"	<b>CCM3400SL</b> ▲* 12" x 6'8" 14" x 6'8"	<b>CCM8000SL</b> ▲* 12" x 8'0" 14" x 8'0"	<b>CCM3300SL</b> ▲* 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>CCM3500SL</b> ▲* 12" x 6'8" 14" x 6'8"	<b>DLHRT</b> * 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>19220T</b> * 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems
					<b>19020T</b> * 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	<b>19200T</b> * 3'0" Door Only

# Solid Panel



<b>CCM890</b> 6 3'0" x 8'0"	<b>CCM60</b> 6 3'0" x 6'8"	<b>CCM701</b> 6 3'0" x 6'8"	<b>CCM801</b> 3'0" x 6'8"
-----------------------------------	----------------------------------	-----------------------------------	------------------------------

## Options Key

WBDR / HVHZ Options

## Features Key

▲ Low-E Glass (LE)  
▲ Flush-Glazed Glass (FG)









Classic-Craft®  
Collection™  
Entry Doors

THERMA TRU  
DOORS

BEAUTY

# Classic-Craft®

## Rustic

## Collection™

- Casually elegant wood graining.

Designed to complement American Southwest or Tuscan-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.



# Classic-Craft® Rustic Collection™

Seamlessly blends Southwest and Tuscan styling with rustic wood grains to evoke Old World charm.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.

## Heavier Construction

- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.


## Available Sizes


- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates rerailing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.


## Finish Options


Classic-Craft Rustic entryways can be stained or painted any color.



 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*

 Fire-rated options available on solid-panel doors. See page 217.

 Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 254–255.

\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Top: Classic-Craft Rustic Collection, Ashurst Glass, Door – CCR820525  
Right Page: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR820537A

# Decorative Glass Designs



**Villager™** Page 66  
Glass Privacy Rating: **5**



**Homeward™** Page 66  
Glass Privacy Rating: **4**



**Arcadia™** Page 67  
Glass Privacy Rating: **5**



**Augustine®** Page 67  
Glass Privacy Rating: **10**



**Ashurst™** Page 68  
Glass Privacy Rating: **8**



**Bella™** Page 69  
Glass Privacy Rating: **6**



**Arborwatch™** Page 69  
Glass Privacy Rating: **6**



**Borrassa™** Page 70  
Glass Privacy Rating: **10**



**Provincial™** Page 70  
Glass Privacy Rating: **6**




**Longford™** Page 71  
Glass Privacy Rating: **8**



**Cambridge™** Page 71  
Glass Privacy Rating: **8**



**Zaha™** Page 72  
Glass Privacy Rating: **3**



**Lucerna™** Page 72  
Glass Privacy Rating: **7**

Also Available:

**Privacy Glass**  
Page 73

**Low-E Glass**  
Page 74

**Caming Options**

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)
- ❖ Wrought Iron (1W)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque



# NEW Villager™



CCR9812  
3'0" x 6'8"



CCR9819  
3'0" x 6'8"


CCR89819  
3'0" x 8'0"



CCR9821  
3'0" x 6'8"



CCR89821  
3'0" x 8'0"



CCR9822  
3'0" x 6'8"



CCR89822  
3'0" x 8'0"



CCR9812SL  
12" x 6'8"  
14" x 6'8"



CCR89812SL  
12" x 8'0"  
14" x 8'0"



VGRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




VG30T  
3'0" Door Only

# NEW Homeward™




CCR9925  
3'0" x 6'8"




CCR9921  
3'0" x 6'8"




CCR89921  
3'0" x 8'0"



CCR9919  
3'0" x 6'8"



CCR89919  
3'0" x 8'0"



CCR9918  
3'0" x 6'8"



CCR89918  
3'0" x 8'0"



CCR9925SL  
12" x 6'8"  
14" x 6'8"



CCR89925SL  
12" x 8'0"  
14" x 8'0"



HWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



HW30T  
3'0" Door Only

Note: See page 261 for important product details that may help with your purchase decision.

Top: Classic-Craft Rustic Collection, Villager Glass, Door – CCR9822



# Arcadia™



CCR30029  
 ✦ ✦ ✦  
 3'0" x 6'8"



CCR04029  
 ✦ ✦ ✦  
 3'0" x 6'8"



CCR804029  
 ✦ ✦ ✦  
 3'0" x 8'0"



CCR20529  
 ✦ ✦ ✦  
 3'0" x 6'8"



CCR820529  
 ✦ ✦ ✦  
 3'0" x 8'0"



CCR20029  
 ✦ ✦ ✦  
 3'0" x 6'8"



CCR820029  
 ✦ ✦ ✦  
 3'0" x 8'0"



CCR3409SL  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



CCR8009SL  
 ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"



ARHRT  
 ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



CC060T  
 ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Augustine®


Note: Product images show exterior side of door.



CCR30027  
 ✕  
 3'0" x 6'8"



CCR04027  
 ✕  
 3'0" x 6'8"



CCR804027  
 ✕  
 3'0" x 8'0"



CCR04037  
 ✕  
 3'0" x 6'8"



CCR804037  
 ✕  
 3'0" x 8'0"  
 3'6" x 8'0"



CCR04037A  
 ✕  
 3'0" x 6'8"



CCR804037A  
 ✕  
 3'0" x 8'0"  
 3'6" x 8'0"



CCR20527  
 ✕  
 3'0" x 6'8"



CCR820527  
 ✕  
 3'0" x 8'0"



CCR20537  
 ✕  
 3'0" x 6'8"



CCR820537  
 ✕  
 3'0" x 8'0"  
 3'6" x 8'0"

## Options Key

- ✦ Brass Caming (1A)
- ✦ Brushed Nickel Caming (1C)
- ✦ Black Nickel Caming (1D)

## Features Key

- ✦ Flush-Glazed Glass (FG)
- ✕ Wrought Iron (1W)

Augustine Glass Continues on next page.

**Augustine<sup>®</sup> Glass** *Continued*



CCR20537A ✗  
3'0" x 6'8"  
CCR820537A ✗  
3'0" x 8'0"  
3'6" x 8'0"



CCR20027 ✗  
3'0" x 6'8"  
CCR820027 ✗  
3'0" x 8'0"



CCR20037 ✗  
3'0" x 6'8"  
CCR820037 ✗  
3'0" x 8'0"



CCR20037A ✗  
3'0" x 6'8"  
CCR820037A ✗  
3'0" x 8'0"



CCR3400XNSL ▲  
12" x 6'8"  
14" x 6'8"  
CCR8000XNSL ▲  
12" x 8'0"  
14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.

**Ashurst<sup>™</sup>**



CCR30025 ♦♦  
3'0" x 6'8"



CCR04025 ♦♦  
3'0" x 6'8"



CCR804025 ♦♦  
3'0" x 8'0"



CCR804035 ♦♦  
3'0" x 8'0"



CCR804035A ♦♦  
3'0" x 8'0"



CCR20525 ♦♦  
3'0" x 6'8"



CCR820525 ♦♦  
3'0" x 8'0"



CCR820535 ♦♦  
3'0" x 8'0"



CCR820535A ♦♦  
3'0" x 8'0"



CCR20025 ♦♦  
3'0" x 6'8"  
CCR820025 ♦♦  
3'0" x 8'0"



CCR820035 ♦♦  
3'0" x 8'0"



CCR820035A ♦♦  
3'0" x 8'0"



CCR3405SL ▲♦♦  
12" x 6'8"  
14" x 6'8"  
CCR8001SL ▲♦♦  
12" x 8'0"  
14" x 8'0"



ASHRT ♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ASRT ♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only




ASET ♦♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only










AS30T ♦♦  
3'0" Door Only

# Bella™

				
CCR30024B ◆ 3'0" x 6'8"	CCR04024B   CCR804024B ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR20524B   CCR820524B ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR20024B   CCR820024B ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR3410BSL   CCR8010BSL ◆ 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"
				
BEBHRT ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	BEET-B ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	BERT-B ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only		

# NEW Arborwatch™ Available 2nd Quarter 2015

				
CCR1423 ◆ 3'0" x 6'8"	CCR1417   CCR81417 ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR1415   CCR81415 ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR1414   CCR81414 ◆ 3'0" x 6'8"   3'0" x 8'0"	CCR1423SL   CCR81423SL ◆ 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"
				
ABRT ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	AB30T ◆ 3'0" Door Only			

### Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Wrought Iron (1W)



# NEW Borrassa<sup>™</sup>

Note: Product images show exterior side of door.



CCR1528 ✗ 3'0" x 6'8"	CCR1518 ✗ 3'0" x 6'8"	CCR81518 ✗ 3'0" x 8'0"	CCR1514 ✗ 3'0" x 6'8"	CCR81514 ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1514A ✗ 3'0" x 6'8"	CCR81514A ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1516 ✗ 3'0" x 6'8"	CCR81516 ✗ 3'0" x 8'0"	CCR1512 ✗ 3'0" x 6'8"	CCR81512 ✗ 3'0" x 8'0" 3'6" x 8'0"
-----------------------------	-----------------------------	------------------------------	-----------------------------	---	------------------------------	--	-----------------------------	------------------------------	-----------------------------	---



CCR1512A ✗ 3'0" x 6'8"	CCR81512A ✗ 3'0" x 8'0" 3'6" x 8'0"	CCR1515 ✗ 3'0" x 6'8"	CCR81515 ✗ 3'0" x 8'0"	CCR1511 ✗ 3'0" x 6'8"	CCR81511 ✗ 3'0" x 8'0"	CCR1511A ✗ 3'0" x 6'8"	CCR81511A ✗ 3'0" x 8'0"	CCR3400XHSL ▲ 12" x 6'8" 14" x 6'8"	CCR8000XHSL ▲ 12" x 8'0" 14" x 8'0"
------------------------------	--	-----------------------------	------------------------------	-----------------------------	------------------------------	------------------------------	-------------------------------	--	--

Note:  
Coordinating  
sidelites  
feature  
hammered  
glass without  
wrought iron.

# Provincial<sup>™</sup>



CCR30028 ❖ ❖ ❖ 3'0" x 6'8"	CCR04028 ❖ ❖ ❖ 3'0" x 6'8"	CCR804028 ❖ ❖ ❖ 3'0" x 8'0"	CCR20528 ❖ ❖ ❖ 3'0" x 6'8"	CCR820528 ❖ ❖ ❖ 3'0" x 8'0"	CCR20028 ❖ ❖ ❖ 3'0" x 6'8"	CCR820028 ❖ ❖ ❖ 3'0" x 8'0"	CCR3408SL ▲ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	CCR8008SL ▲ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
----------------------------------	----------------------------------	-----------------------------------	----------------------------------	-----------------------------------	----------------------------------	-----------------------------------	--	--



PRHRT  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC040T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only





CC420T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
❖ ❖ ❖  
3'0" Door Only

Note: See page 261 for important product details that may help with your purchase decision.

# Longford™




**LFHRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**LFET**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LFRT**  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**LF30T**  
 ■ ■ ◆  
 3'0" Door Only

# Cambridge™



**CBHRT**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**CC090T**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**CC920T**  
 ◆ ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

**CC900T**  
 ◆ ■ ■ ◆  
 3'0" Door Only

## Options Key

- ◆ Brass Caming (1A)
- ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ◆ Flush-Glazed Glass (FG)
- ✗ Wrought Iron (1W)

# NEW Zaha<sup>™</sup>


Note: Product images show exterior side of door.



CCR1851  
3'0" x 6'8"



CCR1841  
3'0" x 6'8"



CCR81841  
3'0" x 8'0"



CCR81847  
3'0" x 8'0"



CCR81847A  
3'0" x 8'0"



CCR1839  
3'0" x 6'8"



CCR81839  
3'0" x 8'0"




CCR81846  
3'0" x 8'0"



CCR81846A  
3'0" x 8'0"



CCR1838  
3'0" x 6'8"



CCR81838  
3'0" x 8'0"



CCR81845  
3'0" x 8'0"



CCR81845A  
3'0" x 8'0"



CCR1851SL  
12" x 6'8"  
14" x 6'8"



CCR81851SL  
12" x 8'0"  
14" x 8'0"



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



ZHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Lucerna<sup>®</sup>



CCR10022  
3'0" x 6'8"



CCR04022  
3'0" x 6'8"



CCR804022  
3'0" x 8'0"



CCR20522  
3'0" x 6'8"



CCR820522  
3'0" x 8'0"



CCR20022  
3'0" x 6'8"



CCR820022  
3'0" x 8'0"



CCR820532  
3'0" x 8'0"





CCR820532A  
 :: ◆  
 3'0" x 8'0"



CCR820032  
 :: ◆  
 3'0" x 8'0"



CCR820032A  
 :: ◆  
 3'0" x 8'0"



CCR804032  
 :: ◆  
 3'0" x 8'0"



CCR804032A  
 :: ◆  
 3'0" x 8'0"



CCR3412SL  
 ● ◆  
 12" x 6'8"  
 14" x 6'8"


CCR8102SL  
 ● ◆  
 12" x 8'0"  
 14" x 8'0"



LCHRT  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



LCET  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LCRT  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



LC30T  
 :: ◆  
 3'0" Door Only

## Privacy Glass



CCR30020XJ  
 CCR30020XR  
 CCR30020XN  
 CCR30020XC  
 3'0" x 6'8"



CCR04020XJ | CCR804020XJ  
 CCR04020XR | CCR804020XR  
 CCR04020XN | CCR804020XN  
 CCR04020XC | CCR804020XC  
 3'0" x 6'8" | 3'0" x 8'0"



CCR20520XJ | CCR820520XJ  
 CCR20520XR | CCR820520XR  
 CCR20520XN | CCR820520XN  
 CCR20520XC | CCR820520XC  
 3'0" x 6'8" | 3'0" x 8'0"



CCR20020XJ | CCR820020XJ  
 CCR20020XR | CCR820020XR  
 CCR20020XN | CCR820020XN  
 CCR20020XC | CCR820020XC  
 3'0" x 6'8" | 3'0" x 8'0"



CCR804030XJ  
 CCR804030XR  
 CCR804030XN  
 CCR804030XC  
 3'0" x 8'0"



CCR820530XJ  
 CCR820530XR  
 CCR820530XN  
 CCR820530XC  
 3'0" x 8'0"

Privacy Glass *Continues on next page.*

### Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- Flush-Glazed Glass (FG)

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

Privacy Glass *Continued*



CCR820030XJ  
CCR820030XR  
CCR820030XN  
CCR820030XC  
3'0" x 8'0"



CCR804030AXJ  
CCR804030AXR  
CCR804030AXN  
CCR804030AXC  
3'0" x 8'0"



CCR820530AXJ  
CCR820530AXR  
CCR820530AXN  
CCR820530AXC  
3'0" x 8'0"



CCR820030AXJ  
CCR820030AXR  
CCR820030AXN  
CCR820030AXC  
3'0" x 8'0"



CCR3400XJSL  
CCR3400XRSL  
CCR3400XNSL  
CCR3400XCSSL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CCR8000XJSL  
CCR8000XRSL  
CCR8000XNSL  
CCR8000XCSSL  
▲ 12" x 8'0"  
▲ 14" x 8'0"

Low-E Glass



CCR30020  
★ 3'0" x 6'8"




CCR04020  
★ 3'0" x 6'8"



CCR804020  
★ 3'0" x 8'0"



CCR804030  
★ 3'0" x 8'0"




CCR804030A  
★ 3'0" x 8'0"



CCR20520  
★ 3'0" x 6'8"



CCR820520  
★ 3'0" x 8'0"



CCR820530  
★ 3'0" x 8'0"



CCR820530A  
★ 3'0" x 8'0"



CCR20020  
★ 3'0" x 6'8"



CCR820020  
★ 3'0" x 8'0"



CCR820030  
★ 3'0" x 8'0"



CCR820030A  
★ 3'0" x 8'0"



CCR3400SL  
▲ ★ 12" x 6'8"  
▲ ★ 14" x 6'8"



CCR8000SL  
▲ ★ 12" x 8'0"  
▲ ★ 14" x 8'0"



DLHRT  
★ 3'0" door + (2) 12" sidelites  
★ 3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
★ 3'0" door + (2) 12" sidelites  
★ 3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



19020T  
★ 3'0" door + (2) 12" sidelites  
★ 3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



19200T  
★ 3'0" Door Only

# Solid Panel



CCR205  
3'0" x 6'8"  
CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



CCR205A  
3'0" x 6'8"  
CCR8205A  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8005  
3'0" x 8'0"



CCR8005A  
3'0" x 8'0"



CCR040  
3'0" x 6'8"  
CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR040R  
3'0" x 6'8"  
CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"



CCR200  
3'0" x 6'8"  
CCR8200  
3'0" x 8'0"



CCR200A  
3'0" x 6'8"  
CCR8200A  
3'0" x 8'0"



CCR8220  
3'0" x 8'0"




CCR8220R  
3'0" x 8'0"



CCR100  
3'0" x 6'8"  
3'6" x 6'8"  
CCR8100  
3'0" x 8'0"  
3'6" x 8'0"



CCR100A  
3'0" x 6'8"  
3'6" x 6'8"  
CCR8100A  
3'0" x 8'0"  
3'6" x 8'0"



CCR100R  
3'0" x 6'8"  
3'6" x 6'8"  
CCR8100R  
3'0" x 8'0"  
3'6" x 8'0"

NEW

Available 2nd Half 2015

## Classic-Craft® Rustic Collection™

Coming Soon with More Door Styles & Glass Options

- Introducing the 3'0" x 8'0" and 3'6" x 8'0" 2-panel square top doors with on-trend, wider panel embossments.
- Available with glass options for new and existing 3'6" x 8'0" doors, including Homeward™, Augustine™, Arborwatch™, Borrassa™, Lucerna™, Rainglass and Low-E glass.
- Pairs with existing 8'0" full-lite sidelites.
- The look of hand-forged clavos and straps adds a finishing touch.

For a quick reference of our current 3'6" door style options, see the chart on page 257.

To learn more about availability, call 1-800-843-7628.

**Options Key**  
WBDR / HVHZ Options

**Features Key**  
 Low-E Glass (LE)  
 Flush-Glazed Glass (FG)

**Privacy Glass**  
 XJ = Chinchilla Glass  
 XR = Rainglass  
 XN = Granite Glass  
 XC = Chord Glass





Classic-Craft®  
Collection™  
Entry Doors

THERMA-TRU  
DOORS

STRIKING



# Classic-Craft®

## Oak


### Collection™

- Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.

# Classic-Craft® Oak Collection™

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.



## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 254–255.

### Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain® technology.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.

### Heavier Construction




- 20% heavier construction.\*
- Top and bottom composite rails.
- 4-1/8" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

### Available Sizes

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-1/2" of height trimmability eliminates rerailing to fit 80"–82-1/2" and 96"–98-1/2" rough openings.

### Finish Options

Classic-Craft Oak entryways can be stained or painted any color.

- 
**WBDR / HVHZ Options:** Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
- 
**Fire-rated options** available on solid-panel doors. See page 217.
- 
**Tru-Defense.** Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.




\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.  
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.


Top: Classic-Craft Oak Collection, Lucerna Glass, Door – CC822  
 Right Page: Classic-Craft Oak Collection, Granite Glass, Door – CC90XN, Sidelites – CC2020XNSL



# Decorative Glass Designs



**Villager<sup>™</sup>** Page 80  
Glass Privacy Rating: **5**



**Homeward<sup>™</sup>** Page 80  
Glass Privacy Rating: **4**



**Arcadia<sup>™</sup>** Page 80  
Glass Privacy Rating: **5**



**Bella<sup>™</sup>** Page 81  
Glass Privacy Rating: **6**




**Arborwatch<sup>™</sup>** Page 82  
Glass Privacy Rating: **6**



**Provincial<sup>™</sup>** Page 83  
Glass Privacy Rating: **6**



**Cambridge<sup>™</sup>** Page 84  
Glass Privacy Rating: **8**



**Lucerna<sup>®</sup>** Page 85  
Glass Privacy Rating: **7**

Also Available:

**Privacy Glass**  
Page 85

**Low-E Glass**  
Page 86

**Caming Options**

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque



# NEW Villager™



NEW

NEW

NEW

NEW

NEW

NEW

NEW

NEW

VGRT  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

VG30T  
 3'0" Door Only

CC9812 3'0" x 6'8"	CC89816 3'0" x 8'0"	CC9818 3'0" x 6'8"	CC89818 3'0" x 8'0"	CC89815 3'0" x 8'0"	CC9811 3'0" x 6'8"	CC9812SL 12" x 6'8" 14" x 6'8"	CC89812SL 12" x 8'0" 14" x 8'0"	
-----------------------	------------------------	-----------------------	------------------------	------------------------	-----------------------	--------------------------------------	---------------------------------------	--

# NEW Homeward™



NEW

NEW

NEW

NEW

NEW

NEW

NEW

NEW

HWRT  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

HW30T  
 3'0" Door Only

CC9925 3'0" x 6'8"	CC89923 3'0" x 8'0"	CC9922 3'0" x 6'8"	CC89922 3'0" x 8'0"	CC89924 3'0" x 8'0"	CC9926 3'0" x 6'8"	CC9925SL 12" x 6'8" 14" x 6'8"	CC89925SL 12" x 8'0" 14" x 8'0"	
-----------------------	------------------------	-----------------------	------------------------	------------------------	-----------------------	--------------------------------------	---------------------------------------	--

# Arcadia™



CC109 3'0" x 6'8"	CC889 3'0" x 8'0"	CC99 3'0" x 6'8"	CC899 3'0" x 8'0"	CC839 3'0" x 8'0"	CC45 2'8" x 6'8" 3'0" x 6'8"	CC79 3'0" x 6'8"
----------------------	----------------------	---------------------	----------------------	----------------------	------------------------------------	---------------------

Note: See page 261 for important product details that may help with your purchase decision.



**CC879**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CC19**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC2060SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC8009SL**  
 ♦ ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



**CC2279SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC2160SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC1019SL**  
 ♦ ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"




**ARHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC060T**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC620T**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ♦ ♦ ♦  
 3'0" Door Only

## Bella™



**CC111B**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC902B**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CC114B**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC901B**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CC900B**  
 ♦ ♦ ♦  
 3'0" x 8'0"



**CC110B**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC113B**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC112B**  
 ♦ ♦ ♦  
 3'0" x 6'8"



**CC2080BSL**  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**CC8010BSL**  
 ♦ ♦ ♦  
 12" x 8'0"  
 14" x 8'0"



**BEBHRT**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**BEET-B**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 ♦ ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

### Options Key

- ♦ Brass Caming (1A)
- ♦ ♦ Brushed Nickel Caming (1C)
- ♦ ♦ ♦ Black Nickel Caming (1D)

### Features Key

- ♦ Flush-Glazed Glass (FG)




# NEW Arborwatch™ Available 2nd Quarter 2015



CC1423  
 ■ ■ ◆  
 3'0" x 6'8"



CC81419  
 ■ ■ ◆  
 3'0" x 8'0"




CC1418  
 ■ ■ ◆  
 3'0" x 6'8"



CC81418  
 ■ ■ ◆  
 3'0" x 8'0"



CC81420  
 ■ ■ ◆  
 3'0" x 8'0"



CC1424  
 ■ ■ ◆  
 3'0" x 6'8"



CC1423SL  
 ▲ ■ ■ ◆  
 12" x 6'8"  
 14" x 6'8"



CC81423SL  
 ▲ ■ ■ ◆  
 12" x 8'0"  
 14" x 8'0"



ABRT  
 ■ ■ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



AB30T  
 ■ ■ ◆  
 3'0" Door Only



Note: See page 261 for important product details that may help with your purchase decision.  
 Bottom: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL

# Provincial™



CC107  
❖ ❖ ❖  
3'0" x 6'8"



CC887  
❖ ❖ ❖  
3'0" x 8'0"



CC97 | CC897  
❖ ❖ ❖ | ❖ ❖ ❖  
3'0" x 6'8" | 3'0" x 8'0"



CC837  
❖ ❖ ❖  
3'0" x 8'0"



CC47  
❖ ❖ ❖  
2'8" x 6'8"  
3'0" x 6'8"



CC77  
❖ ❖ ❖  
3'0" x 6'8"



CC877  
❖ ❖ ❖  
3'0" x 8'0"



CC17  
❖ ❖ ❖  
3'0" x 6'8"



CC2040SL | CC8007SL  
❖ ❖ ❖ | ❖ ❖ ❖  
12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"



CC2277SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"



CC2140SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"




CC1017SL  
❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"




PRHRT  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



CC040T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC420T  
❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



CC400T  
❖ ❖ ❖  
3'0" Door Only

## Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

## Features Key

- 🔸 Flush-Glazed Glass (FG)

# Cambridge™



**CC106**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC886**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC96**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC896**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC836**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC44**  
 ❖ ❖ ❖  
 2'8" x 6'8"  
 3'0" x 6'8"



**CC76**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC876**  
 ❖ ❖ ❖  
 3'0" x 8'0"



**CC16**  
 ❖ ❖ ❖  
 3'0" x 6'8"



**CC2044SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CC8006SL**  
 ❖ ❖ ❖  
 12" x 8'0"  
 14" x 8'0"



**CC2276SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CC2144SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CC1016SL**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"



**CBHRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC090T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC920T**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC900T**  
 ❖ ❖ ❖  
 3'0" Door Only



# Lucerna®



CC10022  
◆ ◆  
3'0" x 6'8"

CC881  
◆ ◆  
3'0" x 8'0"

CC922  
◆ ◆  
3'0" x 6'8"

CC898  
◆ ◆  
3'0" x 8'0"

CC833  
◆ ◆  
3'0" x 8'0"

CC612  
◆ ◆  
3'0" x 6'8"

CC78  
◆ ◆  
3'0" x 6'8"

CC822  
◆ ◆  
3'0" x 6'8"




CC3412SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC8102SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"


CC2272SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC2122SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CC3502SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"



LCHRT  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LCRT  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LCET  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LC30T  
◆ ◆  
3'0" Door Only

# Privacy Glass with Divided Lites



CC102XJ  
CC102XR  
CC102XN  
CC102XC  
◆  
3'0" x 6'8"

CC882XJ  
CC882XR  
CC882XN  
CC882XC  
◆  
3'0" x 8'0"

CC92XJ  
CC92XR  
CC92XN  
CC92XC  
◆  
3'0" x 6'8"

CC892XJ  
CC892XR  
CC892XN  
CC892XC  
◆  
3'0" x 8'0"

CC49XJ  
CC49XR  
CC49XN  
CC49XC  
◆  
3'0" x 6'8"

CC832XJ  
CC832XR  
CC832XN  
CC832XC  
◆  
3'0" x 8'0"

CC2025XJSL  
CC2025XRSL  
CC2025XN  
CC2025XC  
◆ ◆  
12" x 6'8"  
14" x 6'8"

## Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Removable Wood Grilles (RG)

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

# Privacy Glass



CC100XJ  
CC100XR  
CC100XN  
CC100XC  
3'0" x 6'8"




CC880XJ  
CC880XR  
CC880XN  
CC880XC  
3'0" x 8'0"



CC90XJ  
CC90XR  
CC90XN  
CC90XC  
3'0" x 6'8"



CC890XJ  
CC890XR  
CC890XN  
CC890XC  
3'0" x 8'0"



CC48XJ  
CC48XR  
CC48XN  
CC48XC  
3'0" x 6'8"



CC830XJ  
CC830XR  
CC830XN  
CC830XC  
3'0" x 8'0"



CC2020XJSL  
CC2020XRSL  
CC2020XNLSL  
CC2020XCSSL  
▲ 12" x 6'8"  
▲ 14" x 6'8"



CC8000XJSL  
CC8000XRSL  
CC8000XNLSL  
CC8000XCSSL  
▲ 12" x 8'0"  
▲ 14" x 8'0"


# Low-E Glass with Divided Lites



CC102  
\* >  
3'0" x 6'8"



CC882  
\* >  
3'0" x 8'0"



CC92  
\* >  
3'0" x 6'8"



CC892  
\* >  
3'0" x 8'0"



CC49  
\* >  
2'8" x 6'8"  
3'0" x 6'8"



CC832  
\* >  
3'0" x 8'0"



CC2025SL  
▲ \* >  
12" x 6'8"  
14" x 6'8"



19020T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only  
Grille Sticks Applied



19220T  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only  
Grille Sticks Applied



19200T  
\*  
3'0" Door Only  
Grille Sticks Applied

# Low-E Glass



CC100  
\*  
3'0" x 6'8"



CC880  
\*  
3'0" x 8'0"



CC90  
\*  
3'0" x 6'8"



CC890  
\*  
3'0" x 8'0"



CC48  
\*  
2'8" x 6'8"  
3'0" x 6'8"



CC830  
\*  
3'0" x 8'0"



CC70  
\*  
3'0" x 6'8"



CC870  
\*  
3'0" x 8'0"



CC10  
3'0" x 6'8"



CC811  
3'0" x 8'0"  
3'6" x 8'0"



CC61  
3'0" x 6'8"



CC2020SL | CC8000SL  
12" x 6'8" | 12" x 8'0"  
14" x 6'8" | 14" x 8'0"



CC2270SL  
12" x 6'8"  
14" x 6'8"



CC2120SL  
12" x 6'8"  
14" x 6'8"



CC1010SL  
12" x 6'8"  
14" x 6'8"



DLHRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19220T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19020T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



19200T  
3'0" Door Only

## Solid Panel



CC91  
3'0" x 6'8"



CC831  
3'0" x 8'0"



CC40  
3'6" x 6'8"



CC11  
3'0" x 6'8"



CC810  
3'0" x 8'0"  
3'6" x 8'0"



CC60 | CC860  
2'8" x 6'8" | 3'6" x 8'0"  
3'0" x 6'8"

### Options Key

WBDR / HVHZ Options

### Features Key

- Low-E Glass (LE)
- Flush-Glazed Glass (FG)
- Removable Wood Grilles (RG)

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass





EXCLUSIVE



# Classic-Craft®

## Canvas

## Collection®



- Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.



# Classic-Craft® Canvas Collection®

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.



## Architectural Character

- Architecturally correct design – up to 25% wider panels.\*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.\*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.

## Heavier Construction




- 20% heavier construction.\*
- Top and bottom composite rails.
- 4- $\frac{1}{8}$ " full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

## Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability eliminates rerailing to fit 80"–82- $\frac{1}{2}$ " and 96"–98- $\frac{1}{2}$ " rough openings.

## Finish Options

Classic-Craft Canvas entryways can be painted any color.

-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*\*
-  Fire-rated options available on solid-panel doors. See page 217.
-  Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



\*Compared to other standard fiberglass doors.

\*\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Canvas Collection, Longford Glass, Door – CCV806023





# Decorative Glass Designs



**Villager™** Page 93  
Glass Privacy Rating: **5**



**Homeward™** Page 93  
Glass Privacy Rating: **4**



**Arcadia™** Page 94  
Glass Privacy Rating: **5**



**Augustine®** Page 95  
Glass Privacy Rating: **10**



**Ashurst™** Page 95  
Glass Privacy Rating: **8**



**Bella™** Page 96  
Glass Privacy Rating: **6**



**Arborwatch™** Page 97  
Glass Privacy Rating: **6**



**Borrassa™** Page 97  
Glass Privacy Rating: **10**



**Provincial™** Page 98  
Glass Privacy Rating: **6**




**Longford™** Page 99  
Glass Privacy Rating: **8**



**Cambridge™** Page 99  
Glass Privacy Rating: **8**



**Zaha™** Page 100  
Glass Privacy Rating: **3**



**Lucerna®** Page 101  
Glass Privacy Rating: **7**

Also Available:

**Privacy Glass**  
Page 101

**Low-E Glass**  
Page 103

### Caming Options

- ❖ Brass Caming (1A)
- ❖ Brushed Nickel Caming (1C)
- ❖ Black Nickel Caming (1D)
- ❖ Wrought Iron (1W)

Glass Privacy Rating Scale

**1 2 3 4 5 6 7 8 9 10**  
Clear Opaque

# Panel Embossments



4-Panel Square Top  
4-Panel Soft Arch  
Arched 4-Panel Soft Arch  
6-Panel



2-Panel Plank Soft Arch  
Arched 2-Panel Plank Soft Arch



2-Panel Square Top



2-Panel 3/4 Top  
3-Panel  
5-Panel



Craftsman Lite  
1-Panel Plank





# Villager™



CCV9812  
 :: ◆  
 3'0" x 6'8"

CCV9818 | CCV89818  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9821 | CCV89821  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9822 | CCV89822  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9820  
 :: ◆  
 3'0" x 6'8"

CCV9811 | CCV89819  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"



CCV89815  
 :: ◆  
 3'0" x 8'0"



CCV912  
 ▲ ◆ ◆  
 3'0" x 6'8"



CCV922  
 ▲ ◆ ◆ ◆  
 3'0" x 6'8"



CCV932  
 ▲ ◆ ◆ ◆  
 3'0" x 6'8"



CCV912SL  
 ▲ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"

CCV8112SL  
 ▲ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



CCV9012SL  
 ▲ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



VGRT  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



VG30T  
 :: ◆  
 3'0" Door Only

# Homeward™



CCV9925  
 :: ◆  
 3'0" x 6'8"

CCV9922 | CCV89922  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9919 | CCV89919  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9918 | CCV89918  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

CCV9920  
 :: ◆  
 3'0" x 6'8"

CCV9926 | CCV89921  
 :: ◆ | :: ◆  
 3'0" x 6'8" | 3'0" x 8'0"

Homeward Glass Continues on next page.

## Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ◆ Simulated Divided Lites (SDL)
- ◆ Flush-Glazed Glass (FG)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

Note: See page 261 for important product details that may help with your purchase decision.

Left Page: Classic-Craft Canvas Collection, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT



Homeward<sup>™</sup> Glass *Continued*



**CCV89924**  
 ✦ ✦ ✦  
 3'0" x 8'0"



**CCV911**  
 ✦ ✦ ✦  
 3'0" x 6'8"



**CCV921**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"



**CCV931**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"



**CCV911SL**  
 ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**CCV8111SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

**CCV9011SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**HWRT**  
 ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**HW30T**  
 ✦ ✦ ✦  
 3'0" Door Only

Arcadia<sup>™</sup>



**CCV10029**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"



**CCV05029**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"

**CCV805029**  
 ✦ ✦ ✦ ✦  
 3'0" x 8'0"



**CCV20529**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"

**CCV820529**  
 ✦ ✦ ✦ ✦  
 3'0" x 8'0"



**CCV22029**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"

**CCV822029**  
 ✦ ✦ ✦ ✦  
 3'0" x 8'0"



**CCV45529**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"




**CCV06029**  
 ✦ ✦ ✦ ✦  
 3'0" x 6'8"

**CCV806029**  
 ✦ ✦ ✦ ✦  
 3'0" x 8'0"



**CCV803029**  
 ✦ ✦ ✦ ✦  
 3'0" x 8'0"



**CCV109SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**CCV8109SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"



**ARHRT**  
 ✦ ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**CC620T**  
 ✦ ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC060T**  
 ✦ ✦ ✦ ✦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CC600T**  
 ✦ ✦ ✦ ✦  
 3'0" Door Only

# Augustine

Note: Product images show exterior side of door.



CCV10027  
X  
3'0" x 6'8"

CCV05027  
X  
3'0" x 6'8"

CCV805027  
X  
3'0" x 8'0"

CCV20527  
X  
3'0" x 6'8"

CCV820527  
X  
3'0" x 8'0"

CCV22027  
X  
3'0" x 6'8"

CCV822027  
X  
3'0" x 8'0"

CCV45527  
X  
3'0" x 6'8"

CCV20537  
X  
3'0" x 6'8"

CCV820537  
X  
3'0" x 8'0"



CCV45537  
X  
3'0" x 6'8"

CCV20537A  
X  
3'0" x 6'8"

CCV820537A  
X  
3'0" x 8'0"

CCV45537A  
X  
3'0" x 6'8"

CCV803027  
X  
3'0" x 8'0"

CCV806027  
X  
3'0" x 8'0"

CCV100XNSL  
◆  
12" x 6'8"  
14" x 6'8"

CCV8100XNSL  
◆  
12" x 8'0"  
14" x 8'0"

Note:  
Coordinating  
sidelites feature  
granite glass  
without  
wrought iron.

# Ashurst



CCV10025  
◆  
3'0" x 6'8"

CCV05025  
◆  
3'0" x 6'8"

CCV805025  
◆◆  
3'0" x 8'0"

CCV20525  
◆◆  
3'0" x 6'8"

CCV820525  
◆◆  
3'0" x 8'0"

CCV22025  
◆◆  
3'0" x 6'8"

CCV822025  
◆◆  
3'0" x 8'0"

CCV45525  
◆◆  
3'0" x 6'8"

CCV820535  
◆◆  
3'0" x 8'0"

Ashurst Glass Continues on next page.

## Options Key

- ◆ Brass Caming (1A)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Black Nickel Caming (1D)

## Features Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Wrought Iron (1W)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

**Ashurst™ Glass** *Continued*



**CCV06025**  
 :: ♦  
 3'0" x 6'8"

**CCV806025**  
 :: ♦  
 3'0" x 8'0"



**CCV803025**  
 :: ♦  
 3'0" x 8'0"



**CCV820535A**  
 :: ♦  
 3'0" x 8'0"



**CCV105SL**  
 ▲ :: ♦  
 12" x 6'8"  
 14" x 6'8"

**CCV8105SL**  
 ▲ :: ♦  
 12" x 8'0"  
 14" x 8'0"



**ASHRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**ASET**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only




**ASRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**AS30T**  
 :: ♦  
 3'0" Door Only

**Bella™**



**CCV10024B**  
 :: ♦  
 3'0" x 6'8"



**CCV05024B**  
 :: ♦  
 3'0" x 6'8"



**CCV805024B**  
 :: ♦  
 3'0" x 8'0"



**CCV20524B**  
 :: ♦  
 3'0" x 6'8"



**CCV820524B**  
 :: ♦  
 3'0" x 8'0"



**CCV22024B**  
 :: ♦  
 3'0" x 6'8"



**CCV822024B**  
 :: ♦  
 3'0" x 8'0"



**CCV45524B**  
 :: ♦  
 3'0" x 6'8"



**CCV06024B**  
 :: ♦  
 3'0" x 6'8"

**CCV806024B**  
 :: ♦  
 3'0" x 8'0"



**CCV803024B**  
 :: ♦  
 3'0" x 8'0"



**CCV104BSL**  
 ▲ :: ♦  
 12" x 6'8"  
 14" x 6'8"

**CCV8104BSL**  
 ▲ :: ♦  
 12" x 8'0"  
 14" x 8'0"



**BEBHRT**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems




**BEET-B**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BERT-B**  
 :: ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



# NEW Arborwatch™ Available 2nd Quarter 2015

 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW
CCV1423 ◆ 3'0" x 6'8"	CCV1418 ◆ 3'0" x 6'8"	CCV81418 ◆ 3'0" x 8'0"	CCV1415 ◆ 3'0" x 6'8"	CCV81415 ◆ 3'0" x 8'0"	CCV1414 ◆ 3'0" x 6'8"	CCV81414 ◆ 3'0" x 8'0"	CCV1416 ◆ 3'0" x 6'8"	CCV1424 ◆ 3'0" x 6'8"	CCV81417 ◆ 3'0" x 8'0"
 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	
CCV81420 ◆ 3'0" x 8'0"	CCV4100 ◆ 3'0" x 6'8"	CCV4200 ◆ 3'0" x 6'8"	CCV4300 ◆ 3'0" x 6'8"	CCV1423SL ◆ 12" x 6'8" 14" x 6'8"	CCV81423SL ◆ 12" x 8'0" 14" x 8'0"	CCV4100SL ◆ 12" x 6'8" 14" x 6'8"	ABRT ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	AB30T ◆ 3'0" Door Only	

# NEW Borrassa™

Note: Product images show exterior side of door.

 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW
CCV1528 X 3'0" x 6'8"	CCV1519 X 3'0" x 6'8"	CCV81519 X 3'0" x 8'0"	CCV1516 X 3'0" x 6'8"	CCV81516 X 3'0" x 8'0"	CCV1515 X 3'0" x 6'8"	CCV81515 X 3'0" x 8'0"	CCV1517 X 3'0" x 6'8"	CCV1512 X 3'0" x 6'8"	CCV81512 X 3'0" x 8'0"

Borrassa Glass Continues on next page.

### Options Key

- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ◆ Simulated Divided Lites (SDL)
- ◆ Flush-Glazed Glass (FG)
- X Wrought Iron (1W)








### Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.















**Borrassa™ Glass** *Continued*

Note: Product images show exterior side of door.

							
<b>NEW</b> CCV1513 ✗ 3'0" x 6'8"	<b>NEW</b> CCV1512A ✗ 3'0" x 6'8"	<b>NEW</b> CCV81512A ✗ 3'0" x 8'0"	<b>NEW</b> CCV1513A ✗ 3'0" x 6'8"	<b>NEW</b> CCV81518 ✗ 3'0" x 8'0"	<b>NEW</b> CCV81520 ✗ 3'0" x 8'0"	<b>NEW</b> CCV100XHSL ▲ 12" x 6'8" 14" x 6'8"	<b>NEW</b> CCV8100XHSL ▲ 12" x 8'0" 14" x 8'0"

Note: Coordinating sidelites feature hammered glass without wrought iron.

**Provincial™**

							
CCV10028 ❖ ❖ ❖ 3'0" x 6'8"	CCV05028 ❖ ❖ ❖ 3'0" x 6'8"	CCV805028 ❖ ❖ ❖ 3'0" x 8'0"	CCV20528 ❖ ❖ ❖ 3'0" x 6'8"	CCV820528 ❖ ❖ ❖ 3'0" x 8'0"	CCV22028 ❖ ❖ ❖ 3'0" x 6'8"	CCV822028 ❖ ❖ ❖ 3'0" x 8'0"	CCV45528 ❖ ❖ ❖ 3'0" x 6'8"
							
CCV06028 ❖ ❖ ❖ 3'0" x 6'8"	CCV806028 ❖ ❖ ❖ 3'0" x 8'0"	CCV803028 ❖ ❖ ❖ 3'0" x 8'0"	CCV108SL ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	CCV8108SL ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	PRHRT ❖ ❖ ❖ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	CC420T ❖ ❖ ❖ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	CC400T ❖ ❖ ❖ 3'0" Door Only

# Longford™



CCV10023  
◆ ◆ ◆  
3'0" x 6'8"

CCV05023  
◆ ◆ ◆  
3'0" x 6'8"

CCV805023  
◆ ◆ ◆  
3'0" x 8'0"

CCV20523  
◆ ◆ ◆  
3'0" x 6'8"

CCV820523  
◆ ◆ ◆  
3'0" x 8'0"

CCV22023  
◆ ◆ ◆  
3'0" x 6'8"

CCV822023  
◆ ◆ ◆  
3'0" x 8'0"

CCV45523  
◆ ◆ ◆  
3'0" x 6'8"



CCV60023  
◆ ◆ ◆  
3'0" x 6'8"

CCV806023  
◆ ◆ ◆  
3'0" x 8'0"

CCV803023  
◆ ◆ ◆  
3'0" x 8'0"

CCV103SL  
◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

CCV8103SL  
◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



LFHRT

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



LFRT

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LFET

◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



LF30T

◆ ◆ ◆  
3'0" Door Only

# Cambridge™



CCV10026  
◆ ◆ ◆  
3'0" x 6'8"

CCV05026  
◆ ◆ ◆  
3'0" x 6'8"

CCV805026  
◆ ◆ ◆  
3'0" x 8'0"

CCV20526  
◆ ◆ ◆  
3'0" x 6'8"

CCV820526  
◆ ◆ ◆  
3'0" x 8'0"

CCV22026  
◆ ◆ ◆  
3'0" x 6'8"

CCV822026  
◆ ◆ ◆  
3'0" x 8'0"

CCV45526  
◆ ◆ ◆  
3'0" x 6'8"

Cambridge Glass Continues on next page.

## Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

## Features Key

- ◆ Flush-Glazed Glass (FG)
- ◆ Wrought Iron (1W)



**Cambridge™ Glass** *Continued*



**CCV06026**  
◆ ◆ ◆  
3'0" x 6'8"

**CCV806026**  
◆ ◆ ◆  
3'0" x 8'0"




**CCV803026**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV106SL**  
◆ ◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

**CCV8106SL**  
◆ ◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



**CBHRT**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**CC920T**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC090T**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC900T**  
◆ ◆ ◆  
3'0" Door Only

**NEW Zaha™**

Note: Product images show exterior side of door.



**CCV1851**  
◆ ◆ ◆  
3'0" x 6'8"




**CCV1843**  
◆ ◆ ◆  
3'0" x 6'8"

**CCV81843**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV1839**  
◆ ◆ ◆  
3'0" x 6'8"

**CCV81839**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV1838**  
◆ ◆ ◆  
3'0" x 6'8"

**CCV81838**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV1840**  
◆ ◆ ◆  
3'0" x 6'8"



**CCV81841**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV81840**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV81846**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV81846A**  
◆ ◆ ◆  
3'0" x 8'0"



**CCV1851SL**  
◆ ◆ ◆ ◆ ◆  
12" x 6'8"  
14" x 6'8"

**CCV81851SL**  
◆ ◆ ◆ ◆ ◆  
12" x 8'0"  
14" x 8'0"



**ZHHRT**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems




**ZHRT**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Lucerna



CCV10022 ◆ 3'0" x 6'8"	CCV05022 ◆ 3'0" x 6'8"	CCV805022 ◆ 3'0" x 8'0"	CCV20522 ◆ 3'0" x 6'8"	CCV820522 ◆ 3'0" x 8'0"	CCV22022 ◆ 3'0" x 6'8"	CCV822022 ◆ 3'0" x 8'0"	CCV45522 ◆ 3'0" x 6'8"	CCV06022 ◆ 3'0" x 6'8"	CCV806022 ◆ 3'0" x 8'0"
------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	-------------------------------	------------------------------	------------------------------	-------------------------------



CCV803022 ◆ 3'0" x 8'0"	CCV820532 ◆ 3'0" x 8'0"	CCV820532A ◆ 3'0" x 8'0"	CCV3412SL ◆ 12" x 6'8" 14" x 6'8"	CCV8102SL ◆ 12" x 8'0" 14" x 8'0"	LCHRT ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems	LCRT ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	LCET ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only	LC30T ◆ 3'0" Door Only
-------------------------------	-------------------------------	--------------------------------	--	--	---	---	---	------------------------------

# Privacy Glass with Divided Lites



CCV10015XJ CCV10015XR CCV10015XN CCV10015XC ▶ 3'0" x 6'8"	CCV05012XJ CCV05012XR CCV05012XN CCV05012XC ▶ 3'0" x 6'8"	CCV805015XJ CCV805015XR CCV805015XN CCV805015XC ▶ 3'0" x 8'0"	CCV822012XJ CCV822012XR CCV822012XN CCV822012XC ▶ 3'0" x 8'0"	CCV820512XJ CCV820512XR CCV820512XN CCV820512XC ▶ 3'0" x 8'0"	CCV0609XJ CCV0609XR CCV0609XN CCV0609XC ▶ 3'0" x 6'8"	CCV806012XJ CCV806012XR CCV806012XN CCV806012XC ▶ 3'0" x 8'0"	CCV803012XJ CCV803012XR CCV803012XN CCV803012XC ▶ 3'0" x 8'0"
--	--	--	--	--	--	--	--

Privacy Glass with Divided Lites *Continues on next page.*

### Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

### Features Key

- ◆ Flush-Glazed Glass (FG)
- ▶ Removable Wood Grilles (RG)

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

**Privacy Glass with Divided Lites** *Continued*



CCV920XJ  
CCV920XR  
CCV920XN  
CCV920XC  
🔥🔥  
3'0" x 6'8"



CCV930XJ  
CCV930XR  
CCV930XN  
CCV930XC  
🔥🔥  
3'0" x 6'8"



CCV940XJ  
CCV940XR  
CCV940XN  
CCV940XC  
🔥🔥  
3'0" x 6'8"



CCV960XJ  
CCV960XR  
CCV960XN  
CCV960XC  
🔥🔥  
3'0" x 6'8"



CCV8950XJSL  
CCV8950XRSL  
CCV8950XNSL  
CCV8950XCSSL  
🔥🔥  
12" x 8'0"  
14" x 8'0"



CCV950XJSL  
CCV950XRSL  
CCV950XNSL  
CCV950XCSSL  
🔥🔥  
12" x 6'8"  
14" x 6'8"



CCV920XJSL  
CCV920XRSL  
CCV920XNSL  
CCV920XCSSL  
🔥🔥  
12" x 6'8"  
14" x 6'8"

**Privacy Glass**



CCV10020XJ  
CCV10020XR  
CCV10020XN  
CCV10020XC  
3'0" x 6'8"



CCV05020XJ  
CCV05020XR  
CCV05020XN  
CCV05020XC  
3'0" x 6'8"



CCV805020XJ  
CCV805020XR  
CCV805020XN  
CCV805020XC  
3'0" x 8'0"



CCV20520XJ  
CCV20520XR  
CCV20520XN  
CCV20520XC  
3'0" x 6'8"



CCV820520XJ  
CCV820520XR  
CCV820520XN  
CCV820520XC  
3'0" x 8'0"



CCV22020XJ  
CCV22020XR  
CCV22020XN  
CCV22020XC  
3'0" x 6'8"



CCV822020XJ  
CCV822020XR  
CCV822020XN  
CCV822020XC  
3'0" x 8'0"



CCV45520XJ  
CCV45520XR  
CCV45520XN  
CCV45520XC  
3'0" x 6'8"



CCV06020XJ  
CCV06020XR  
CCV06020XN  
CCV06020XC  
3'0" x 6'8"



CCV806020XJ  
CCV806020XR  
CCV806020XN  
CCV806020XC  
3'0" x 8'0"



CCV803020XJ  
CCV803020XR  
CCV803020XN  
CCV803020XC  
3'0" x 8'0"



CCV820530XJ  
CCV820530XR  
CCV820530XN  
CCV820530XC  
3'0" x 8'0"



CCV820530AXJ  
CCV820530AXR  
CCV820530AXN  
CCV820530AXC  
3'0" x 8'0"



CCV910XJ  
CCV910XR  
CCV910XN  
CCV910XC  
🔥  
3'0" x 6'8"



CCV100XJSL  
CCV100XRSL  
CCV100XNSL  
CCV100XCSSL  
🔥  
12" x 6'8"  
14" x 6'8"



CCV8100XJSL  
CCV8100XRSL  
CCV8100XNSL  
CCV8100XCSSL  
🔥  
12" x 8'0"  
14" x 8'0"

CCV910XJSL  
CCV910XRSL  
CCV910XNSL  
CCV910XCSSL  
🔥  
12" x 6'8"  
14" x 6'8"



# Low-E Glass with Divided Lites



CCV10015  
 \* >  
 3'0" x 6'8"

CCV05012  
 \* >  
 3'0" x 6'8"

CCV805015  
 \* >  
 3'0" x 8'0"

CCV822012  
 \* >  
 3'0" x 8'0"

CCV820512  
 \* >  
 3'0" x 8'0"

CCV0609  
 \* >  
 3'0" x 6'8"

CCV806012  
 \* >  
 3'0" x 8'0"

CCV803012  
 \* >  
 3'0" x 8'0"



CCV920  
 \* \* \*  
 3'0" x 6'8"

CCV930  
 \* \* \*  
 3'0" x 6'8"

CCV940  
 \* \* \*  
 3'0" x 6'8"

CCV960  
 \* \* \*  
 3'0" x 6'8"

CCV950SL  
 \* \* \*  
 12" x 6'8"  
 14" x 6'8"

CCV9020SL  
 \* \* \*  
 12" x 6'8"  
 14" x 6'8"

# Low-E Glass



CCV10020  
 \*  
 3'0" x 6'8"

CCV05020  
 \*  
 3'0" x 6'8"

CCV805020  
 \*  
 3'0" x 8'0"

CCV20520  
 \*  
 3'0" x 6'8"

CCV820520  
 \*  
 3'0" x 8'0"

CCV22020  
 \*  
 3'0" x 6'8"

CCV822020  
 \*  
 3'0" x 8'0"

CCV45520  
 \*  
 3'0" x 6'8"

Low-E Glass *Continues on next page.*

## Features Key

- \* Low-E Glass (LE)
- \* Simulated Divided Lites (SDL)
- \* Flush-Glazed Glass (FG)
- > Removable Wood Grilles (RG)

## Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XG = Chord Glass

## Low-E Glass *Continued*



**CCV06020** | **CCV806020**  
 \* 3'0" x 6'8" | \* 3'0" x 8'0"



**CCV910**  
 \* 3'0" x 6'8"



**CCV803020**  
 \* 3'0" x 8'0"



**CCV820530**  
 \* 3'0" x 8'0"



**CCV820530A**  
 \* 3'0" x 8'0"



**CCV100SL** | **CCV8100SL**  
 \* 12" x 6'8" | \* 12" x 8'0"  
 \* 14" x 6'8" | \* 14" x 8'0"



**CCV9010SL**  
 \* 12" x 6'8"  
 \* 14" x 6'8"



**DLHRT**  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19020T**  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19220T**  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19200T**  
 \* 3'0" Door Only



**19210T**  
 \* 12" & 14" Sidelite Only

## Solid Panel



**CCV400**  
 6 3'0" x 6'8"



**CCV205**  
 6 3'0" x 6'8"



**CCV8205**  
 6 3'0" x 8'0"



**CCV205A**  
 6 3'0" x 6'8"



**CCV8205A**  
 6 3'0" x 8'0"



**CCV455**  
 6 3'0" x 6'8"



**CCV455A**  
 6 3'0" x 6'8"



**CCV220**  
 6 3'0" x 6'8"



**CCV8220**  
 6 3'0" x 8'0"

**CCV200**  
 6 3'0" x 6'8"



**CCV060**  
 6 3'0" x 6'8"



**CCV860**  
 6 3'0" x 8'0"



**CCV831**  
 6 3'0" x 8'0"



**CCV050**  
 6 3'0" x 6'8"



Note: See page 261 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Canvas Collection Door – CCV455; Ashurst Glass, Sidelites – CCV105SL, Transom – ASET

### Options Key

WBDR / HVHZ Options

### Features Key

Low-E Glass (LE)  
 Flush-Glazed Glass (FG)

### Optional Dentil Shelf

Available option for all Craftsman-style Canvas Collection doors.



4-Block Dentil Shelf



Top: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV820532  
Bottom Left: Classic-Craft Canvas Collection, Arcadia Glass, Door – CCV45529, Sidelites – CCV109SL, Transom – ARHRT  
Bottom Right: Classic-Craft Canvas Collection, Villager Glass, Door – CCV9811, Sidelites – CCV912SL



# Fiber-Classic®

Mahogany Collection™ & Oak Collection™



106

- Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Mahogany Collection, Sedona Art Glass, Door – FCM604-A, Sidelites – FCM816SL-A, Transom – 19520T-A  
 Bottom: Fiber-Classic Oak Collection, Element Glass, Door – FC756, Sidelites – FC756LSL, FC756RSL; Transom – EMRT

# Smooth-Star®



## • Smooth, paintable surfaces.



Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Top: Smooth-Star, Sedona Glass, Door – S91, Sidelites – S139SL, Transom – 19520T  
Bottom: Smooth-Star, Saratoga Glass, Door – S6029, Sidelites – S291SL, Transom – 19750T



# Fiber-Classic® & Smooth-Star® Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.



## Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-¼" engineered lumber lock and hinge stiles.
- 22-½" lock block in Fiber-Classic and 12-½" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

**9** WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*

**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

**🔥** Fire-rated options available on solid-panel doors. See page 217.

**⊠** Tru-Defense® Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



## Fiber-Classic® Mahogany Collection™

Features deep Mahogany graining to complement homes with richer wood tones.



## Fiber-Classic® Oak Collection™

Features the warm look and feel of Oak graining.



## Smooth-Star®

Features smooth, ready-to-paint surfaces.

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.



## Vented Sidelites



More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen or storm door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

### Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites.

Top: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

- = Available
- = Not Applicable
- S = Stain
- P = Paint

	Fiber-Classic <sup>®</sup> Mahogany Collection <sup>™</sup>	Fiber-Classic <sup>®</sup> Oak Collection <sup>™</sup>	Smooth-Star <sup>®</sup>
--	--	---	--------------------------

### Door Widths

2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■

### Door Heights

6'6"	■	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

### Glass Options

Decorative	16	16	16
Privacy	4	4	4
Internal Blinds	■	■	■
Flush-Glazed	●	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Removable Wood Grilles	■	■	■
Fixed Grilles	■	■	■
Low-E	■	■	■
Clear	■	■	■

### Additional Options

Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## Retrofit Patio Sizes

Looking for retrofit options? Choose 2'4" width for 5'0" retrofit doors and 2'10" for 6'0" retrofit doors.




## SAME-DAY STAIN

See the difference stain can make. Kit available in seven finish colors on pages 254–255.

# Decorative & Specialty Glass Designs

## Blackstone® Page 119

Traditional English design meets  
**1** clear curved bevels, **2** rainglass  
 and coming to create the distinctive  
 styling of Blackstone. Entries get  
 the best of both privacy and  
 simple refinement.



Black Nickel



Brushed Nickel

## Crystalline™ Page 121

This time-honored design features  
 geometric styling brought to life  
 with **1** glue chip glass, **2** glue chip  
 bevels, **3** clear bevels and coming.  
 Offering modest privacy, Crystalline  
 is a shining example of traditional  
 decorative glass with lasting beauty.



Black Nickel




Brushed Nickel



Brass

## Sedona Page 124

Art meets glass in Sedona where Arts  
 and Crafts simplicity is designed with  
**1** slump glass, **2** clear bevels, **3** clear  
 antique glass and coming. Sedona Art  
 glass featuring ruby red granite glass is  
 also available with black nickel coming.



Art Glass /  
Black Nickel



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

**Salinas**® Page 127


1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

**Element** Page 130

Clean lines and contemporary styling make Element the ideal choice for entries with a modern aesthetic. Modest privacy is achieved with the 1 red and 2 white wispy glass surrounded by black nickel coming.



Black Nickel

**Maple Park**® Page 131

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel



## Avonlea® Page 133

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's **1** clear baroque glass and **2** bronze waterglass surrounded by black nickel coming.




Black Nickel

## Saratoga™ Page 135

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reed glass and coming. The geometric pattern bridges both modern and traditional designs.




Black Nickel



Brushed Nickel

## Arden® Page 138

Reminiscent of historic leaded glass with modern sensibilities, Arden glass features an architectural pattern of smooth, wavy **1** frosted delta glass, lightly textured **2** chinchilla glass and elegant **3** diamond bevels with flexible options to customize accent glass textures and coming.



Red Waterglass / Black Nickel



Red Waterglass / Brushed Nickel



Granite Glass / Black Nickel



Granite Glass / Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Texas Star Page 140

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass and brushed nickel coming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Brushed Nickel




## Wellesley™ Page 142

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel



Brushed Nickel



Brass

## Concorde™ Page 145

There's just something friendly about Concorde's cheery four-leaf design. **1** Glue chip glass, **2** clear curved bevels, **3** clear glass and coming make up its Old World charm.



Black Nickel



Brushed Nickel



Brass

## Kensington™ Page 148

Kensington speaks European elegance while offering modest privacy with its

- 1 clear bevels,
- 2 glue chip glass,
- 3 granite glass and coming.



Glass Privacy Rating



Black Nickel



Brushed Nickel

## Crystal Diamonds™

Page 150

Perfect for the place where friends and families meet. And with its 1 glue chip glass, 2 clear bevels and brass coming, Crystal Diamonds provides privacy with a welcoming touch.



Glass Privacy Rating



Brass

## NEW Axis™ Page 153 Available 2nd Quarter 2015

Simple and smart, Axis combines 1 narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating



Black Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.



## Bevelline™

Page 156

Bevelline glass features designs that create the look of fine-cut facet crystal.



## Frosted Images®

Page 157

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of

1 white-frosted glass.



## Privacy Glass Page 159



**Chord Glass**



**Chinchilla Glass**



**Rainglass**



**Granite Glass**



## Internal Blinds Page 167

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.



## Screen Vented Page 168

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Also Available:  
**Clear Glass** Page 172

### Simulated Divided Lites with Grilles Between Glass

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (   ) icons.



Shown with flat bronze GBGs, recommended.

### Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the (  ) icon.



### Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (   ) icons.



### Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (  ) icon.



Interior view.

\*Available in Special Quote Program.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.


**Fixed Grilles**



Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the (◆) icon.

**SDL Bar Options**



(28.6 mm / 1.125 in.)


**GBG Bar Options**



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

**GBG Color Options**



**Options Key**

- Simulated Divided Lites (SDL)\*\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)



Factory-built, seamless flush-glazed construction. Therma-Tru offers a wide selection of flush-glazed doors available in a realistic wood grain or sleek, smooth surface with a variety of styles, sizes and options designed to bring beauty and performance to many applications. Look for the (🔥) icon.

- Glass built directly into the door features clean lines and a seamless appearance with up to a 16% wider daylight opening than conventional lite frames.
- Delivers long-term performance with glass surrounded by the door's polyurethane foam core, helping to provide durability and strength, and a high-performance dual adhesive weather seal, helping to prevent air and water infiltration.

**Flush-Glazed Fiberglass Door Replacement Rider**

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on Rider, and limited warranty and exclusions.





Top: Smooth-Star, Blackstone Glass, Door – S6002, Sidelites – S6002SL  
Bottom Left: Fiber-Classic Oak Collection, Avonlea Glass, Door – FC785, Sidelites – FC758SL, Transom – AVRT  
Bottom Right: Smooth-Star, Salinas Glass, Door – S81937P

# Blackstone®

## Fiber-Classic® Mahogany



<b>FCM108</b> :: ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM871</b> :: ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM310</b> ■ :: ◆ ◆ ◆ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	<b>FCM816</b> ■ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM765</b> :: ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM109</b> :: ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM863</b> :: ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6032</b> :: ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6052</b> :: ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	---	---	---	---	--	--



<b>FCM110</b> :: ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM164</b> :: ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM760</b> :: ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM808SL</b> ■ :: ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" △ ‡ 14" x 6'8" △ ‡	<b>FCM81918SL</b> ■ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM871SL</b> :: ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM765SL</b> :: ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> :: ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM109SL</b> :: ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM863SL</b> :: ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"
---	---	---	---	--	---	---	---	---	---

## Fiber-Classic® Oak



<b>FC108</b> :: ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81918P</b> :: ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC310</b> ■ :: ◆ ◆ ◆ ◆ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	<b>FC816</b> ■ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC765</b> :: ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> :: ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> :: ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC109</b> :: ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81933P</b> :: ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	--	--	---	---	---

**Blackstone** Continues on next page.

### Options Key

- ■ ■ Brushed Nickel Caming (1C)
- ◆ ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

### Features Key

- 6 WBDP Options
- 6 WBDP / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- No Stile Lines

**Blackstone®** *Continued*



**81975P**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC129**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC714**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC164**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC794**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC801**  
 :: ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FC80943**  
 :: ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86243**  
 :: ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC108SL**  
 :: ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"




**81918PSL**  
 :: ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC808SL**  
 ■ :: ◆ ◆ 6  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81918SL**  
 ■ :: ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC765SL**  
 :: ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**81952PSL**  
 :: ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC109SL**  
 :: ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"




**81933PSL**  
 :: ◆ ◆ 6  
 12" x 8'0"  
 14" x 8'0"

**Smooth-Star®**



**S6002**  
 :: ◆ ◆ 6  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



**S85892**  
 :: ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S310**  
 ■ :: ◆ ◆ 6  
 2'6" x 6'8" Δ  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"



**S816**  
 ■ :: ◆ ◆ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S975**  
 :: ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S979**  
 :: ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S894**  
 :: ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6000**  
 :: ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S81933P**  
 :: ◆ ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S6032**  
 :: ◆ ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡





<b>S6052</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S972</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85905</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6013</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S771</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6085</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S997</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6111</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9343</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	---	--	---	--	---	---



<b>S83143</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6002SL</b> ◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S85892SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S4570SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>S85927SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S975SL</b> ◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S894SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S6000SL</b> ◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S85912SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"
--	---	--	---	--	--	--	---	--



**BSHRT**  
◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**BSRT**  
◆◆◆◆◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Crystalline™

## Fiber-Classic® Mahogany



<b>FCM16</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8114</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM668</b> ◆◆◆◆◆ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM814</b> ◆◆◆◆◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM38</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM45</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM898</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6027</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6047</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	---	---	--	---	---

Crystalline Continues on next page.

### Options Key

- ◆ Brass Caming (1A)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Black Nickel Caming (1D)


- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⊗ WBDR Options

- ⊗ WBDR / HVHZ Options
- Δ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

**Crystalline™** *Continued*



<b>FCM124</b> ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM802</b> ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM18101SL</b> ❖ ❖ ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>FCM81800SL</b> ❖ ❖ ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM8114SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM38SL</b> ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM8105SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"	<b>FCM707SL</b> ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM45SL</b> ❖ ❖ ❖ ❖ 12" x 6'8" 14" x 6'8"	<b>FCM898SL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	--	--	--	---	---	---	--	---	--

**Fiber-Classic® Oak**




<b>FC16</b> ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81800P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC668</b> ❖ ❖ ❖ ❖ ❖ ❖ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC814</b> ❖ ❖ ❖ ❖ ❖ ❖ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC38</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC772</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81953P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC45</b> ❖ ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81935P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81977P</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	--	---	--	---	--	--



<b>FC43</b> ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC124</b> ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80941</b> ❖ ❖ ❖ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86241</b> ❖ ❖ ❖ ❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC21</b> ❖ ❖ ❖ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC802</b> ❖ ❖ ❖ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC46SL</b> ❖ ❖ ❖ ❖ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81800PSL</b> ❖ ❖ ❖ ❖ 12" x 8'0" 14" x 8'0"
--	--	---	---	---	--	--	--

## Smooth-Star®



**18101SL**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 12" x 6'8" Δ †  
 14" x 6'8" Δ †



**81800SL**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"



**FC707SL**  
 ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FC43SL**  
 ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**FC38SL**  
 ■ ◆ ◆ ◆ ◆  
 12" x 6'8"  
 14" x 6'8"



**81953PSL**  
 ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**81935PSL**  
 ■ ◆ ◆ ◆ ◆  
 12" x 8'0"  
 14" x 8'0"



**S916**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 6'8" Δ †  
 2'8" x 6'8" Δ †  
 2'10" x 6'8" Δ †  
 3'0" x 6'8" Δ †



**S815**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 8'0" Δ †  
 2'8" x 8'0" Δ †  
 2'10" x 8'0" Δ †  
 3'0" x 8'0" Δ †  
 3'6" x 8'0" Δ †

**S814**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S668**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 6'8" Δ †  
 2'8" x 6'8" Δ †  
 2'10" x 6'8" Δ †  
 3'0" x 6'8" Δ †  
 3'6" x 6'8" Δ †



**S977**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S981**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S926**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S6027**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S6047**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S38**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S85907**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S950**  
 ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S930**  
 ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6113**  
 ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S9341**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83141**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6123**  
 ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S936**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S916SL**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 12" x 6'8"  
 14" x 6'8"

**S814SL**  
 ■ ◆ ◆ ◆ ◆  
 6 ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"

**Crystalline** *Continues on next page.*

### Options Key

- ◆ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
8'0" only in 14")
- ⚙️ WBDR Options

- ⚙️ WBDR / HVHZ Options
- Δ 6'6" Height Available
- † 7'0" Height Available
- † NEW 7'0" Height Available

### Features Key

- No Stile Lines



## Crystalline™ *Continued*



- |   |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|
| <b>S6130SL</b><br>◆ ◆ ◆ ◆<br>10" x 6'8"<br>12" x 6'8" ▲ †<br>14" x 6'8" ▲ † | <b>S84586SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>S758SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S888SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>S768SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S930SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85914SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>S950SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" |
|---|--|--|--|--|--|--|--|



- BLHRT** ◆ ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



- 19810T** ◆ ◆ ◆ ◆  
12" & 14" Sidelite Only



- 19800T** ◆ ◆ ◆ ◆  
3'0" Door Only



- 19080T** ◆ ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



- 19820T** ◆ ◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.


## Sedona

Note: Shown in art glass with black nickel caming.

### Fiber-Classic® Mahogany



- |  |  |   |  |  |  |  |  |  |
|--|--|---|--|--|--|--|--|--|
| <b>FCM100-A</b><br>▶<br><b>FCM100</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM872-A</b><br>▶<br><b>FCM872</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM241-A</b><br>▶<br><b>FCM241</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>2'6" x 6'8" ▲ †<br>2'8" x 6'8" ▲ †<br>2'10" x 6'8" ▲ †<br>3'0" x 6'8" ▲ † | <b>FCM822-A</b><br>▶<br><b>FCM822</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM131-A</b><br>▶<br><b>FCM131</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM101-A</b><br>▶<br><b>FCM101</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM864-A</b><br>▶<br><b>FCM864</b><br>◆ ◆ ◆ ◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM6025-A</b><br>▶<br><b>FCM6025</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM6045-A</b><br>▶<br><b>FCM6045</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|---|--|--|--|--|--|--|



- |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
| <b>FCM604-A</b><br>▶<br><b>FCM604</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM126-A</b><br>▶<br><b>FCM126</b><br>◆ ◆ ◆ ◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM816SL-A</b><br>▶<br><b>FCM816SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>10" x 6'8"<br>12" x 6'8" ▲ †<br>14" x 6'8" ▲ † | <b>FCM81968SL-A</b><br>▶<br><b>FCM81968SL</b><br>◆ ◆ ◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM872SL-A</b><br>▶<br><b>FCM872SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM131SL-A</b><br>▶<br><b>FCM131SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM883SL-A</b><br>▶<br><b>FCM883SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM101SL-A</b><br>▶<br><b>FCM101SL</b><br>◆ ◆ ◆ ◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM864SL-A</b><br>▶<br><b>FCM864SL</b><br>◆ ◆ ◆ ◆<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|--|--|--|--|--|--|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.

# Fiber-Classic® Oak



<p><b>FC100-A</b> ▶ <b>FC100</b> ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p><b>81968P-A</b> ▶ <b>81968P</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p><b>FC241-A</b> ◆ ◆ ◆ ◆ <b>FC241</b> ◆ ◆ ◆ ◆ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡</p>	<p><b>FC822-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC822</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p><b>FC131-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC131</b> ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p><b>FC773-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC773</b> ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p><b>81954P-A</b> ▶ ◆ ◆ ◆ ◆ <b>81954P</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p><b>FC101-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC101</b> ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡</p>	<p><b>81936P-A</b> ▶ ◆ ◆ ◆ ◆ <b>81936P</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>
---	---	---	---	---	---	---	---	---



<p><b>81978P-A</b> ▶ ◆ ◆ ◆ ◆ <b>81978P</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p><b>FC128-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC128</b> ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p><b>FC126-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC126</b> ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p><b>FC80952-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC80952</b> ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"</p>	<p><b>FC86252-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC86252</b> ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"</p>	<p><b>FC100SL-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC100SL</b> ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"</p>	<p><b>81968PSL-A</b> ▶ ◆ ◆ ◆ ◆ <b>81968PSL</b> ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"</p>
---	---	---	---	---	---	--



<p><b>FC816SL-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC816SL</b> ◆ ◆ ◆ ◆ 12" x 6'8" △ ‡ 14" x 6'8" △ ‡</p>	<p><b>81968SL-A</b> ▶ ◆ ◆ ◆ ◆ <b>81968SL</b> ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"</p>	<p><b>FC131SL-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC131SL</b> ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"</p>	<p><b>81954PSL-A</b> ▶ ◆ ◆ ◆ ◆ <b>81954PSL</b> ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"</p>	<p><b>FC101SL-A</b> ▶ ◆ ◆ ◆ ◆ <b>FC101SL</b> ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"</p>	<p><b>81936PSL-A</b> ▶ ◆ ◆ ◆ ◆ <b>81936PSL</b> ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"</p>
--	--	--	--	--	--

## Smooth-Star®



<p><b>S139-A</b> ▶ ◆ ◆ ◆ ◆ <b>S139</b> ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡</p>	<p><b>S241-A</b> ▶ ◆ ◆ ◆ ◆ <b>S241</b> ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡ 3'6" x 6'8"</p>
---	---

**Sedona** Continues on next page.

### Options Key

- ◆ Brass Caming (1A)
- ◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- No Stile Lines

### Optional Dentil Shelf\*





S95-A

▶ S95  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S91-A

▶ S91  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S887-A

▶ S887  
 :: ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S211-A

▶ S211  
 :: ◆  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

S81936P-A

▶ S81936P  
 :: ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6025-A

▶ S6025  
 :: ◆  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

S6045-A

▶ S6045  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S35-A

▶ S35  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S833-A

▶ S833  
 :: ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S294-A

▶ S294  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S604-A

▶ S604  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S8604-A

▶ S8604  
 :: ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S12-A

▶ S12  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S9352-A

▶ S9352  
 :: ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S83152-A

▶ S83152  
 :: ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S139SL-A

▶ S139SL  
 :: ◆  
 12" x 6'8"  
 14" x 6'8"

S604SL-A

▶ S604SL  
 :: ◆  
 10" x 6'8"  
 12" x 6'8" †  
 14" x 6'8" †



S91SL-A

▶ S91SL  
 :: ◆  
 12" x 6'8"  
 14" x 6'8"

S887SL-A

▶ S887SL  
 :: ◆  
 12" x 8'0"  
 14" x 8'0"

S294SL-A

▶ S294SL  
 :: ◆  
 12" x 6'8"  
 14" x 6'8"

S85915SL-A

▶ S85915SL  
 :: ◆  
 12" x 8'0"  
 14" x 8'0"



19520T-A

▶ 19520T  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



19055T-A

▶ 19055T  
 :: ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 261 for important product details that may help with your purchase decision.



## Fiber-Classic® Mahogany




<b>FCM113</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM873</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM369</b> ■ X6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	<b>FCM817</b> ■ X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM115</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM114</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM865</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6031</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6051</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM118</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	--	---	---	---	--	--	--

## Fiber-Classic® Oak



<b>FCM814SL</b> ■ X ● ● ● 10" x 6'8" 12" x 6'8" †‡ 14" x 6'8" †‡	<b>FCM81919SL</b> ■ X ● ● ● 12" x 8'0" 14" x 8'0"	<b>FCM873SL</b> X6 12" x 8'0" 14" x 8'0"	<b>FCM115SL</b> X6 12" x 6'8" 14" x 6'8"	<b>FCM884SL</b> X6 12" x 8'0" 14" x 8'0"	<b>FCM114SL</b> X6 12" x 6'8" 14" x 6'8"	<b>FCM865SL</b> X6 12" x 8'0" 14" x 8'0"
--	--	---	---	---	---	---



<b>FC113</b> X6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81919P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC369</b> ■ X6 2'6" x 6'8" †‡ 2'8" x 6'8" †‡ 2'10" x 6'8" †‡ 3'0" x 6'8" †‡	<b>FC817</b> ■ X6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---



<b>FC115</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC775</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81955P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC114</b> X6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81937P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81980P</b> X6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC130</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC118</b> X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80953</b> X6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	---	---	---	---	--

Salinas Continues on next page.

### Options Key

- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available

- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- ▶ Art Glass / Black Nickel Caming (1D)
- X Wrought Iron (1W)
- No Stile Lines

### Optional Dentil Shelf\*

- 4-Block Dentil Shelf  
Available for S604, S604-A, S8604  
and S8604-A only.

**Salinas.** *Continued*

Note: Product images show exterior side of door.



**FC86253**  
**X6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC113SL**  
**X6**  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**81919PSL**  
**X6**  
 12" x 8'0"  
 14" x 8'0"



**FC814SL**  
**X6**  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

**81919SL**  
**X6**  
 12" x 8'0"  
 14" x 8'0"



**FC115SL**  
**X6**  
 12" x 6'8"  
 14" x 6'8"

**81955PSL**  
**X6**  
 12" x 8'0"  
 14" x 8'0"




**FC114SL**  
**X6**  
 12" x 6'8"  
 14" x 6'8"

**81937PSL**  
**X6**  
 12" x 8'0"  
 14" x 8'0"

**Smooth-Star.**



**S6008**  
**X6**  
 2'6" x 6'8" †  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**S85893**  
**X6**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S369**  
**X6**  
 2'6" x 6'8" †  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8"



**S817**  
**X6**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S6009**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6010**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S895**  
**X6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6006**  
**X6**  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**S81937P**  
**X6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6031**  
**X6**  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †




**S6051**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S973**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S893**  
**X6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S6011**  
**X**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S6014**  
**X**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6012**  
**X**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S9353**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83153**  
**X6**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Note: See page 261 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, Arden Red Waterglass, Door – S701R, Sidelites – S9021RSL



SART  
 X  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

S6008SL X 9 12" x 6'8" 14" x 6'8"	S85893SL X 9 12" x 8'0" 14" x 8'0"	S6134SL X 9 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	S85931SL X 9 12" x 8'0" 14" x 8'0"	S6009SL X 9 12" x 6'8" 14" x 6'8"	S895SL X 9 12" x 8'0" 14" x 8'0"	S6006SL X 9 12" x 6'8" 14" x 6'8"	S85916SL X 9 12" x 8'0" 14" x 8'0"
--	---	--	---	--	---	--	---

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



### Options Key

● Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

⊗ WBDR Options

⊗ WBDR / HVHZ Options

Δ 6'6" Height Available

‡ 7'0" Height Available

‡ NEW 7'0" Height Available

### Features Key

X Wrought Iron (1W)

■ No Stile Lines



# Element

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



**FCM756**  
 ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM1051**  
 ■ ◆ 6  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FCM811LSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**FCM811RSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**FCM811LSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FCM811RSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marble-like white wispy art glass.


## Fiber-Classic® Oak



**FC756**  
 ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1051**  
 ■ ◆ 6  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**81965P**  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC756LSL**  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC756RSL**  
 ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC811LSL**  
 ■ ◆ ◆ 6  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**FC811RSL**  
 ■ ◆ ◆ 6  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**81965LPSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**81965RPSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



**S6060**  
 ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**S1051**  
 ■ ◆ 6  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
 3'6" x 6'8"



**S85903**  
 ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6136LSL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S6136RSL**  
 ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**S6060LSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**S6060RSL**  
 ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" △ ‡  
 14" x 6'8" △ ‡



**S85903LSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**S85903RSL**  
 ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**EMRT**  
 ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 261 for important product details that may help with your purchase decision.

# Maple Park®

## Fiber-Classic® Mahogany

							
<b>FCM900</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1006</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FCM902</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM901</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM886</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6107</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6108</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM609</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

							
<b>FCM904</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM736</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8736</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM812SL</b> ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>FCM902SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM887SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>FCM901SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>FCM886SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"

## Fiber-Classic® Oak

								
<b>FC900</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC1006</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FC902</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC777</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81957P</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC901</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81939P</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81982P</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC903</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Maple Park *Continues on next page.*

### Options Key

- ◆ ◆ ◆ ◆ ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ ◆ ◆ ◆ ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*



## Maple Park. Continued



**FC904**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC80955**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC86255**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC736**

2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**FC8736**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC900SL**

10" x 6'8"  
12" x 6'8"  
14" x 6'8"

**FC812SL**

12" x 6'8" † ‡  
14" x 6'8" † ‡

**FC902SL**

12" x 6'8"  
14" x 6'8"

**81957PSL**

12" x 8'0"  
14" x 8'0"

**FC901SL**

12" x 6'8"  
14" x 6'8"

**81939PSL**

12" x 8'0"  
14" x 8'0"

## Smooth-Star.



**S6100**

2'8" x 6'8" †  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡

**S1006**

2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡  
3'6" x 6'8"

**S6102**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S6103**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S85898**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6101**

2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

**S81939P**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6107**

2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

**S6108**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6106**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S85897**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6104**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S609**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S8609**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S6105**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9355**

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S83155**

2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.





- |   |  |   |  |  |   |  |   |
|---|--|---|--|--|---|--|---|
| <b>S736</b><br>◆◆<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S8736</b><br>◆◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6100SL</b><br>◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S6131SL</b><br>◆◆◆◆<br>10" x 6'8"<br>12" x 6'8" † ‡<br>14" x 6'8" † ‡ | <b>S6102SL</b><br>◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85898SL</b><br>◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>S6101SL</b><br>◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>S85918SL</b><br>◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" |
|---|--|---|--|--|---|--|---|



**FWRT** ◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Avonlea®

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany



- |  |  |   |   |   |   |   |   |   |
|--|--|---|---|---|---|---|---|---|
| <b>FCM758</b><br>◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM1027</b><br>◆◆◆◆<br>2'8" x 6'8" † ‡<br>2'10" x 6'8" † ‡<br>3'0" x 6'8" † ‡ | <b>FCM764</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM761</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM896</b><br>◆◆◆◆<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM968</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM966</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM785</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM788</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|---|---|---|---|---|---|---|



- |   |  |  |   |  |  |
|---|--|--|---|--|--|
| <b>FCM800</b><br>◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM807SL</b><br>◆◆◆◆◆<br>10" x 6'8"<br>12" x 6'8" † ‡<br>14" x 6'8" † ‡ | <b>FCM764SL</b><br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM8104SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" | <b>FCM761SL</b><br>◆◆◆◆◆<br>12" x 6'8"<br>14" x 6'8" | <b>FCM896SL</b><br>◆◆◆◆◆<br>12" x 8'0"<br>14" x 8'0" |
|---|--|--|---|--|--|

## Fiber-Classic® Oak



- |  |  |   |
|--|--|---|
| <b>FC758</b><br>◆◆◆◆<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>FC1027</b><br>◆◆◆◆◆<br>2'8" x 6'8" † ‡<br>2'10" x 6'8" † ‡<br>3'0" x 6'8" † ‡ | <b>FC764</b><br>◆◆◆◆◆<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|---|

Avonlea Continues on next page.

### Options Key

- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ◆ WBDR Options
- ◆ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- † 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*





<b>FC769</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81967P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC761</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81932P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81974P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC782</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC785</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC788</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC792</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--	--	--	---	---	---	---



<b>FC800</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80956</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86256</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC758SL</b> ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC807SL</b> ◆ 6 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>FC764SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>81967PSL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC761SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>81932PSL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	---	---	---	---	---	--	---	--

## Smooth-Star®



<b>S962</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S1027</b> ◆ 6 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S976</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S980</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85900</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S964</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81932P</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S968</b> ◆ 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S966</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	--	---	--	--

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



**S970**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S85906**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S985**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S988**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S991**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S995**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6121**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9356**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S83156**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**S962SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"



**S6127SL**  
◆ 6  
10" x 6'8"  
12" x 6'8" †  
14" x 6'8" †



**S976SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"



**S85900SL**  
◆ 6  
12" x 8'0"  
14" x 8'0"



**S964SL**  
◆ 6  
12" x 6'8"  
14" x 6'8"



**S85911SL**  
◆ 6  
12" x 8'0"  
14" x 8'0"



**AVRT** ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Saratoga™

## Fiber-Classic® Mahogany



**FCM905**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM6093**  
◆ 6  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †




**FCM907**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM906**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM888**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FCM6029**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM6049**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM602**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM909**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Saratoga Continues on next page.

### Options Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available

- † 7'0" Height Available
- † NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*



4-Block Dentil Shelf  
Available for FCM602 only.



## Fiber-Classic® Oak



**FCM707**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8707**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM815SL**  
 ■ :: ◆ 6  
 10" x 6'8"  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**FCM81986SL**  
 ■ :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FCM893SL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FCM907SL**  
 :: ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**FCM889SL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FCM906SL**  
 :: ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**FCM888SL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC905**  
 :: ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC6093**  
 ■ :: ◆ 6  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**FC907**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC776**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81956P**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC906**  
 :: ◆ 6  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**81938P**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81981P**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC908**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC909**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC80954**  
 :: ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC86254**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC707**  
 :: ◆ 6  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC8707**  
 :: ◆ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC905SL**  
 :: ◆ 6  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**81986PSL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC815SL**  
 ■ :: ◆ 6  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡




**81986SL**  
 ■ :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC907SL**  
 :: ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**81956PSL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"



**FC906SL**  
 :: ◆ 6  
 12" x 6'8"  
 14" x 6'8"














**81938PSL**  
 :: ◆ 6  
 12" x 8'0"  
 14" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 261 for important product details that may help with your purchase decision.

# Smooth-Star®

								
<b>S154</b> ◆◆◆◆◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡	<b>S6093</b> ◆◆◆◆◆◆ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ ‡ 2'10" x 6'8" ▲ ‡ 3'0" x 6'8" ▲ ‡ 3'6" x 6'8"	<b>S6092</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S982</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S891</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S213</b> ◆◆◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81938P</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6029</b> ◆◆◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S6049</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

							
<b>S41</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85908</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S291</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S602</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8602</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S20</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9354</b> ◆◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83154</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

											
<b>S707</b> ◆◆◆◆◆◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S8707</b> ◆◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S154SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S8602SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S602SL</b> ◆◆◆◆◆◆ 10" x 6'8" 12" x 6'8" ▲ ‡ 14" x 6'8" ▲ ‡	<b>S85932SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S6092SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S891SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>S291SL</b> ◆◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>S85917SL</b> ◆◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>19740T</b> ◆◆◆◆◆◆ 3'0" Door Only	<b>19750T</b> ◆◆◆◆◆◆ 3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

### Options Key

- ◆◆ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14"  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*


















# Arden®

























Note: Shown in red waterglass with black nickel caming.

## Fiber-Classic.® Mahogany

							
<p>FCM9021R                        FCM9021G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM922R                        FCM922G                        2'8" x 6'8" †‡                      2'10" x 6'8" †‡                      3'0" x 6'8" †‡</p>	<p>FCM918R                        FCM918G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM60221R                        FCM60221G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM860221R                        FCM860221G                        2'8" x 8'0"                      2'10" x 8'0"                      3'0" x 8'0"</p>	<p>FCM6721R                        FCM6721G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM923R                        FCM923G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM701R                        FCM701G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>

						
<p>FCM920R                        FCM920G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM2321R                        FCM2321G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FCM806RSL                        FCM806GSL                        10" x 6'8"                      12" x 6'8" †‡                      14" x 6'8" †‡</p>	<p>FCM768RSL                        FCM768GSL                        12" x 6'8"                      14" x 6'8"</p>	<p>FCM81421RSL                        FCM81421GSL                        12" x 8'0"                      14" x 8'0"</p>	<p>FCM6721RSL                        FCM6721GSL                        12" x 6'8"                      14" x 6'8"</p>	<p>FCM86721RSL                        FCM86721GSL                        12" x 8'0"                      14" x 8'0"</p>

## Fiber-Classic.® Oak

							
<p>FC9021R                        FC9021G                        2'8" x 6'8" ‡                      2'10" x 6'8" ‡                      3'0" x 6'8" ‡</p>	<p>FC922R                        FC922G                        2'8" x 6'8" †‡                      2'10" x 6'8" †‡                      3'0" x 6'8" †‡</p>	<p>FC918R                        FC918G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FC919R                        FC919G                        2'8" x 6'8"                      2'10" x 6'8"                      3'0" x 6'8"</p>	<p>FC803021R                        FC803021G                        2'8" x 8'0"                      2'10" x 8'0"                      3'0" x 8'0"</p>	<p>FC60221R                        FC60221G                        2'6" x 6'8"                      2'8" x 6'8" ‡                      2'10" x 6'8" ‡                      3'0" x 6'8" ‡</p>	<p>FC860221R                        FC860221G                        2'8" x 8'0"                      2'10" x 8'0"                      3'0" x 8'0"</p>	<p>FC85901R                        FC85901G                        2'8" x 8'0"                      2'10" x 8'0"                      3'0" x 8'0"</p>

Note: See page 261 for important product details that may help with your purchase decision.





FC924R  
 FC924G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC701R  
 FC701G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC920R  
 FC920G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC921R  
 FC921G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC2321R  
 FC2321G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC80921R  
 FC80921G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC86221R  
 FC86221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC9021RSL  
 FC9021GSL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC806RSL  
 FC806GSL  
 12" x 6'8" †  
 14" x 6'8" †



FC768RSL  
 FC768GSL  
 12" x 6'8"  
 14" x 6'8"



FC81421RSL  
 FC81421GSL  
 12" x 8'0"  
 14" x 8'0"



FC6721RSL  
 FC6721GSL  
 12" x 6'8"  
 14" x 6'8"



FC86721RSL  
 FC86721GSL  
 12" x 8'0"  
 14" x 8'0"

## Smooth-Star®



S9021R  
 S9021G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



S922R  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †  
 3'6" x 6'8"



S918R  
 S918G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S919R  
 S919G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S803021R  
 S803021G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S60221R  
 S60221G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



S860221R  
 S860221G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S6721R  
 S6721G  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



S923R  
 S923G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S5901R  
 S5901G  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S85901R  
 S85901G  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Arden *Continues on next page.*

### Options Key

Red Waterglass / Brushed Nickel Caming (1C)  
 Red Waterglass / Black Nickel Caming (1D)

Granite Glass / Brushed Nickel Caming (1C)  
 Granite Glass / Black Nickel Caming (1D)

WBDR Options  
 WBDR / HVHZ Options  
 Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

6'6" Height Available  
 7'0" Height Available  
 NEW 7'0" Height Available

### Features Key

No Stile Lines



S924R  
 ■ ■  
 S924G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S701R  
 ■ ■  
 S701G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S920R  
 ■ ■  
 S920G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S921R  
 ■ ■  
 S921G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S2321R  
 ■ ■  
 S2321G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S9321R  
 ■ ■  
 S9321G  
 ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



S83121R  
 ■ ■  
 S83121G  
 ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



S9021RSL  
 ■ ■  
 S9021GSL  
 ● ●  
 12" x 6'8"  
 14" x 6'8"



S806RSL  
 ■ ■  
 S806GSL  
 ● ●  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



S768RSL  
 ■ ■  
 S768GSL  
 ● ●  
 12" x 6'8"  
 14" x 6'8"



S81421RSL  
 ■ ■  
 S81421GSL  
 ● ●  
 12" x 8'0"  
 14" x 8'0"



S6721RSL  
 ■ ■  
 S6721GSL  
 ● ●  
 12" x 6'8"  
 14" x 6'8"

S86721RSL  
 ■ ■  
 S86721GSL  
 ● ●  
 12" x 8'0"  
 14" x 8'0"

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Texas Star

### Fiber-Classic. Mahogany



FCM142  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM1029  
 ■ ■  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡



FCM143  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM144  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM899  
 ■ ■  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FCM6074  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM6075  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM146  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FCM165  
 ■ ■  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

# Fiber-Classic® Oak

**FCM817SL**  
 ■ ● ● ● ●  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

**FCM143SL**  
 ■ ● ● ● ●  
 12" x 6'8"  
 14" x 6'8"

**FCM8103SL**  
 ■ ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"

**FCM144SL**  
 ■ ● ● ● ●  
 12" x 6'8"  
 14" x 6'8"

**FCM899SL**  
 ■ ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"

**FC142**  
 ■ ● ● ● ●  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC1029**  
 ■ ● ● ● ●  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

**FC143**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC778**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**81958P**  
 ■ ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC144**  
 ■ ● ● ● ●  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**81940P**  
 ■ ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**81983P**  
 ■ ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC145**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC146**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC165**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC795**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC80957**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

# Smooth-Star®

**FC86257**  
 ■ ● ● ● ●  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FC142SL**  
 ■ ● ● ● ●  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

**FC817SL**  
 ■ ● ● ● ●  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

**FC143SL**  
 ■ ● ● ● ●  
 12" x 6'8"  
 14" x 6'8"

**81958PSL**  
 ■ ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"

**FC144SL**  
 ■ ● ● ● ●  
 12" x 6'8"  
 14" x 6'8"

**81940PSL**  
 ■ ● ● ● ●  
 12" x 8'0"  
 14" x 8'0"

**S6070**  
 ■ ● ● ● ●  
 2'8" x 6'8" ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

**S1029**  
 ■ ● ● ● ●  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡  
 3'6" x 6'8"

**S6071**  
 ■ ● ● ● ●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Texas Star Continues on next page.

## Options Key

- Brushed Nickel Caming (1C)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)

- WBDP Options
- WBDP / HVHZ Options
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14" (8'0" only in 14"))

- Δ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

## Features Key

- No Stile Lines



**Texas Star** *Continued*



<b>S6072</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S85901</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6073</b> 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S81940P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6075</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6074</b> 6 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6076</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81983</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6077</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6078</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	---	---	---	---	---	--	---	---



<b>S6079</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S998</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S9357</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S83157</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6070SL</b> 6 12" x 6'8" 14" x 6'8"	<b>S6135SL</b> 6 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S6071SL</b> 6 12" x 6'8" 14" x 6'8"	<b>85901SL</b> 6 12" x 8'0" 14" x 8'0"	<b>S6073SL</b> 6 12" x 6'8" 14" x 6'8"	<b>85919SL</b> 6 12" x 8'0" 14" x 8'0"
---	--	---	--	---	---	---	---	---	---

**Wellesley™**

Fiber-Classic.® Mahogany



<b>FCM104</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM874</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6094</b> 6 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>FCM821</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM147</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM105</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM866</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6030</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6050</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	--	--	--	---	---

Note: See page 261 for important product details that may help with your purchase decision.



**FCM106**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM163**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM125**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM721**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8721**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM818SL**  
 ✦ ✦ ✦ ✦  
 10" x 6'8"  
 12" x 6'8" ⚠  
 14" x 6'8" ⚠



**FCM81921SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"



**FCM874SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"

## Fiber-Classic® Oak



**FCM147SL**  
 ✦ ✦ ✦ ✦  
 12" x 6'8"  
 14" x 6'8"



**FCM885SL**  
 ✦ ✦ ✦ ✦  
 12" x 8'0"  
 14" x 8'0"



**FC104**  
 ✦ ✦ ✦ ✦  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**81921P**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FC6094**  
 ✦ ✦ ✦ ✦  
 2'6" x 6'8" ⚠  
 2'8" x 6'8" ⚠  
 2'10" x 6'8" ⚠  
 3'0" x 6'8" ⚠



**FC821**  
 ✦ ✦ ✦ ✦  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC147**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC779**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81959P**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC105**  
 ✦ ✦ ✦ ✦  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**81941P**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81984P**  
 ✦ ✦ ✦ ✦  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC127**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC713**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC163**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC796**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FC125**  
 ✦ ✦ ✦ ✦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Wellesley *Continues on next page.*

### Options Key


- ✦ Brass Caming (1A)
- ✦✦ Brushed Nickel Caming (1C)
- ✦✦ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ⚡ WBDR Options
- ⚡ WBDR / HVHZ Options

- ⚠ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines



## Smooth-Star®



Note: See page 261 for important product details that may help with your purchase decision.



**S721**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8721**  
 ❖ ❖ ❖ ❖  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S155SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**S85896SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**S5870SL**  
 ❖ ❖ ❖ ❖  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

**S85934SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**S6091SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**S892SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**S292SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**S85922SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**WLHRT** ❖ ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems

**19720T** ❖ ❖ ❖ ❖  
 3'0" Door Only

**19730T** ❖ ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Concorde™

## Fiber-Classic® Mahogany

**FCM910**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM890**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6095**  
 ❖ ❖ ❖ ❖ 6  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡

**FCM820**  
 ❖ ❖ ❖ ❖ 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM912**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM911**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM891**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM6026**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM6046**  
 ❖ ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM916**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM915**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM914**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM735**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**FCM8735**  
 ❖ ❖ ❖ ❖  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**FCM809SL**  
 ❖ ❖ ❖ ❖ 6  
 10" x 6'8"  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡

**FCM81928SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**FCM890SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**FCM912SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**FCM892SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

**FCM916SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**FCM911SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"

**FCM891SL**  
 ❖ ❖ ❖ ❖ 6  
 12" x 8'0"  
 14" x 8'0"

Concorde Continues on next page.

### Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- 6 WBDR Options

- 6 WBDR / HVHZ Options
- ‡ NEW 7'0" Height Available
- Δ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines

# Fiber-Classic® Oak



**FC910**  
❖ ❖ ❖ ❖ ❖  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**81928P**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC6095**  
❖ ❖ ❖ ❖ ❖  
2'6" x 6'8" Δ ‡  
2'8" x 6'8" Δ ‡  
2'10" x 6'8" Δ ‡  
3'0" x 6'8" Δ ‡

**FC820**  
❖ ❖ ❖ ❖ ❖  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC912**  
❖ ❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC780**  
❖ ❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**81960P**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC911**  
❖ ❖ ❖ ❖ ❖  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**81942P**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**81985P**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC913**  
❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC916**  
❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


**FC915**  
❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC797**  
❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC914**  
❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC80947**  
❖ ❖ ❖ ❖ ❖  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC86247**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC735**  
❖ ❖ ❖ ❖ ❖  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡

**FC8735**  
❖ ❖ ❖ ❖ ❖  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FC917**  
❖ ❖ ❖ ❖ ❖  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FC910SL**  
❖ ❖ ❖ ❖ ❖  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

**81928PSL**  
❖ ❖ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"

**FC809SL**  
❖ ❖ ❖ ❖ ❖  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

**81928SL**  
❖ ❖ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"

**FC912SL**  
❖ ❖ ❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"

**81960PSL**  
❖ ❖ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"

**FC916SL**  
❖ ❖ ❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"

**FC911SL**  
❖ ❖ ❖ ❖ ❖  
12" x 6'8"  
14" x 6'8"

**81942PSL**  
❖ ❖ ❖ ❖ ❖  
12" x 8'0"  
14" x 8'0"

# Smooth-Star®

<p><b>S6090</b>   2'6" x 6'8" <math>\Delta</math>                  2'8" x 6'8" <math>\Delta</math> †                  2'10" x 6'8" <math>\Delta</math> †                  3'0" x 6'8" <math>\Delta</math> †</p>	<p><b>S85895</b>   2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S6095</b>   2'6" x 6'8" <math>\Delta</math>                  2'8" x 6'8" <math>\Delta</math> †                  2'10" x 6'8" <math>\Delta</math> †                  3'0" x 6'8" <math>\Delta</math> †                  3'6" x 6'8"</p>	<p><b>S820</b>   2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'6" x 8'0"</p>	<p><b>S912</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S97</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S85902</b>   2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S426</b>   2'6" x 6'8"                  2'8" x 6'8" †                  2'10" x 6'8" †                  3'0" x 6'8" †</p>	<p><b>S81942P</b>   2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S6026</b>   2'6" x 6'8"                  2'8" x 6'8" †                  2'10" x 6'8" †                  3'0" x 6'8" †</p>
---	--	--	--	---	--	---	--	--	---

<p><b>S6046</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S37</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S837</b>   2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S450</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S430</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S400</b>   2'6" x 6'8" <math>\Delta</math>                  2'8" x 6'8" <math>\Delta</math> †                  2'10" x 6'8" <math>\Delta</math> †                  3'0" x 6'8" <math>\Delta</math> †                  3'6" x 6'8"</p>	<p><b>S773</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S6084</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>
--	--	---	---	---	---	---	--

<p><b>S1000</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S17</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S9347</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S83147</b>   2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S735</b>   2'8" x 6'8" †                  2'10" x 6'8" †                  3'0" x 6'8" †</p>	<p><b>S8735</b>   2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>S454</b>   2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>S416SL</b>   12" x 6'8"                  14" x 6'8"</p>	<p><b>S85895SL</b>   12" x 8'0"                  14" x 8'0"</p>
--	--	--	---	---	--	---	---	---

**Concorde** *Continues on next page.*

## Options Key

- Brass Caming (1A)
- Brushed Nickel Caming (1C)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options

## Features Key


- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- NEW** 7'0" Height Available
- No Stile Lines



**Concorde™** *Continued*



- |  |   |  |   |   |   |   |   |   |
|--|---|--|---|---|---|---|---|---|
| <b>S4070SL</b><br>❖ ❖ ❖ ❖<br>6<br>10" x 6'8"<br>12" x 6'8" Δ ‡<br>14" x 6'8" Δ ‡ | <b>S85930SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 8'0"<br>14" x 8'0" | <b>S97SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 6'8"<br>14" x 6'8" | <b>S757SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 6'8"<br>14" x 6'8" | <b>S85902SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 8'0"<br>14" x 8'0" | <b>S767SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 6'8"<br>14" x 6'8" | <b>S430SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 6'8"<br>14" x 6'8" | <b>S85920SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 8'0"<br>14" x 8'0" | <b>S450SL</b><br>❖ ❖ ❖ ❖<br>6<br>12" x 6'8"<br>14" x 6'8" |
|--|---|--|---|---|---|---|---|---|



**CNHRT**  
❖ ❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



**CNRT**  
❖ ❖ ❖ ❖  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Kensington™

## Fiber-Classic® Mahogany



- |  |  |  |  |   |   |   |  |
|--|--|--|--|---|---|---|--|
| <b>FCM148</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM626</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8" Δ ‡<br>2'10" x 6'8" Δ ‡<br>3'0" x 6'8" Δ ‡ | <b>FCM156</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM149</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM8149</b><br>❖ ❖ ❖ ❖<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FCM6036</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM6056</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM151</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|--|--|--|---|---|---|--|



- |  |  |  |   |   |  |  |
|--|--|--|---|---|--|--|
| <b>FCM789</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM150</b><br>❖ ❖ ❖ ❖<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>FCM813SL</b><br>❖ ❖ ❖ ❖<br>10" x 6'8"<br>12" x 6'8" Δ ‡<br>14" x 6'8" Δ ‡ | <b>FCM1442SL</b><br>❖ ❖ ❖ ❖<br>12" x 6'8"<br>14" x 6'8" | <b>FCM8107SL</b><br>❖ ❖ ❖ ❖<br>12" x 8'0"<br>14" x 8'0" | <b>FCM149SL</b><br>❖ ❖ ❖ ❖<br>12" x 6'8"<br>14" x 6'8" | <b>FCM867SL</b><br>❖ ❖ ❖ ❖<br>12" x 8'0"<br>14" x 8'0" |
|--|--|--|---|---|--|--|

# Fiber-Classic® Oak



**FC148**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**FC626**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡

**FC20042**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**81961P**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †

**FC156**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC149**  
 ■ ■ ■ ● ● ●  
 2'6" x 6'8" †  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡

**FC8149**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †

**FC89701**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †

**FC152**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**FC709**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC151**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC798**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC150**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC80942**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**FC86242**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †

**FC148SL**  
 ■ ■ ■ ● ● ●  
 10" x 6'8" †  
 12" x 6'8" †  
 14" x 6'8" †

**FC813SL**  
 ■ ■ ■ ● ● ●  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡

# Smooth-Star®



**FC1442SL**  
 ■ ■ ■ ● ● ●  
 12" x 6'8" †  
 14" x 6'8" †

**81961PSL**  
 ■ ■ ■ ● ● ●  
 12" x 8'0" †  
 14" x 8'0" †

**FC149SL**  
 ■ ■ ■ ● ● ●  
 12" x 6'8" †  
 14" x 6'8" †

**FC8867SL**  
 ■ ■ ■ ● ● ●  
 12" x 8'0" †  
 14" x 8'0" †



**S160**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**S626**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8"




**S20042**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †

**S902**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †



**S156**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S161**  
 ■ ■ ■ ● ● ●  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡

**S8149**  
 ■ ■ ■ ● ● ●  
 2'8" x 8'0" †  
 2'10" x 8'0" †  
 3'0" x 8'0" †

### Options Key

- ◆ Brass Caming (1A)
- ■ ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options

- WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- Flush-Glazed Glass (FG)
- No Stile Lines

Kensington *Continues on next page.*



**S6036**  
◆ 6  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

**S6056**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S43**  
◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S89701**  
◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S162**  
◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S709**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S163**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S1001**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**S6119**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S9342**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**S83142**  
◆◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**S160SL**  
◆◆ 6  
12" x 6'8"  
14" x 6'8"

**S6132SL**  
◆◆◆ 6  
10" x 6'8"  
12" x 6'8" †  
14" x 6'8" †

**S1442SL**  
◆◆◆ 6  
12" x 6'8"  
14" x 6'8"

**S902SL**  
◆◆◆ 6  
12" x 8'0"  
14" x 8'0"

**S161SL**  
◆◆◆ 6  
12" x 6'8"  
14" x 6'8"

**S867SL**  
◆◆◆ 6  
12" x 8'0"  
14" x 8'0"

**KNRT** ◆◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

# Crystal Diamonds™

## Fiber-Classic.® Mahogany



**FCM757**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM547** ◆◆ 6  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

**FCM762**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM759**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM894**  
◆◆ 6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**FCM6024**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM6044**  
◆◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM783**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FCM786**  
◆◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Note: See page 261 for important product details that may help with your purchase decision.



# Fiber-Classic® Oak

									
<b>FCM799</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM810SL</b> ❖❖❖❖❖ 10" x 6'8" 12" x 6'8" † 14" x 6'8" †	<b>FCM762SL</b> ❖❖ 12" x 6'8" 14" x 6'8"	<b>FCM8102SL</b> ❖❖ 12" x 8'0" 14" x 8'0"	<b>FCM783SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FCM759SL</b> ❖❖ 12" x 6'8" 14" x 6'8"	<b>FCM894SL</b> ❖❖ 12" x 8'0" 14" x 8'0"	<b>FC757</b> ❖❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC547</b> ❖❖❖ 2'6" x 6'8" † 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>FC762</b> ❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

								
<b>FC767</b> ❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81966P</b> ❖❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC759</b> ❖❖ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>81930P</b> ❖❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81972P</b> ❖❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC781</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC783</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC786</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC790</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

										
<b>FC799</b> ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80958</b> ❖❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86258</b> ❖❖ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC805</b> ❖ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC757SL</b> ❖❖ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC810SL</b> ❖❖❖❖ 12" x 6'8" † 14" x 6'8" †	<b>FC762SL</b> ❖❖ 12" x 6'8" 14" x 6'8"	<b>81966PSL</b> ❖❖ 12" x 8'0" 14" x 8'0"	<b>FC783SL</b> ❖ 12" x 6'8" 14" x 6'8"	<b>FC759SL</b> ❖❖ 12" x 6'8" 14" x 6'8"	<b>81930PSL</b> ❖❖ 12" x 8'0" 14" x 8'0"

**Crystal Diamonds** *Continues on next page.*

### Options Key

- ❖ Brass Caming (1A)
- Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- Ⓜ WBDR Options

- Ⓜ WBDR / HVHZ Options
- ⚠ 6'6" Height Available
- ⚡ 7'0" Height Available
- ⚡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

# Smooth-Star®



**S716**  
  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †



**S547**  
  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8"



**S86**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S96**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S886**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S726**  
  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S81930P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S6024**  
  
 2'6" x 6'8"  
 2'8" x 6'8" †  
 2'10" x 6'8" †  
 3'0" x 6'8" †



**S6044**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S36**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S836**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S730**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S700**  
  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲ †  
 2'10" x 6'8" ▲ †  
 3'0" x 6'8" ▲ †  
 3'6" x 6'8"



**S772**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S6083**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S993**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S16**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S9358**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83158**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S754**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S716SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S3570SL**  
  
 10" x 6'8"  
 12" x 6'8" ▲ †  
 14" x 6'8" ▲ †



**S96SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S756SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S886SL**  
  
 12" x 8'0"  
 14" x 8'0"



**S766SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S730SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S85923SL**  
  
 12" x 8'0"  
 14" x 8'0"



**S750SL**  
  
 12" x 6'8"  
 14" x 6'8"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 261 for important product details that may help with your purchase decision.

## Fiber-Classic® Mahogany



<p><b>FCM1652</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM81652</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FCM1651</b>                    2'4" x 6'8" <math>\Delta</math>                  2'6" x 6'8" <math>\Delta</math> ‡                  2'8" x 6'8" <math>\Delta</math> ‡                  2'10" x 6'8" <math>\Delta</math> ‡                  3'0" x 6'8" <math>\Delta</math> ‡</p>	<p><b>FCM81651</b>                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FCM1647</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM1654</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM81654</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FCM1656</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM1658</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>
---	--	---	---	---	---	--	---	---



<p><b>FCM1650</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM1645</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FCM81645</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FCM1651SL</b>                    10" x 6'8"                  12" x 6'8" <math>\Delta</math> ‡                  14" x 6'8" <math>\Delta</math> ‡</p>	<p><b>FCM81651SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>FCM81652SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>FCM1646SL</b>                    12" x 6'8"                  14" x 6'8"</p>	<p><b>FCM81646SL</b>                    12" x 8'0"                  14" x 8'0"</p>	<p><b>FCM1656SL</b>                    12" x 6'8"                  14" x 6'8"</p>	<p><b>FCM81654SL</b>                    12" x 8'0"                  14" x 8'0"</p>
---	---	--	---	--	--	---	--	---	--

## Fiber-Classic® Oak



<p><b>FC1652</b>                    2'6" x 6'8"                  2'8" x 6'8" ‡                  2'10" x 6'8" ‡                  3'0" x 6'8" ‡</p>	<p><b>FC81652</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC1651</b>                    2'4" x 6'8" <math>\Delta</math>                  2'6" x 6'8" <math>\Delta</math> ‡                  2'8" x 6'8" <math>\Delta</math> ‡                  2'10" x 6'8" <math>\Delta</math> ‡                  3'0" x 6'8" <math>\Delta</math> ‡</p>	<p><b>FC81651</b>                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC1647</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC1646</b>                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>	<p><b>FC81646</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>	<p><b>FC1654</b>                    2'6" x 6'8"                  2'8" x 6'8" ‡                  2'10" x 6'8" ‡                  3'0" x 6'8" ‡</p>	<p><b>FC81654</b>                    2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>
---	---	--	--	--	--	---	---	---

**NEW Axis** Continues on next page.

### Options Key

- Brass Caming (1A)
- Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- $\ddagger$  7'0" Height Available
- $\ddagger$  NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*























4-Block Dentil Shelf  
Available for FCM1650 only.



									
<b>FC81653</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1655</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC81649</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1645</b> ◆ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC81645</b> ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1661</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC1652SL</b> ◆ 6 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC81652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC1651SL</b> ◆ 6 12" x 6'8" ‡ ‡ 14" x 6'8" ‡ ‡	<b>FC81651SL</b> ◆ 6 12" x 8'0" 14" x 8'0"

## Smooth-Star®

										
<b>FC1646SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>FC81646SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>FC1656SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>FC81654SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>S1652</b> ◆ 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡	<b>S81652</b> ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1651</b> ◆ 6 2'4" x 6'8" ‡ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ ‡ 2'10" x 6'8" ‡ ‡ 3'0" x 6'8" ‡ ‡ 3'6" x 6'8"	<b>S81651</b> ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S1647</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1646</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81646</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
										
<b>S1654</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81654</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1656</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S1658</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1653</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81653</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1650</b> ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S81650</b> ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1655</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"		

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.




<b>S81649</b> ◆ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1645</b> ◆ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81645</b> ◆ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1661</b> ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1652SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>S81652SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>S1651SL</b> ◆ 6 10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>S81651SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
--	--	---	---	---	--	---	--



<b>S1646SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>S81646SL</b> ◆ 6 12" x 8'0" 14" x 8'0"	<b>S1656SL</b> ◆ 6 12" x 6'8" 14" x 6'8"	<b>S81654SL</b> ◆ 6 12" x 8'0" 14" x 8'0"
---	--	---	--

**AXRT** ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



**Options Key**

- ◆ Black Nickel Caming (1D)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- Δ 6'6" Height Available  
(8'0" only in 14")
- ‡ 7'0" Height Available

**Features Key**

- No Stile Lines

**Optional Dentil Shelf\***



# Bevelline™

## Fiber-Classic® Mahogany



**FCM12**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**FCM1025**  
■  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



**FCM68**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM69**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM70**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FCM15101SL**  
■ ●  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



**FCM8108SL**  
12" x 8'0"  
14" x 8'0"



**FCM68SL**  
12" x 6'8"  
14" x 6'8"

## Fiber-Classic® Oak



**FC12**  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**FC1025**  
■  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡



**81962P**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC68**  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**FC58**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC80948**  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC86248**  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**FC25**  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FC12SL**  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"



**15101SL**  
■ ●  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡



**81962PSL**  
12" x 8'0"  
14" x 8'0"



**FC58SL**  
12" x 6'8"  
14" x 6'8"



# Frosted Images®

## Fiber-Classic® Mahogany



<b>FCM11</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8113</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM669</b> 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	<b>FCM813</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM763</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM66</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM895</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6023</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6043</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	--	---	--	---	---

## Fiber-Classic® Oak



<b>FCM784</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM787</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM13101SL</b> 6 10" x 6'8" 12" x 6'8" Δ‡ 14" x 6'8" Δ‡	<b>FCM81300SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM8113SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM8109SL</b> 6 12" x 8'0" 14" x 8'0"	<b>FCM66SL</b> 6 12" x 6'8" 14" x 6'8"	<b>FC11</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81970P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC669</b> 6 2'6" x 6'8" Δ‡ 2'8" x 6'8" Δ‡ 2'10" x 6'8" Δ‡ 3'0" x 6'8" Δ‡	<b>FC813</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	--	--	---	---	---	---	--	--	--



<b>FC763</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC768</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81963P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC66</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81931P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81973P</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC44</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC784</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC787</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	--	---	--	--	---	--	--

**Frosted Images** *Continues on next page.*

### Options Key

● **Vented Sidelite** (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6 **WBDR Options**  
6 **WBDR / HVHZ Options**

Δ **6'6" Height Available**  
‡ **7'0" Height Available**

### Features Key

■ **No Stile Lines**

## Frosted Images® *Continued*



<b>FC791</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80945</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86245</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC806</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC11SL</b> 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FC8113SL</b> 12" x 8'0" 14" x 8'0"	<b>13101SL</b> 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>81300SL</b> 12" x 8'0" 14" x 8'0"	<b>81963PSL</b> 12" x 8'0" 14" x 8'0"	<b>FC44SL</b> 12" x 6'8" 14" x 6'8"
--	--	--	---	---	---	--	--	---	---

## Smooth-Star®



<b>S138</b> 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>S812</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S669</b> 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S813</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	<b>S84</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S94</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S884</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S206E</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S81931P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6023</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
--	--	---	---	--	--	---	--	--	--



<b>S6043</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S34</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S834</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S250</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S289E</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S103</b> 2'6" x 6'8" Δ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡ 3'6" x 6'8"	<b>S989</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S6081</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S994</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---	---	--	---	---	--	---

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



S9345  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83145  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S260  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S138SL  
6  
12" x 6'8"  
14" x 6'8"

S8113SL  
6  
12" x 8'0"  
14" x 8'0"

S2070SL  
6  
10" x 6'8"  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡

S81300SL  
6  
12" x 8'0"  
14" x 8'0"

S94SL  
6  
12" x 6'8"  
14" x 6'8"

S884SL  
6  
12" x 8'0"  
14" x 8'0"


S289ESL  
6  
12" x 6'8"  
14" x 6'8"

S250SL  
12" x 6'8"  
14" x 6'8"

# Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 116.

## Fiber-Classic® Mahogany



FCM138XJ  
FCM138XR  
FCM138XN  
FCM138XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM1285XJ  
FCM1285XR  
FCM1285XN  
FCM1285XC  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡

FCM18XJ  
FCM18XR  
FCM18XN  
FCM18XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM1284XJ  
FCM1284XR  
FCM1284XN  
FCM1284XC  
2'6" x 6'8" Δ‡  
2'8" x 6'8" Δ‡  
2'10" x 6'8" Δ‡  
3'0" x 6'8" Δ‡

FCM82XJ  
FCM82XR  
FCM82XN  
FCM82XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM65XJ  
FCM65XR  
FCM65XN  
FCM65XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM6022XJ  
FCM6022XR  
FCM6022XN  
FCM6022XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM6042XJ  
FCM6042XR  
FCM6042XN  
FCM6042XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8321XJ  
FCM8321XR  
FCM8321XN  
FCM8321XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM12102XJSL  
FCM12102XRSL  
FCM12102XNLSL  
FCM12102XCSSL  
12" x 6'8" Δ‡  
14" x 6'8" Δ‡

FCM92XJSL  
FCM92XRSL  
FCM92XNLSL  
FCM92XCSSL  
12" x 6'8"  
14" x 6'8"

FCM8101XJSL  
FCM8101XRSL  
FCM8101XNLSL  
FCM8101XCSSL  
12" x 8'0"  
14" x 8'0"

FCM65XJSL  
FCM65XRSL  
FCM65XNLSL  
FCM65XCSSL  
12" x 6'8"  
14" x 6'8"

FCM3487XJSL  
FCM3487XRSL  
FCM3487XNLSL  
FCM3487XCSSL  
12" x 8'0"  
14" x 8'0"

FCM605XJ  
FCM605XR  
FCM605XN  
FCM605XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Privacy Glass with Divided Lites *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available

- 7'0" Height Available
- NEW 7'0" Height Available
- Flush-Glazed Glass (FG)

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*





**Privacy Glass with Divided Lites** *Continued*



FCM606XJ  
FCM606XR  
FCM606XN  
FCM606XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM607XJ  
FCM607XR  
FCM607XN  
FCM607XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM608XJ  
FCM608XR  
FCM608XN  
FCM608XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6124XJSL  
FCM6124XRSL  
FCM6124XNSL  
FCM6124XCSSL  
12" x 6'8"  
14" x 6'8"



FCM6125XJSL  
FCM6125XRSL  
FCM6125XNSL  
FCM6125XCSSL  
12" x 6'8"  
14" x 6'8"




FCM6126XJSL  
FCM6126XRSL  
FCM6126XNSL  
FCM6126XCSSL  
12" x 6'8"  
14" x 6'8"



FC138XJ  
FC138XR  
FC138XN  
FC138XC  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




1285XJ  
1285XR  
1285XN  
1285XC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




FC18XJ  
FC18XR  
FC18XN  
FC18XC  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1284XJ  
1284XR  
1284XN  
1284XC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC82XJ  
FC82XR  
FC82XN  
FC82XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC92XJ  
FC92XR  
FC92XN  
FC92XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



81945PXJ  
81945PXR  
81945PXN  
81945PXC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




81946PXJ  
81946PXR  
81946PXN  
81946PXC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC65XJ  
FC65XR  
FC65XN  
FC65XC  
2'6" x 6'8"  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




FC8321XJ  
FC8321XR  
FC8321XN  
FC8321XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC832XJ  
FC832XR  
FC832XN  
FC832XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC807XJ  
FC807XR  
FC807XN  
FC807XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC809203XJ  
FC809203XR  
FC809203XN  
FC809203XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC862203XJ  
FC862203XR  
FC862203XN  
FC862203XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC18XJSL  
FC18XRSL  
FC18XNSL  
FC18XCSSL  
12" x 6'8"  
14" x 6'8"



12102XJSL  
12102XRSL  
12102XNSL  
12102XCSSL  
12" x 6'8" ‡  
14" x 6'8" ‡



FC92XJSL  
FC92XRSL  
FC92XNSL  
FC92XCSSL  
12" x 6'8"  
14" x 6'8"

**Fiber-Classic® Oak**

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



81946PXJSL  
81946PXRSL  
81946PXNSL  
81946PXCSSL  
12" x 8'0"  
14" x 8'0"

FC63XJSL  
FC63XRSL  
FC63XNSL  
FC63XCSSL  
12" x 6'8"  
14" x 6'8"

FC3487XJSL  
FC3487XRSL  
FC3487XNSL  
FC3487XCSSL  
12" x 8'0"  
14" x 8'0"

FC06188XJSL  
FC06188XRSL  
FC06188XNSL  
FC06188XCSSL  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

FC06184XJSL  
FC06184XRSL  
FC06184XNSL  
FC06184XCSSL  
12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$

FC06189XJSL  
FC06189XRSL  
FC06189XNSL  
FC06189XCSSL  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

FC06185XJSL  
FC06185XRSL  
FC06185XNSL  
FC06185XCSSL  
12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$

FC06190XJSL  
FC06190XRSL  
FC06190XNSL  
FC06190XCSSL  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

FC06186XJSL  
FC06186XRSL  
FC06186XNSL  
FC06186XCSSL  
12" x 6'8"  $\Delta$   $\ddagger$   
14" x 6'8"  $\Delta$   $\ddagger$

## Smooth-Star®



S128XJ  
S128XR  
S128XN  
S128XC  
2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\Delta$   $\ddagger$   
3'0" x 6'8"  $\Delta$   $\ddagger$

S141XJ  
S141XR  
S141XN  
S141XC  
2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\Delta$   $\ddagger$   
3'0" x 6'8"  $\Delta$   $\ddagger$   
3'6" x 6'8"

S108XJ  
S108XR  
S108XN  
S108XC  
2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\Delta$   $\ddagger$   
3'0" x 6'8"  $\Delta$   $\ddagger$

S6063XJ  
S6063XR  
S6063XN  
S6063XC  
2'6" x 6'8"  $\Delta$   
2'8" x 6'8"  $\Delta$   $\ddagger$   
2'10" x 6'8"  $\Delta$   $\ddagger$   
3'0" x 6'8"  $\Delta$   $\ddagger$   
3'6" x 6'8"

S82XJ  
S82XR  
S82XN  
S82XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S92XJ  
S92XR  
S92XN  
S92XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S881XJ  
S881XR  
S881XN  
S881XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S822XJ  
S822XR  
S822XN  
S822XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S262XJ  
S262XR  
S262XN  
S262XC  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$

S6022XJ  
S6022XR  
S6022XN  
S6022XC  
2'6" x 6'8"  
2'8" x 6'8"  $\ddagger$   
2'10" x 6'8"  $\ddagger$   
3'0" x 6'8"  $\ddagger$

S6042XJ  
S6042XR  
S6042XN  
S6042XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S32XJ  
S32XR  
S32XN  
S32XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8321XJ  
S8321XR  
S8321XN  
S8321XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S832XJ  
S832XR  
S832XN  
S832XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Privacy Glass with Divided Lites *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- $\Delta$  6'6" Height Available
- $\ddagger$  7'0" Height Available
- $\ddagger$  **NEW** 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*

- 
- 4-Block Dentil Shelf  
Available for FCM606, FCM607  
and FCM608 only.

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

**Privacy Glass with Divided Lites** *Continued*



S807XJ  
S807XR  
S807XN  
S807XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S93203XJ  
S93203XR  
S93203XN  
S93203XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S831203XJ  
S831203XR  
S831203XN  
S831203XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S308XJSL  
S308XRSL  
S308XNSL  
S308XCSSL  
12" x 6'8"  
14" x 6'8"



S1170XJSL  
S1170XRSL  
S1170XNSL  
S1170XCSSL  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



S82XJSL  
S82XRSL  
S82XNSL  
S82XCSSL  
12" x 6'8"  
14" x 6'8"



S881XJSL  
S881XRSL  
S881XNSL  
S881XCSSL  
12" x 8'0"  
14" x 8'0"



S263XJSL  
S263XRSL  
S263XNSL  
S263XCSSL  
12" x 6'8"  
14" x 6'8"



S3487XJSL  
S3487XRSL  
S3487XNSL  
S3487XCSSL  
12" x 8'0"  
14" x 8'0"



S605XJ  
S605XR  
S605XN  
S605XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8605XJ  
S8605XR  
S8605XN  
S8605XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S606XJ  
S606XR  
S606XN  
S606XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S8606XJ  
S8606XR  
S8606XN  
S8606XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S607XJ  
S607XR  
S607XN  
S607XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8607XJ  
S8607XR  
S8607XN  
S8607XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S608XJ  
S608XR  
S608XN  
S608XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8608XJ  
S8608XR  
S8608XN  
S8608XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S605XJSL  
S605XRSL  
S605XNSL  
S605XCSSL  
12" x 6'8"  
14" x 6'8"



S6124XJSL  
S6124XRSL  
S6124XNSL  
S6124XCSSL  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



S606XJSL  
S606XRSL  
S606XNSL  
S606XCSSL  
12" x 6'8"  
14" x 6'8"



S6125XJSL  
S6125XRSL  
S6125XNSL  
S6125XCSSL  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡



S607XJSL  
S607XRSL  
S607XNSL  
S607XCSSL  
12" x 6'8"  
14" x 6'8"



S6126XJSL  
S6126XRSL  
S6126XNSL  
S6126XCSSL  
10" x 6'8"  
12" x 6'8" Δ ‡  
14" x 6'8" Δ ‡

**Privacy Glass**

XJ = Chinchilla Glass  
XR = Rainglass  
XN = Granite Glass  
XC = Chord Glass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



# Privacy Glass

Fiber-Classic® Mahogany




FCM10XJ  
FCM10XR  
FCM10XN  
FCM10XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM870XJ  
FCM870XR  
FCM870XN  
FCM870XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM1283XJ  
FCM1283XR  
FCM1283XN  
FCM1283XC  
6  
2'0" x 6'8"  
2'4" x 6'8" †  
2'6" x 6'8" † ‡  
2'8" x 6'8" † ‡  
2'10" x 6'8" † ‡  
3'0" x 6'8" † ‡

FCM81200XJ  
FCM81200XR  
FCM81200XN  
FCM81200XC  
6  
2'0" x 8'0"  
2'4" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM32XJ  
FCM32XR  
FCM32XN  
FCM32XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM62XJ  
FCM62XR  
FCM62XN  
FCM62XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM862XJ  
FCM862XR  
FCM862XN  
FCM862XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FCM6021XJ  
FCM6021XR  
FCM6021XN  
FCM6021XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM6041XJ  
FCM6041XR  
FCM6041XN  
FCM6041XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM104XJ  
FCM104XR  
FCM104XN  
FCM104XC  
6  
2'4" x 6'8"  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 7'0"  
3'0" x 6'8" ‡



FCM80XJ  
FCM80XR  
FCM80XN  
FCM80XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM160XJ  
FCM160XR  
FCM160XN  
FCM160XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM601XJ  
FCM601XR  
FCM601XN  
FCM601XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM132XJ  
FCM132XR  
FCM132XN  
FCM132XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM708XJ  
FCM708XR  
FCM708XN  
FCM708XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM8708XJ  
FCM8708XR  
FCM8708XN  
FCM8708XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Privacy Glass Continues on next page.

### Options Key

- Simulated Divided Lites (SDL)\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")



- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*

4-Block Dentil Shelf  
Available for S605, S8605, S606, S8606,  
S607, S8607, S608 and S8608 only.

4-Block Dentil Shelf  
Available for FCM601 only.

## Privacy Glass *Continued*



FCM61XJ  
FCM61XR  
FCM61XN  
FCM61XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM861XJ  
FCM861XR  
FCM861XN  
FCM861XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FCM12101XJSL  
FCM12101XRSL  
FCM12101XNSL  
FCM12101XCSSL  
6 6  
10" x 6'8"  
12" x 6'8" †  
14" x 6'8" †

FCM81200XJSL  
FCM81200XRSL  
FCM81200XNSL  
FCM81200XCSSL  
6 6  
12" x 8'0"  
14" x 8'0"



FCM870XJSL  
FCM870XRSL  
FCM870XNSL  
FCM870XCSSL  
6  
12" x 8'0"  
14" x 8'0"



FCM32XJSL  
FCM32XRSL  
FCM32XNSL  
FCM32XCSSL  
6  
12" x 6'8"  
14" x 6'8"

FCM881XJSL  
FCM881XRSL  
FCM881XNSL  
FCM881XCSSL  
6  
12" x 8'0"  
14" x 8'0"



FCM62XJSL  
FCM62XRSL  
FCM62XNSL  
FCM62XCSSL  
6  
12" x 6'8"  
14" x 6'8"

FCM862XJSL  
FCM862XRSL  
FCM862XNSL  
FCM862XCSSL  
6  
12" x 8'0"  
14" x 8'0"

## Fiber-Classic® Oak



1283XJ  
1283XR  
1283XN  
1283XC  
6 6  
2'0" x 6'8"  
2'4" x 6'8" †  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

81200XJ  
81200XR  
81200XN  
81200XC  
6 6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC10XJ  
FC10XR  
FC10XN  
FC10XC  
6  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

81200PXJ  
81200PXR  
81200PXN  
81200PXC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




FC766XJ  
FC766XR  
FC766XN  
FC766XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

81943PXJ  
81943PXR  
81943PXN  
81943PXC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC32XJ  
FC32XR  
FC32XN  
FC32XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC62XJ  
FC62XR  
FC62XN  
FC62XC  
6  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

81929PXJ  
81929PXR  
81929PXN  
81929PXC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC104XJ  
FC104XR  
FC104XN  
FC104XC  
6 6  
2'4" x 6'8"  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †



81971PXJ  
81971PXR  
81971PXN  
81971PXC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC48XJ  
FC48XR  
FC48XN  
FC48XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC710XJ  
FC710XR  
FC710XN  
FC710XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC160XJ  
FC160XR  
FC160XN  
FC160XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC789XJ  
FC789XR  
FC789XN  
FC789XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC132XJ  
FC132XR  
FC132XN  
FC132XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC80920XJ  
FC80920XR  
FC80920XN  
FC80920XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC86220XJ  
FC86220XR  
FC86220XN  
FC86220XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC708XJ  
FC708XR  
FC708XN  
FC708XC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC8708XJ  
FC8708XR  
FC8708XN  
FC8708XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



FC803XJ  
FC803XR  
FC803XN  
FC803XC  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FC61XJ  
FC61XR  
FC61XN  
FC61XC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



FC861XJ  
FC861XR  
FC861XN  
FC861XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

FC47XJSL  
FC47XRSL  
FC47XNLSL  
FC47XCSSL  
6  
10" x 6'8"  
12" x 6'8"  
14" x 6'8"

81200PXJSL  
81200PXRSL  
81200PXNLSL  
81200PXCSSL  
6  
12" x 8'0"  
14" x 8'0"



12101XJSL  
12101XRSL  
12101XNLSL  
12101XCSSL  
6  
12" x 6'8" ‡  
14" x 6'8" ‡



81200XJSL  
81200XRSL  
81200XNLSL  
81200XCSSL  
6  
12" x 8'0"  
14" x 8'0"




FC32XJSL  
FC32XRSL  
FC32XNLSL  
FC32XCSSL  
6  
12" x 6'8"  
14" x 6'8"

81943PXJSL  
81943PXRSL  
81943PXNLSL  
81943PXCSSL  
6  
12" x 8'0"  
14" x 8'0"

FC48XJSL  
FC48XRSL  
FC48XNLSL  
FC48XCSSL  
6  
12" x 6'8"  
14" x 6'8"

81929PXJSL  
81929PXRSL  
81929PXNLSL  
81929PXCSSL  
6  
12" x 8'0"  
14" x 8'0"


## Smooth-Star®



S140XJ  
S140XR  
S140XN  
S140XC  
6  
2'0" x 6'8"  
2'4" x 6'8" †  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †  
3'6" x 6'8"



S8140XJ  
S8140XR  
S8140XN  
S8140XC  
6  
2'0" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"



S118XJ  
S118XR  
S118XN  
S118XC  
6  
2'6" x 6'8" †  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

S818XJ  
S818XR  
S818XN  
S818XC  
6  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S90XJ  
S90XR  
S90XN  
S90XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S880XJ  
S880XR  
S880XN  
S880XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S80XJ  
S80XR  
S80XN  
S80XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S206XJ  
S206XR  
S206XN  
S206XC  
6  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †



NEW

S81929PXJ  
S81929PXR  
S81929PXN  
S81929PXC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



S6021XJ  
S6021XR  
S6021XN  
S6021XC  
6  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

### Options Key

● Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")

6 WBDR Options

6 WBDR / HVHZ Options

▲ 6'6" Height Available

‡ 7'0" Height Available

‡ NEW 7'0" Height Available

### Features Key

■ No Stile Lines

### Privacy Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass

XC = Chord Glass

Privacy Glass Continues on next page.



**Privacy Glass** *Continued*



S6041XJ  
S6041XR  
S6041XN  
S6041XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S104XJ  
S104XR  
S104XN  
S104XC  
6  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

S30XJ  
S30XR  
S30XN  
S30XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S830XJ  
S830XR  
S830XN  
S830XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S289XJ  
S289XR  
S289XN  
S289XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S770XJ  
S770XR  
S770XN  
S770XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S6080XJ  
S6080XR  
S6080XN  
S6080XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S992XJ  
S992XR  
S992XN  
S992XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S601XJ  
S601XR  
S601XN  
S601XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S8600XJ  
S8600XR  
S8600XN  
S8600XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S10XJ  
S10XR  
S10XN  
S10XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"


S9320XJ  
S9320XR  
S9320XN  
S9320XC  
6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

S83120XJ  
S83120XR  
S83120XN  
S83120XC  
6  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S708XJ  
S708XR  
S708XN  
S708XC  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

S8708XJ  
S8708XR  
S8708XN  
S8708XC  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S256XJ  
S256XR  
S256XN  
S256XC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



S296XJ  
S296XR  
S296XN  
S296XC  
2'6" x 6'8"  
2'8" x 6'8" †  
2'10" x 6'8" †  
3'0" x 6'8" †

S896XJ  
S896XR  
S896XN  
S896XC  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

S601XJSL  
S601XRSL  
S601XNSL  
S601XCSSL  
6  
10" x 6'8"  
12" x 6'8" †  
14" x 6'8" †

S81086XJSL  
S81086XRSL  
S81086XNSL  
S81086XCSSL  
6  
12" x 8'0"  
14" x 8'0"

S100XJSL  
S100XRSL  
S100XNSL  
S100XCSSL  
6  
12" x 6'8"  
14" x 6'8"

S8601XJSL  
S8601XRSL  
S8601XNSL  
S8601XCSSL  
6  
12" x 8'0"  
14" x 8'0"

S751XJSL  
S751XRSL  
S751XNSL  
S751XCSSL  
6  
12" x 6'8"  
14" x 6'8"

S880XJSL  
S880XRSL  
S880XNSL  
S880XCSSL  
6  
12" x 8'0"  
14" x 8'0"

S210XJSL  
S210XRSL  
S210XNSL  
S210XCSSL  
6  
12" x 6'8"  
14" x 6'8"

S85910XJSL  
S85910XRSL  
S85910XNSL  
S85910XCSSL  
6  
12" x 8'0"  
14" x 8'0"

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.

# Internal Blinds

Note: Product images show exterior side of door.

## Fiber-Classic® Mahogany

<b>FCM141</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8115</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1286</b> ★ 2'4" x 6'8" △ 2'6" x 6'8" △‡ 2'8" x 6'8" △‡ 2'10" x 6'8" △‡ 3'0" x 6'8" △‡	<b>FCM81225</b> ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM140</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6035</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6055</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM116</b> ★ 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 7'0" ‡ 3'0" x 6'8" ‡

## Fiber-Classic® Oak

<b>FCM1286SL</b> ★ ● 10" x 6'8" 12" x 6'8" △‡ 14" x 6'8" △‡	<b>FCM81225SL</b> ★ ● 12" x 8'0" 14" x 8'0"	<b>FCM8115SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FCM140SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>FCM8110SL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FC141</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81225P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1286</b> ★ ● 2'4" x 6'8" △ 2'6" x 6'8" △‡ 2'8" x 6'8" △‡ 2'10" x 6'8" △‡ 3'0" x 6'8" △‡	<b>81225</b> ★ ● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>81964P</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
<b>FC140</b> ★ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC116</b> ★ ● 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC925</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8972</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC141SL</b> ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>81225PSL</b> ★ 12" x 8'0" 14" x 8'0"	<b>1286SL</b> ★ ● 12" x 6'8" △‡ 14" x 6'8" △‡	<b>81225SL</b> ★ ● 12" x 8'0" 14" x 8'0"	<b>81964PSL</b> ★ 12" x 8'0" 14" x 8'0"	<b>FC140SL</b> ★ 12" x 6'8" 14" x 6'8"

Internal Blinds *Continues on next page.*

### Options Key

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options
- ★ Low-E Glass (LE)
- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines

### Optional Dentil Shelf\*




### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

## Smooth-Star®



<b>S130</b> ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S829</b> ★ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ † 2'10" x 8'0" ▲ † 3'0" x 8'0" ▲ †	<b>S6061</b> ■ ★ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ † 3'6" x 6'8" ▲ †	<b>S81225</b> ■ ★ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ † 3'6" x 8'0" ▲ †	<b>S901</b> ★ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>S132</b> ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S6035</b> ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S6055</b> ★ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †
---	---	--	---	--	---	--	---



<b>S131</b> ■ ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S971</b> ★ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S925</b> ★ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S8972</b> ★ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ † 3'0" x 8'0" ▲ †	<b>S130SL</b> ★ 12" x 6'8" ▲ 14" x 6'8" ▲ †	<b>S829SL</b> ★ 12" x 8'0" ▲ 14" x 8'0" ▲ †	<b>S6128SL</b> ■ ● ★ 10" x 6'8" ▲ 12" x 6'8" ▲ † 14" x 6'8" ▲ †	<b>S85928SL</b> ■ ● ★ 12" x 8'0" ▲ 14" x 8'0" ▲ †	<b>S901SL</b> ★ 12" x 8'0" ▲ 14" x 8'0" ▲ †	<b>S132SL</b> ★ 12" x 6'8" ▲ 14" x 6'8" ▲ †
---	--	--	---	--	--	---	--	--	--

## Screen Vented Lites\*

### Smooth-Star®



<b>S243</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6034</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S6054</b> 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>S137</b> 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †
---	--	--	---

\*Features a gliding operation and sash locking system.

\*\*2'0" frames do not have simulated divided lites option.

\*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.



# Flush-Glazed Glass with Divided Lites

Note: For details on divided lite options, see page 116.

## Fiber-Classic® Oak



**FC1205**  
 ▲ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC1206**  
 ▲ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲




**FC1207**  
 ▲ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**2010**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC1204**  
 ▲ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**2050**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**8000-12**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**8000-18**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**2150**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 3'0" x 6'8" ▲



**FC1205SL**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC1206SL**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC1204SL**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**2050SL**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**2150SL**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ▲  
 14" x 6'8" ▲



**FC02000-2C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000-2C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC02000-3C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000-3C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC02000-4C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲



**FC082000-4C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲



**FC02000-6C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6" ▲  
 3'0" x 6'8" ▲

**FC082000-6C**  
 ▲ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'0" x 8'0" ▲  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

Flush-Glazed Glass with Divided Lites *Continues on next page.*

### Options Key

- ▲ Simulated Divided Lites (SDL)\*\*,\*\*
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14" (8'0" only in 14"))
- ☀ Low-E Glass (LE)

- ▲ 6'6" Height Available
- ⚡ 7'0" Height Available
- ⚡ NEW 7'0" Height Available

### Features Key

- No Stile Lines
- ▲ Flush-Glazed Glass (FG)

## Flush-Glazed Glass with Divided Lites *Continued*



**2009**  
 ▲ ▲ ▲  
 2'0" x 6'8" ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'6"  
 3'0" x 6'8" ▲



**FC1409**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**2009SL**  
 ▲ ▲ ▲  
 12" x 6'8"  
 14" x 6'8"



**FC1409SL**  
 ▲ ▲ ▲  
 12" x 6'8"  
 14" x 6'8"

## Smooth-Star®



**S1205**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S1206**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲




**S1207**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S2010**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S1204**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S2050**  
 ▲ ▲ ▲  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲



**S8000-12**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8000-18**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S2103**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S82103**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S2105**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S82105**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2250**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S82250**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S2104**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82104**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S2105**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82105**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S2250**  
 ▲ ▲ ▲  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S82250**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S82106**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S82107**  
 ▲ ▲ ▲  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.



**S2150**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"



**S1205SL**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S1206SL**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S1204SL**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S2010SL**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S2103SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S2104SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S92SL**  
  
 12" x 6'8"  
 14" x 6'8"



**S2000-2C**  
  
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$



**S82000-2C**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000-3C**  
  
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$



**S82000-3C**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000-4C**  
  
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$



**S82000-4C**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000-6C**  
  
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$



**S82000-6C**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S82112**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S82113**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S82114**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S82116**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2000SL-2C**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S2000SL-4C**  
  
 10" x 6'8"  $\Delta$   
 12" x 6'8"  $\Delta$   
 14" x 6'8"  $\Delta$



**S2009**  
  
 2'0" x 6'8"  $\Delta$   
 2'6" x 6'8"  $\Delta$   
 2'8" x 6'8"  $\Delta$   
 2'10" x 6'8"  $\Delta$   
 3'0" x 6'8"  $\Delta$



**S8000-9**  
  
 2'0" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1401**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S81401**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S1409**  
  
 2'6" x 6'8"  
 2'8" x 6'8"  
 3'0" x 6'8"

### Options Key

- Simulated Divided Lites (SDL)\*,\*\*
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Removable Wood Grilles (RG)
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- Low-E Glass (LE)

$\Delta$  6'6" Height Available

### Features Key

- Flush-Glazed Glass (FG)



# Flush-Glazed Glass

## Fiber-Classic® Oak



<b>2000</b> ▲ ● 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'6" 3'0" x 6'8" ▲	<b>8000</b> ▲ ● 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>2100</b> ▲ ● 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>2000SL</b> ▲ ● 12" x 6'8" 14" x 6'8"	<b>2100SL</b> ▲ ● 12" x 6'8" 14" x 6'8"
--	--	---	--	--

## Smooth-Star®



<b>S2000</b> ▲ ● 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	<b>S8000</b> ▲ ● 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2200</b> ▲ ● 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S82200</b> ▲ ● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S2100</b> ▲ ● 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	<b>S2000SL</b> ▲ ● ● 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	<b>S90SL</b> ▲ 12" x 6'8" 14" x 6'8"
---	---	--	---	--	---	---

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 116.

## Fiber-Classic® Mahogany



<b>FCM1209</b> ◆ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1201</b> ■ ◆ ● 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ † 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>FCM1211</b> ◆ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1202</b> ■ ◆ ● 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ † 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>FCM1212</b> ◆ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1203</b> ■ ◆ ● 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ † 2'8" x 6'8" ▲ † 2'10" x 6'8" ▲ † 3'0" x 6'8" ▲ †	<b>FCM138</b> ◆ ● ◆ ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	---	---	--

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Note: See page 261 for important product details that may help with your purchase decision.




**FCM1285**  
  
 2'0" x 6'8"   
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM1208**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM1200**  
  
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"



**FCM18**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM1284**  
  
 2'4" x 6'8"   
 2'6" x 6'8"   
 2'8" x 6'8"   
 2'10" x 6'8"   
 3'0" x 6'8"




**FCM828**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81828**  
  
 2'0" x 8'0"   
 2'4" x 8'0"   
 2'6" x 8'0"   
 2'8" x 8'0"   
 2'10" x 8'0"   
 3'0" x 8'0"




**FCM81208P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM81829**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**FCM2106**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2107**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM2108**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM82**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM63**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6097**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM811**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM8322**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8323**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM8324**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM65**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM6022**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*\*,\*\*
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)


- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR / HVHZ Options

- Low-E Glass (LE)
- 6'6" Height Available
- 7'0" Height Available

### Features Key

- Flush-Glazed Glass (FG)
- No Stile Lines
- PVC Doorlite Frame\*\*

**Clear Glass with Divided Lites** *Continued*



<b>FCM6042</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8321</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1201SL</b>  10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM1202SL</b>  10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM1200SL</b>  10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM12102SL</b>  10" x 6'8" 12" x 6'8" Δ ‡ 14" x 6'8" Δ ‡	<b>FCM81208PSL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81208SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM1089SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8311SL</b>  12" x 8'0" 14" x 8'0"
--	--	--	--	--	---	--	---	--	--



<b>FCM2101SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8313SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM92SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8310SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM8101SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM8675SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM65SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM7125SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM3487SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM3000-2C</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-2C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	--	--	--	--	--	---	--




<b>FCM3000F-2C</b>  2'0" x 6'8" ▽ 2'4" x 6'8" Δ ‡ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM83000F-2C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000-3C</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-3C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-3C</b>  2'0" x 6'8" ▽ 2'4" x 6'8" Δ ‡ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM83000F-3C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000-4C</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-4C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-4C</b>  2'0" x 6'8" ▽ 2'4" x 6'8" Δ ‡ 2'6" x 6'8" Δ ‡ 2'8" x 6'8" Δ ‡ 2'10" x 6'8" Δ ‡ 3'0" x 6'8" Δ ‡	<b>FCM83000F-4C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	---	---	---	--	---	---

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.





<b>FCM3000-6C</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000-6C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM3000F-6C</b>  2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM83000F-6C</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM605</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM606</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM607</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM608</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM752</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8752</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	---	---	---	---	---	--



<b>FCM6124SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FCM6125SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FCM6126SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FCM81900SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81947SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM81949SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM198</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1289</b>  2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1402</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	---	---	---	---	--	--



<b>FCM1408</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8145</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1405</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1406</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM704</b>  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8704</b>  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1289SL</b>  10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>FCM1400SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM81944SL</b>  12" x 8'0" 14" x 8'0"	<b>FCM1405SL</b>  12" x 6'8" 14" x 6'8"	<b>FCM8145SL</b>  12" x 8'0" 14" x 8'0"
--	--	--	--	---	--	--	--	---	--	--

Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- Simulated Divided Lites (SDL)\*,\*\*
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14" (8'0" only in 14"))

### Features Key

- No Stile Lines
- PVC Doorlite Frame\*\*

### Optional Dentil Shelf\*\*

- 4-Block Dentil Shelf Available for FCM605, FCM606, FCM607 and FCM608 only.

- Low-E Glass (LE)
- WBD Options
- WBDH / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available

## Fiber-Classic® Oak



**FC1209**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1201**  
  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC1211**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1202**  
  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡




**FC1212**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1203**  
  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC138**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1285**  
  
 2'0" x 6'8" △  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC1208**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC1200**  
  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡



**FC18**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**1284**  
  
 2'4" x 6'8" △  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡




**FC828**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81828**  
  
 2'0" x 8'0" △  
 2'4" x 8'0" △  
 2'6" x 8'0" △ ‡  
 2'8" x 8'0" △ ‡  
 2'10" x 8'0" △ ‡  
 3'0" x 8'0" △ ‡



**81208P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81208**  
  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC2106**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2107**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC2108**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC82**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

Right Page: Shown Left – Smooth-Star, Clear Glass with GBGs, Doors – S808; Shown Right – Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 81946P, Sidelites 81946PSL



FC1089  
 ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC8311  
 ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC2101  
 ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC8313  
 ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC2102  
 ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC8316  
 ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

FC92  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FC8310  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

81945P  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

81946P  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- ◆ Simulated Divided Lites (SDL)\*\*
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)

- ◆ Low-E Glass (LE)
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines
- ▶ PVC Doorlite Frame\*\*



Clear Glass with Divided Lites *Continued*



FC8318  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8319  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8320  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC832  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8322  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8323  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC8324  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC63  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC65  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



FC8321  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC807  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC809203  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC862203  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC752  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

FC8752  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



FC23  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



FC1209SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1201SL  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



FC1211SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1202SL  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



FC1208SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



FC1200SL  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡


FC18SL  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"

12102SL  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.



<b>81208PSL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"	<b>81208SL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"	<b>FC1089SL</b> ▶♦☀️ 12"x 6'8" 14"x 6'8"	<b>FC8311SL</b> ▶♦☀️ 12"x 8'0" 14"x 8'0"	<b>FC2101SL</b> ▶♦☀️🌀 12"x 6'8" 14"x 6'8"	<b>FC8313SL</b> ▶♦☀️ 12"x 8'0" 14"x 8'0"	<b>FC92SL</b> ▶♦☀️🌀 12"x 6'8" 14"x 6'8"	<b>FC8310SL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"	<b>81946PSL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"	<b>FC8675SL</b> ▶♦☀️ 12"x 8'0" 14"x 8'0"	<b>FC63SL</b> ▶♦☀️🌀 12"x 6'8" 14"x 6'8"	<b>FC7125SL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"	<b>FC3487SL</b> ▶♦☀️🌀 12"x 8'0" 14"x 8'0"
--	---	---	---	--	---	--	--	--	---	--	--	--



<b>FC3000-2C</b> ▶♦☀️ 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-2C</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-2C</b> ▶♦☀️ 2'0"x 6'8" ▽ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-2C</b> ▶♦☀️ 2'0"x 8'0" ▽ 2'4"x 8'0" ▲ 2'6"x 8'0" ▲‡ 2'8"x 8'0" ▲‡ 2'10"x 8'0" ▲‡ 3'0"x 8'0"	<b>FC3000-3C</b> ▶♦☀️ 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-3C</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-3C</b> ▶♦☀️ 2'0"x 6'8" ▽ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-3C</b> ▶♦☀️ 2'0"x 8'0" ▽ 2'4"x 8'0" ▲ 2'6"x 8'0" ▲‡ 2'8"x 8'0" ▲‡ 2'10"x 8'0" ▲‡ 3'0"x 8'0"	<b>FC3000-4C</b> ▶♦☀️ 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-4C</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
---	--	---	---	---	--	---	---	---	--



<b>FC03000F-4C</b> ▶♦☀️ 2'0"x 6'8" ▽ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-4C</b> ▶♦☀️ 2'0"x 8'0" ▽ 2'4"x 8'0" ▲ 2'6"x 8'0" ▲‡ 2'8"x 8'0" ▲‡ 2'10"x 8'0" ▲‡ 3'0"x 8'0"	<b>FC3000-6C</b> ▶♦☀️ 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	<b>FC083000P-6C</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>FC03000F-6C</b> ▶♦☀️ 2'0"x 6'8" ▽ 2'4"x 6'8" ▲ 2'6"x 6'8" ▲‡ 2'8"x 6'8" ▲‡ 2'10"x 6'8" ▲‡ 3'0"x 6'8" ▲‡	<b>FC083000F-6C</b> ▶♦☀️ 2'0"x 8'0" ▽ 2'4"x 8'0" ▲ 2'6"x 8'0" ▲‡ 2'8"x 8'0" ▲‡ 2'10"x 8'0" ▲‡ 3'0"x 8'0"	<b>81947P</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>81948P</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	<b>81949P</b> ▶♦☀️ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"
---	---	---	--	---	---	--	--	--

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ▶♦☀️ Simulated Divided Lites (SDL)\*\*\*
- ▶♦ Flat White Grilles Between Glass Only (GBGFW)
- ▶♦ Flat or Contour, White or Color Grilles Between Glass (GBGF/GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14" (8'0" only in 14"))
- ☀️ Low-E Glass (LE)
- 🌀 WBDR Options

**Features Key**

- 🌀 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- No Stile Lines
- ▽ PVC Doorlite Frame\*\*

**Clear Glass with Divided Lites** *Continued*



**81950P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC06188SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06184SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC06189SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06185SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC06190SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC06186SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**81900PSL**  
  
 12" x 8'0"  
 14" x 8'0"




**81947PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**81949PSL**  
  
 12" x 8'0"  
 14" x 8'0"




**FC198**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1289**  
  
 2'4" x 6'8" Δ  
 2'6" x 6'8" Δ ‡  
 2'8" x 6'8" Δ ‡  
 2'10" x 6'8" Δ ‡  
 3'0" x 6'8" Δ ‡




**FC1402**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1400**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**81944P**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC1408**  
  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8145**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC8144**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC1411**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC1404**  
  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC8141**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC704**  
  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**FC8704**  
  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC198SL**  
  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



**FC1289SL**  
  
 12" x 6'8" Δ ‡  
 14" x 6'8" Δ ‡



**FC1400SL**  
  
 12" x 6'8"  
 14" x 6'8"



**81944PSL**  
  
 12" x 8'0"  
 14" x 8'0"



**FC1408SL**  
  
 12" x 6'8"  
 14" x 6'8"



**FC8145SL**  
  
 12" x 8'0"  
 14" x 8'0"


\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.


Note: See page 261 for important product details that may help with your purchase decision.



# Smooth-Star®



**S1209**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†



**S1201**  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"



**S1211**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†



**S1202**  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"



**S1212**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†




**S1203**  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"




**S128**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†



**S141**  
 2'0" x 6'8" ⚴  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"



**S1208**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†



**S1200**  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"



**S108**  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†



**S6063**  
 2'4" x 6'8" ⚴  
 2'6" x 6'8" ⚴  
 2'8" x 6'8" ⚴†  
 2'10" x 6'8" ⚴†  
 3'0" x 6'8" ⚴†  
 3'6" x 6'8"



**S828**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S81828**  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S808**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S81208**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**S2106**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S2107**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S2108**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**S82**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1089**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8311**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S2101**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8313**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S2102**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8316**  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

- Simulated Divided Lites (SDL)\*\*
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- Fixed Grilles (FXG)
- Removable Wood Grilles (RG)
- Low-E Glass (LE)

- WBDR Options
- WBDR / HVHZ Options
- 6'6" Height Available
- 7'0" Height Available
- NEW 7'0" Height Available

## Features Key

- PVC Doorlite Frame\*\*
- No Stile Lines



**Clear Glass with Divided Lites** *Continued*



- |   |  |  |   |  |  |  |
|---|--|--|---|--|--|--|
| <b>S881</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S92</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S8310</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S882</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S8318</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S8319</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S8320</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" |
|---|--|--|---|--|--|--|



- |  |   |  |  |   |  |   |  |  |
|--|---|--|--|---|--|---|--|--|
| <b>S32</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S832</b><br><br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S63</b><br><br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S6097</b><br><br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S811</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S262</b><br><br>2'6" x 6'8"<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S6022</b><br><br>2'6" x 6'8"<br>2'8" x 6'8" †<br>2'10" x 6'8" †<br>3'0" x 6'8" † | <b>S6042</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S8322</b><br><br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|--|---|--|--|---|--|---|--|--|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass with GBGs, Door – S1089, Transom – 19200T



**S8323**  
 ◆ ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8324**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8321**  
 ◆ ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S151**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S807**  
 ◆ ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S93203**  
 ◆ ✨ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S831203**  
 ◆ ✨ 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S115**  
 ◆ ✨ 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S752**  
 ◆ ✨ ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

**S8752**  
 ◆ ✨  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

**S255**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S236**  
 ◆  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**S8317**  
 ◆  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"


**S237**  
 ◆ ✨  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 (Scalloped Lite Frame)

**S1209SL**  
 ◆ ✨  
 12" x 6'8"  
 14" x 6'8"

**S1201SL**  
 ◆ ✨  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S1211SL**  
 ◆ ✨  
 12" x 6'8"  
 14" x 6'8"

**S1202SL**  
 ◆ ✨  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡



**S1208SL**  
 ◆ ✨ 6  
 12" x 6'8"  
 14" x 6'8"

**S1200SL**  
 ◆ ✨ 6  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S308SL**  
 ◆ ✨ 6  
 12" x 6'8"  
 14" x 6'8"

**S1170SL**  
 ◆ ✨ 6  
 10" x 6'8"  
 12" x 6'8" ‡ ‡  
 14" x 6'8" ‡ ‡

**S808SL**  
 ◆ ✨ 6  
 12" x 8'0"  
 14" x 8'0"

**S81186SL**  
 ◆ ✨ 6  
 12" x 8'0"  
 14" x 8'0"

**S1089SL**  
 ◆ ✨  
 12" x 6'8"  
 14" x 6'8"

**S8311SL**  
 ◆ ✨  
 12" x 8'0"  
 14" x 8'0"

**S2101SL**  
 ◆ ✨ 6  
 12" x 6'8"  
 14" x 6'8"

**S8313SL**  
 ◆ ✨  
 12" x 8'0"  
 14" x 8'0"

**S8310SL**  
 ◆ ✨ 6  
 12" x 8'0"  
 14" x 8'0"

**S82SL**  
 ◆ ✨ 6  
 12" x 6'8"  
 14" x 6'8"

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

































- ◆ Simulated Divided Lites (SDL)\*
- ◆ Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ◆ Fixed Grilles (FXG)
- ☀ Low-E Glass (LE)
- 6 WBDR Options

**Features Key**

- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available
- No Stile Lines




## Clear Glass with Divided Lites *Continued*

											
<b>S881SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S8675SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S263SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>S7125SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S3487SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	<b>S151SL</b> ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	<b>S3000-2C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	<b>S83000-2C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-2C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" △ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	<b>S83000F-2C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" △ 2'4" x 8'0" △ 2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △ † 3'6" x 8'0"	<b>S3000-3C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	<b>S83000-3C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
											
<b>S3000F-3C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" △ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	<b>S83000F-3C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" △ 2'4" x 8'0" △ 2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △ † 3'6" x 8'0"	<b>S3000-4C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	<b>S83000-4C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-4C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" △ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	<b>S83000F-4C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" △ 2'4" x 8'0" △ 2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △ † 3'6" x 8'0"	<b>S3000-6C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ †	<b>S83000-6C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S3000F-6C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 6'8" △ 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ † 2'10" x 6'8" △ † 3'0" x 6'8" △ † 3'6" x 6'8"	<b>S83000F-6C</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'0" x 8'0" △ 2'4" x 8'0" △ 2'6" x 8'0" △ 2'8" x 8'0" △ 2'10" x 8'0" △ 3'0" x 8'0" △ † 3'6" x 8'0"		
											
<b>S8202</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8203</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8204</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S8205</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S605</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8605</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S606</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8606</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S607</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8607</b> ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		


\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.



<b>S608</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8608</b> ♦ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S605SL</b> ♦ ★ 12" x 6'8" 14" x 6'8"	<b>S8605SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S6124SL</b> ♦ ★ ● 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85924SL</b> ♦ ★ ● 12" x 8'0" 14" x 8'0"	<b>S606SL</b> ♦ ★ 12" x 6'8" 14" x 6'8"	<b>S8606SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S6125SL</b> ♦ ★ ● 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85925SL</b> ♦ ★ ● 12" x 8'0" 14" x 8'0"	<b>S607SL</b> ♦ ★ 12" x 6'8" 14" x 6'8"	<b>S8607SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S6126SL</b> ♦ ★ ● 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S85926SL</b> ♦ ★ ● 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	---	---	--	--	---	---	--



<b>S8207SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S8202SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S8204SL</b> ♦ ★ 12" x 8'0" 14" x 8'0"	<b>S198</b> ♦ ● 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S6062</b> ♦ ● 2'4" x 6'8" † 2'6" x 6'8" † 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8"	<b>S1402</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1400</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S898</b> ♦ ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1408</b> ♦ ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	<b>S8145</b> ♦ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	---	--	---	---	--	--	---



<b>S1405</b> ♦ ★ 2'6" x 6'8" 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S1406</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1407</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8144</b> ♦ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1411</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S1404</b> ♦ ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8141</b> ♦ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S704</b> ♦ ★ 2'8" x 6'8" † 2'10" x 6'8" † 3'0" x 6'8" †	<b>S8704</b> ♦ ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	---	---	---	---	---	--	---

Clear Glass with Divided Lites *Continues on next page.*

**Options Key**

- ♦ Simulated Divided Lites (SDL)\*,\*\*
- Vented Sidelite (No Impact)  
(6'6" & 6'8" only in 12" & 14")  
(8'0" only in 14")
- ♦ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

- ♦ Flat White Grilles Between Glass Only (GBGFW)
- ♦ Fixed Grilles (FXG)
- ♦ Low-E Glass (LE)
- WBDR Options

- WBDR / HVHZ Options
- † 6'6" Height Available
- ‡ 7'0" Height Available
- † ‡ NEW 7'0" Height Available

**Features Key**

- ♦ No Stile Lines
- ♦ PVC Doorlite Frame\*\*

**Optional Dentil Shelf\*\***

4-Block Dentil Shelf  
Available for S605, S8605, S606, S8606, S607, S8607, S608 and S8608 only.

## Clear Glass with Divided Lites *Continued*

<b>S198SL</b> ◆ ★ 12" x 6'8" 14" x 6'8"	<b>S6062SL</b> ◆ ★ ● 10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	<b>S1400SL</b> ◆ ★ 12" x 6'8" 14" x 6'8"	<b>S898SL</b> ◆ ★ 12" x 8'0" 14" x 8'0"	<b>S1405SL</b> ◆ ★ 12" x 6'8" 14" x 6'8"	<b>S8145SL</b> ◆ ★ 12" x 8'0" 14" x 8'0"
--	---	---	--	---	---



**19020T**  
★  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



**19220T**  
★  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems  
Grille Sticks Applied



**19200T**  
★  
3'0" Door Only  
Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

## Clear Glass

### Fiber-Classic® Mahogany



<b>FCM10</b> ★ ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM870</b> ★ ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM1283</b> ◆ ★ ● ● 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ † ‡ 2'8" x 6'8" ▲ † ‡ 2'10" x 6'8" ▲ † ‡ 3'0" x 6'8" ▲ † ‡	<b>FCM81200</b> ◆ ★ ● ● 2'0" x 8'0" ▲ 2'4" x 8'0" ▲ 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	<b>FCM32</b> ★ ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM62</b> ★ ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM862</b> ★ ● ● 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6021</b> ★ ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6041</b> ★ ● ● 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM670</b> ◆ ★ ● ● 2'4" x 6'8" 2'6" x 6'8" † ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡
---	--	--	---	---	---	--	---	---	--




<b>FCM80</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM160</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM601</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM132</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM708</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM8708</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM61</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM861</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM12101SL</b> ◆ ★ ● ● 10" x 6'8" 12" x 6'8" ▲ † ‡ 14" x 6'8" ▲ † ‡	<b>FCM81200SL</b> ◆ ★ ● ● 12" x 8'0" 14" x 8'0"
---	--	--	--	--	---	---	--	--	--


\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



# Fiber-Classic® Oak



<b>FCM870SL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>FCM32SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>FCM881SL</b> ★ 6 12" x 8'0" 14" x 8'0"	<b>FCM701SL</b> ★ 12" x 6'8" 14" x 6'8"	<b>FCM62SL</b> ★ 6 12" x 6'8" 14" x 6'8"	<b>FCM862SL</b> ★ 6 12" x 8'0" 14" x 8'0"
--	---	--	--	---	--



<b>FC10</b> ★ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81200P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1283</b> ★ 6 2'0" x 6'8" △ 2'4" x 6'8" △ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	<b>81200</b> ★ 6 2'0" x 8'0" △ 2'4" x 8'0" △ 2'6" x 8'0" △ ‡ 2'8" x 8'0" △ ‡ 2'10" x 8'0" △ ‡ 3'0" x 8'0" △ ‡
---	--	---	--



<b>FC32</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC766</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81943P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC62</b> ★ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81929P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC670</b> ★ 6 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>81971P</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC48</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC710</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---	--	---	--	---	--	--	---



<b>FC160</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC789</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC132</b> ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC80920</b> ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC86220</b> ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC708</b> ★ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC8708</b> ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC803</b> ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	---	---	--	--

Clear Glass *Continues on next page.*

### Options Key

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- ★ Low-E Glass (LE)
- ★ Turtle Glass
- ★ WBDR Options
- ★ WBDR / HVHZ Options

- △ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- No Stile Lines
- ▲ PVC Doorlite Frame\*

### Optional Dentil Shelf\*



**Clear Glass** *Continued*



- |   |   |  |  |   |   |  |  |   |  |  |
|---|---|--|--|---|---|--|--|---|--|--|
| <b>FC61</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>FC861</b><br>★<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>FC47SL</b><br>★ 6<br>10" x 6'8"<br>12" x 6'8"<br>14" x 6'8" | <b>81200PSL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" | <b>12101SL</b><br>★ 6<br>12" x 6'8" ‡ ‡<br>14" x 6'8" ‡ ‡ | <b>81200SL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" | <b>FC32SL</b><br>★ 6<br>12" x 6'8"<br>14" x 6'8" | <b>81943PSL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" | <b>FC701SL</b><br>★<br>12" x 6'8"<br>14" x 6'8" | <b>FC48SL</b><br>★ 6<br>12" x 6'8"<br>14" x 6'8" | <b>81929PSL</b><br>★ 6<br>12" x 8'0"<br>14" x 8'0" |
|---|---|--|--|---|---|--|--|---|--|--|

**Smooth-Star®**



- |   |   |  |   |   |   |  |   |   |  |
|---|---|--|---|---|---|--|---|---|--|
| <b>S118</b><br>★ 6<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡ | <b>S818</b><br>★ 6<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S140</b><br>★ 6<br>2'0" x 6'8" ‡<br>2'4" x 6'8" ‡<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡<br>3'6" x 6'8" | <b>S8140</b><br>★ 6<br>2'0" x 8'0" ‡<br>2'4" x 8'0" ‡<br>2'6" x 8'0"<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0"<br>3'6" x 8'0" | <b>S80</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S90</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S880</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S206</b><br>★ 6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S81929P</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S6021</b><br>★ 6<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ |
|---|---|--|---|---|---|--|---|---|--|



- |   |  |   |  |  |  |  |  |
|---|--|---|--|--|--|--|--|
| <b>S6041</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S104</b><br>★ 6<br>2'4" x 6'8"<br>2'6" x 6'8"<br>2'8" x 6'8" ‡<br>2'10" x 6'8" ‡<br>3'0" x 6'8" ‡ | <b>S30</b><br>★ 6<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S830</b><br>★ 6<br>2'8" x 8'0"<br>2'10" x 8'0"<br>3'0" x 8'0" | <b>S150</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S289</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" | <b>S102</b><br>★<br>2'6" x 6'8" ‡<br>2'8" x 6'8" ‡ ‡<br>2'10" x 6'8" ‡ ‡<br>3'0" x 6'8" ‡ ‡<br>3'6" x 6'8" | <b>S770</b><br>★<br>2'8" x 6'8"<br>2'10" x 6'8"<br>3'0" x 6'8" |
|---|--|---|--|--|--|--|--|

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.



**S6080**  
 \* 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S992**  
 \* 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S105**  
 ■ \* 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S601**  
 \* 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8601**  
 \* 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S10**  
 \* 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S9320**  
 \* 6 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S83120**  
 \* 6 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S708**  
 \* 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S8708**  
 \* 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"




**S256**  
 \* 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S296**  
 \* 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**S896**  
 \* 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S100SL**  
 \* 6 12" x 6'8"  
 14" x 6'8"



**S8601SL**  
 \* 6 12" x 8'0"  
 14" x 8'0"



**S601SL**  
 \* 6 10" x 6'8"  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †



**S81086SL**  
 \* 6 12" x 8'0"  
 14" x 8'0"



**S751SL**  
 \* 6 12" x 6'8"  
 14" x 6'8"



**S880SL**  
 \* 6 12" x 8'0"  
 14" x 8'0"



**DLHRT**  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19220T**  
 \* 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19020T**  
 \* 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19200T**  
 \* 3'0" Door Only



**19210T**  
 \* 12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

**Options Key**

- \* Low-E Glass (LE)
- Turtle Glass
- Vented Sidelite (No Impact)  
 (6'6" & 6'8" only in 12" & 14")  
 (8'0" only in 14")

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

**Features Key**

- PVC Doorlite Frame\*
- No Stile Lines

**Optional Dentil Shelf\***





# Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-view glass option in aluminum Lip-lite frame.

## Smooth-Star®



**S140STC**  
 ■ ★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

**S8140STC**  
 ■ ★  
 2'6" x 8'0" ▲  
 2'8" x 8'0" ▲  
 2'10" x 8'0" ▲  
 3'0" x 8'0" ▲

**S141STC**  
 ■ ◆ ★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲


**S6063STC**  
 ■ ◆ ★  
 2'6" x 6'8" ▲  
 2'8" x 6'8" ▲  
 2'10" x 6'8" ▲  
 3'0" x 6'8" ▲

# Solid Panel

## Fiber-Classic® Mahogany



**FCM31**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM220**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM205**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM755**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**FCM600**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM134**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM60**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM860**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM1000**  
 6  
 2'0" x 6'8"  
 2'4" x 6'8" ▲  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡

## Fiber-Classic® Oak



**FC31**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC809**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC862**  
 6  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

\*Available with elevated 10" bottom rail.

Note: See page 261 for important product details that may help with your purchase decision.



<b>FC808</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC755</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC134</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC60*</b> 6 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>FC860</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>1000</b> 6 2'0" x 6'8" 2'4" x 6'8" △ 2'6" x 6'8" △ ‡ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡	<b>81000</b> 6 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---	---	--	---	---	--

## Smooth-Star®



<b>S93</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S220*</b> 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S8200</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S200</b> 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S897</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S205</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8201</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S31</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S831</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S960</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	---	---	---	--	--	---	---	--	--



<b>S755</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S600</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8600</b> 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S11</b> 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S210*</b> 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>S810</b> 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S100</b> 6 2'0" x 6'8" 2'4" x 6'8" △ 2'6" x 6'8" △ 2'8" x 6'8" △ ‡ 2'10" x 6'8" △ ‡ 3'0" x 6'8" △ ‡ 3'6" x 6'8"	<b>S81000</b> 6 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
--	--	---	---	--	---	--	--

### Options Key

- ◆ Flat White Grilles Between Glass Only (GBG-F)
- ☀ Low-E Glass (LE)
- 6 WBDR / HVHZ Options

### Features Key

- △ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available
- No Stile Lines

# Profiles™ Steel



192

- Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD  
 Bottom: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL



# Traditions Steel



• Back to basics.





It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock and hinge stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See page 217.



## Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface.

All 8'0" doors are 24-gauge steel with standard embossments.



- = Available
- = Not Applicable
- P = Paint

Profiles™  
Traditions

### Door Widths

Width	Profiles™	Traditions
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•

### Door Heights

Height	Profiles™	Traditions
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■

### Glass Options

Option	Profiles™	Traditions
Decorative	16	16
Privacy	4	4
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Removable Wood Grilles	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■

### Additional Options

Finish	Profiles™	Traditions
Finish	P	P

## Retrofit Patio Sizes

Looking for retrofit options? Choose 2'4" width for 5'0" retrofit doors and 2'10" for 6'0" retrofit doors.

## Privacy Glass

Pages 206, 211

### Chord Glass

Glass Privacy Rating: 10

### Chinchilla Glass

Glass Privacy Rating: 10

### Rainglass

Glass Privacy Rating: 8

### Granite Glass

Glass Privacy Rating: 10



Chord



Chinchilla



Rainglass



Granite

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

# Decorative Glass Designs\*\*



Black Nickel      Brushed Nickel

**Blackstone** Page 196  
Glass Privacy Rating: **7**



Black Nickel      Brushed Nickel

**Crystalline** Page 196  
Glass Privacy Rating: **7**



Art Glass / Black Nickel      Brushed Nickel

**Sedona** Page 197  
Glass Privacy Rating: **7**



Wrought Iron

**Salinas** Page 198  
Glass Privacy Rating: **10**



Black Nickel

**Element** Page 198  
Glass Privacy Rating: **7**




Black Nickel      Brushed Nickel

**Maple Park** Page 199  
Glass Privacy Rating: **6**



Black Nickel

**Avonlea** Page 200  
Glass Privacy Rating: **4**



Black Nickel      Brushed Nickel

**Saratoga** Page 200  
Glass Privacy Rating: **7**



Red Waterglass /  
Brushed Nickel

Granite Glass /  
Black Nickel


Red Waterglass /  
Black Nickel      Granite Glass /  
Brushed Nickel

**Arden** Page 201  
Glass Privacy Rating: **8**



Brushed Nickel

**Texas Star** Page 201  
Glass Privacy Rating: **5**



Brushed Nickel

Black Nickel      Brass

**Wellesley** Page 202  
Glass Privacy Rating: **6**



Brushed Nickel

Black Nickel      Brass

**Concorde** Page 202  
Glass Privacy Rating: **8**




Black Nickel      Brushed Nickel

**Kensington** Page 203  
Glass Privacy Rating: **8**



Brass

**Crystal Diamonds** Page 204  
Glass Privacy Rating: **9**



Black Nickel

**NEW Axis** Page 204  
Available 2nd Quarter 2015  
Glass Privacy Rating: **7**



**Frosted Images** Page 205  
Glass Privacy Rating: **8**

Also Available:

**Internal Blinds** Pages 207, 212

**Screen Vented** Pages 207, 212

**Clear Glass** Pages 207, 213

## Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque



# Blackstone®



**310**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡



**1037HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**309HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1001HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1117HD**  
 ■ ■ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**311HD**  
 ■ ■ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1025HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡




**310SL**  
 ■ ■ ◆ ◆ ◆ ◆  
 10" x 6'8" † ‡  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**1037SLHD**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**311SLHD**  
 ■ ■ ◆ ◆ ◆ ◆  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**BSHRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**BSRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Crystalline™



**916**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡



**1042HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**926HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**991HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1119HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**950HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**930HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**953HD**  
 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1055HD**  
 ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'6" x 6'8" ‡



**936HD**  
 ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**916SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**956SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**975SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**930SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**950SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**936SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡




**19820T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19080T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems



**19810T**  
 ◆ ◆ ◆ ◆ ◆  
 12" & 14" Sidelite Only



**BLHRT**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill System



**19800T**  
 ◆ ◆ ◆ ◆ ◆  
 3'0" Door Only

# Sedona


Note: Shown in art glass with black nickel caming.



**139-A**  
 ▶  
**139**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**965HD-A**  
 ▶  
**965HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**211HD-A**  
 ▶  
**211HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**996HD-A**  
 ▶  
**996HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1114HD-A**  
 ▶  
**1114HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**294HD-A**  
 ▶  
**294HD**  
 ◆ ◆ ◆ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**139SL-A**  
 ▶  
**139SL**  
 ◆ ◆ ◆ ◆ ◆  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**965SLHD-A**  
 ▶  
**965SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**294SLHD-A**  
 ▶  
**294SLHD**  
 ◆ ◆ ◆ ◆ ◆  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19520T-A** ▶  
**19520T** ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**19055T-A** ▶  
**19055T** ◆ ◆ ◆ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Options Key

- ◆ Brass Caming (1A)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Black Nickel Caming (1D)
- ▶ Art Glass / Black Nickel Caming (1D)
- Ⓢ WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

# Salinas®

Note: Product images show exterior side of door.



**369**  
**X6**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †  
 3'6" x 6'8" ‡ †

**968HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**374HD**  
**X6**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †

**1002HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**1115HD**  
**X6**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**372HD**  
**X**  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †

**371HD**  
**X**  
 2'6" x 6'8" ‡ †  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †



**369SL**  
**X6**  
 10" x 6'8"  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †

**971SLHD**  
**X6**  
 12" x 6'8"  
 14" x 6'8"

**371SLHD**  
**X6**  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †

**SART**  
**X**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

# Element

Note: Product images show exterior side of door.




**1010**  
**◆6**  
 2'8" x 6'8" ‡ †  
 2'10" x 6'8" ‡ †  
 3'0" x 6'8" ‡ †  
 3'6" x 6'8" ‡ †

**1010LSL**  
**◆6**  
 10" x 6'8"  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †

**1010RSL**  
**◆6**  
 10" x 6'8"  
 12" x 6'8" ‡ †  
 14" x 6'8" ‡ †

**EMRT**  
**◆**  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



Note: Element glass is designed as a continuous configuration with left and right sidelites for a stunning mural-like entry door. The glass is shown photographed on a dark background to highlight the marbled-like white wispy art glass.



# Maple Park®



**1006**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**1009HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1007HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1011HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1116HD**  
 ■ ■ ◆ ◆ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1008HD**  
 ■ ■ ◆ ◆  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**736HD**  
 ■ ■ ◆ ◆  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1006SL**  
 ■ ■ ◆ ◆ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1009SLHD**  
 ■ ■ ◆ ◆ 6  
 12" x 6'8"  
 14" x 6'8"



**1007SLHD**  
 ■ ■ ◆ ◆ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**FWRT**  
 ■ ■ ◆ ◆  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



## Options Key

- ■ Brushed Nickel Caming (1C)
- ◆ ◆ Black Nickel Caming (1D)
- 6 WBDR / HHVZ Options

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

## Features Key

- ✕ Wrought Iron (1W)

# Avonlea®

Note: Product images show exterior side of door.




**1027**  
◆ ◆ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1038HD**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1031HD**  
◆ ◆ 6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1034HD**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1107HD**  
◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1044HD**  
◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1047HD**  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1027SL**  
◆ ◆ 6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1038SLHD**  
◆ ◆ 6  
12" x 6'8"  
14" x 6'8"



**1031SLHD**  
◆ ◆ 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**AVRT**  
◆ ◆  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

# Saratoga™



**610**  
◆ ◆ ◆ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1039HD**  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**613HD**  
◆ ◆ ◆ 6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**988HD**  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**1112HD**  
◆ ◆ ◆ 6  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**615HD**  
◆ ◆ ◆  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**707HD**  
◆ ◆ ◆  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**610SL**  
◆ ◆ ◆ 6  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1039SLHD**  
◆ ◆ ◆ 6  
12" x 6'8"  
14" x 6'8"



**615SLHD**  
◆ ◆ ◆ 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**19740T**  
◆ ◆ ◆  
3'0" Door Only







**19750T**  
◆ ◆ ◆  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

Note: See page 261 for important product details that may help with your purchase decision.

# Arden®

Note: Shown in red waterglass with black nickel caming.

						
922R ■ ■ ■ 6 922G ● ● ● 6	966RHD ■ ■ ■ 6 966GHD ● ● ● 6	207RHD ■ ■ ■ 6 207GHD ● ● ● 6	6721RHD ■ ■ ■ 6 6721GHD ● ● ● 6	923RHD ■ ■ ■ 6 923GHD ● ● ● 6	924RHD ■ ■ ■ 6 924GHD ● ● ● 6	7021RHD ■ ■ ■ 6 7021GHD ● ● ● 6
2'8" x 6'8" ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 6'8" ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

			
806RSL ■ ■ ■ 6 806GSL ● ● ● 6	966RSLHD ■ ■ ■ 6 966GSLHD ● ● ● 6	6721RSL ■ ■ ■ 6 6721GSL ● ● ● 6	ANRTR ■ ■ ■ ANRTG ● ● ●
10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	12" x 6'8" 14" x 6'8"	12" x 6'8" † ‡ 14" x 6'8" † ‡	3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

# Texas Star

									
1029 ■ ■ ■ 6	1040HD ■ ■ ■ 6	1032HD ■ ■ ■ 6	1035HD ■ ■ ■ 6	1111HD ■ ■ ■ 6	1045HD ■ ■ ■ 6	1048HD ■ ■ ■ 6	1029SL ■ ■ ■ 6	1040SLHD ■ ■ ■ 6	1032SLHD ■ ■ ■ 6
2'8" x 6'8" ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡ 3'6" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 6'8" ‡ 2'8" x 6'8" † ‡ 2'10" x 6'8" † ‡ 3'0" x 6'8" † ‡	2'8" x 6'8" 2'10" x 6'8" † ‡ 3'0" x 6'8"	10" x 6'8" 12" x 6'8" † ‡ 14" x 6'8" † ‡	12" x 6'8" 14" x 6'8"	12" x 6'8" † ‡ 14" x 6'8" † ‡

## Options Key

- ■ ■ Brushed Nickel Caming (1C)
- ◆ Black Nickel Caming (1D)
- Red Waterglass / Brushed Nickel Caming (1C)
- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)
- ⊗ WBDP / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available



# Wellesley™



**620**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡



**1041HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**623HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**989HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1120HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**625HD**  
 ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1022HD**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**721HD**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**620SL**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 10" x 6'8" † ‡  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**1041SLHD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡




**625SLHD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 12" x 6'8" † ‡  
 14" x 6'8" † ‡



**19720T**  
 ❖ ❖ ❖ ❖  
 3'0" Door Only



**19730T**  
 ❖ ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only



**WLHRT**  
 ❖ ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Concorde™



**1028**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" † ‡



**967HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**426HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**999HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**1118HD**  
 ❖ ❖ ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**450HD**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**430HD**  
 ❖ ❖ ❖ ❖  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**453HD**  
 ❖ ❖ ❖ ❖  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡



**400HD**  
 ❖ ❖ ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1024HD**  
 ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**735HD**  
 ❖ ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**454HD**  
 ❖ ❖ ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**416SL**  
 ❖ ❖ ❖ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**967SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"



**977SLHD**  
 ❖ ❖ ❖  
 12" x 6'8"  
 14" x 6'8"




**430SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**450SLHD**  
 ❖ ❖ ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**CNRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only



**CNHRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

# Kensington™



**626**  
 ❖ ❖ ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**03142HD**  
 ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**627HD**  
 ❖ ❖ ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**631HD**  
 ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1113HD**  
 ❖ ❖ ❖ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**628HD**  
 ❖ ❖ ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**630HD**  
 ❖ ❖ ❖  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




**626SL**  
 ❖ ❖ ❖ 6  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**966SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8"  
 14" x 6'8"



**628SLHD**  
 ❖ ❖ ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**KNRT**  
 ❖ ❖ ❖  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only

## Options Key

- ❖ Brass Caming (1A)
- ❖❖ Brushed Nickel Caming (1C)
- ❖❖❖ Black Nickel Caming (1D)
- 6 WBDR / HVHZ Options
- △ 6'6" Height Available
- ‡ 7'0" Height Available

# Crystal Diamonds™



**716**  
 ❖ 6  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡



**964HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**726HD**  
 ❖ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**990HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1109HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**730HD**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**753HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**700**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡



**1023HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**754HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**716SL**  
 ❖ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**964SLHD**  
 ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**974SLHD**  
 ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**730SLHD**  
 ❖ 6  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**750SLHD**  
 ❖  
 12" x 6'8" ‡  
 14" x 6'8" ‡

## NEW Axis™ Available 2nd Quarter 2015

Note: Product images show exterior side of door.



**1651HD**  
 ❖ 6  
 2'4" x 6'8" † ‡  
 2'6" x 6'8" † ‡  
 2'8" x 6'8" † ‡  
 2'10" x 6'8" † ‡  
 3'0" x 6'8" † ‡  
 3'6" x 6'8" ‡



**1644HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1660HD**  
 ❖ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1657HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡




**1659HD**  
 ❖ 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1662HD**  
 ❖  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1643HD**  
 ❖  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1651SL**  
 ❖ 6  
 10" x 6'8" ‡  
 12" x 6'8" ‡  
 14" x 6'8" ‡





**1644SLHD**  
 ◆ 9  
 12" x 6'8"  
 14" x 6'8"  
**1657SLHD**  
 ◆ 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡  
**1643SLHD**  
 ◆ 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡  
**AXRT**  
 ◆  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only

## Frosted Images®



**138**  
 9  
 2'6" x 6'8" △ ‡  
 2'8" x 6'8" △ ‡  
 2'10" x 6'8" △ ‡  
 3'0" x 6'8" △ ‡  
 3'6" x 6'8" ‡  
**963HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**206EHD**  
 9  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**985HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**1110HD**  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**250HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**289EHD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**253HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**103HD**  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡  
**1021HD**  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**260HD**  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡  
**138SL**  
 9  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡  
**289ESLHD**  
 9  
 12" x 6'8" ‡  
 14" x 6'8" ‡  
**250SLHD**  
 12" x 6'8" ‡  
 14" x 6'8" ‡

### Options Key

- ◆ Brass Caming (1A)    △ 6'6" Height Available
- ◆ Black Nickel Caming (1D)    ‡ 7'0" Height Available
- 9 WBDR / HHVZ Options

# Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 116.



128XJ  
128XR  
128XN  
128XC  
2'6" x 6'8" ‡ ‡  
2'8" x 6'8" ‡ ‡  
2'10" x 6'8" ‡ ‡  
3'0" x 6'8" ‡ ‡  
3'6" x 6'8" ‡ ‡



108XJ  
108XR  
108XN  
108XC  
2'6" x 6'8" ‡ ‡  
2'8" x 6'8" ‡ ‡  
2'10" x 6'8" ‡ ‡  
3'0" x 6'8" ‡ ‡  
3'6" x 6'8" ‡ ‡



961HDXJ  
961HDXR  
961HDXN  
961HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



262HDXJ  
262HDXR  
262HDXN  
262HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1123HDXJ  
1123HDXR  
1123HDXN  
1123HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



982HDXJ  
982HDXR  
982HDXN  
982HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



263HDXJ  
263HDXR  
263HDXN  
263HDXC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



6720HDXJSL  
6720HDXRSL  
6720HDXNLSL  
6720HDXCSSL  
12" x 6'8"  
14" x 6'8"



263SLHDXJ  
263SLHDXR  
263SLHDXN  
263SLHDXC  
12" x 6'8" ‡  
14" x 6'8" ‡

# Privacy Glass



118XJ  
118XR  
118XN  
118XC  
2'0" x 6'8"  
2'4" x 6'8" ‡  
2'6" x 6'8" ‡ ‡  
2'8" x 6'8" ‡ ‡  
2'10" x 6'8" ‡ ‡  
3'0" x 6'8" ‡ ‡  
3'6" x 6'8" ‡ ‡



959HDXJ  
959HDXR  
959HDXN  
959HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




206HDXJ  
206HDXR  
206HDXN  
206HDXC  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



980HDXJ  
980HDXR  
980HDXN  
980HDXC  
2'8" x 6'8"  
2'8" x 6'8" ‡  
3'0" x 6'8"



1101XJHD  
1101XRHD  
1101XNHD  
1101XCSD  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



104XJ  
104XR  
104XN  
104XC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



1020HDXJ  
1020HDXR  
1020HDXN  
1020HDXC  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



289HDXJ  
289HDXR  
289HDXN  
289HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



708HDXJ  
708HDXR  
708HDXN  
708HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



256HDXJ  
256HDXR  
256HDXN  
256HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




296HDXJ  
296HDXR  
296HDXN  
296HDXC  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



100XJSL  
100XRSL  
100XNLSL  
100XCSSL  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



959HDXJSL  
959HDXRSL  
959HDXNLSL  
959HDXCSSL  
12" x 6'8"  
14" x 6'8"



210SLHDXJ  
210SLHDXR  
210SLHDXN  
210SLHDXC  
12" x 6'8" ‡  
14" x 6'8" ‡

\*Features a gliding operation and sash locking system.  
\*\*2'0" frames do not have simulated divided lites option.

\*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
Note: See page 261 for important product details that may help with your purchase decision.

# Internal Blinds

Note: Product images show exterior side of door.



- |  |  |  |   |  |  |   |
|--|--|--|---|--|--|---|
| <p><b>130</b><br/>★<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>132HD</b><br/>★<br/>2'6" x 6'8" ‡<br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> | <p><b>984HD</b><br/>★<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>1121HD</b><br/>★<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>131</b><br/>★<br/>2'6" x 6'8" ‡<br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> | <p><b>130SL</b><br/>★<br/>10" x 6'8"<br/>12" x 6'8" ‡<br/>14" x 6'8" ‡</p> | <p><b>132SLHD</b><br/>★<br/>12" x 6'8" ‡<br/>14" x 6'8" ‡</p> |
|--|--|--|---|--|--|---|

# Screen Vented Lites\*



- |  |   |   |  |
|--|---|---|--|
| <p><b>243HD</b><br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> | <p><b>1004HD</b><br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>1102HD</b><br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>137</b><br/>2'8" x 6'8" ‡<br/>2'10" x 6'8" ‡<br/>3'0" x 6'8" ‡</p> |
|--|---|---|--|

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 116.



- |  |  |  |   |  |   |  |  |
|--|--|--|---|--|---|--|--|
| <p><b>1201</b><br/>◆★<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>1202</b><br/>◆★<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>1203</b><br/>◆★<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>128</b><br/>◆◆◆◆◆◆◆◆<br/>2'0" x 6'8" ▲<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>1200</b><br/>◆◆◆◆◆◆◆◆<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>108</b><br/>◆◆◆◆◆◆◆◆<br/>2'4" x 6'8" ▲<br/>2'6" x 6'8" ▲ ‡<br/>2'8" x 6'8" ▲ ‡<br/>2'10" x 6'8" ▲ ‡<br/>3'0" x 6'8" ▲ ‡<br/>3'6" x 6'8" ‡</p> | <p><b>2109HD</b><br/>◆★<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> | <p><b>2110HD</b><br/>◆◆◆◆◆◆◆◆<br/>2'8" x 6'8"<br/>2'10" x 6'8"<br/>3'0" x 6'8"</p> |
|--|--|--|---|--|---|--|--|

Clear Glass with Divided Lites *Continues on next page.*

## Options Key

- ◆ Simulated Divided Lites (SDL)\*\*,\*\*\*
- ◆ Fixed Grilles (FXG)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ▶ Removable Wood Grilles (RG)
- ★ Low-E Glass (LE)
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- Ⓞ WBDR / HVHZ Options

## Features Key

- ▶ PVC Doorlite Frame\*\*\*

## Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass







**3000-6C**  
 ♦ ♦ ♦ ♦  
 2'0" x 6'8" ▽  
 2'4" x 6'8" ▲ ‡  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**6184SL**  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**6185SL**  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**6186SL**  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**752HD**  
 ♦ ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**198**  
 ♦ ♦ ♦ ♦ 6  
 2'4" x 6'8" ▲ ‡  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**1403HD**  
 ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1408HD**  
 ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**1405HD**  
 ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1406HD**  
 ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1411HD**  
 ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**704HD**  
 ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**198SL**  
 ♦ ♦ ♦  
 10" x 6'8"  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**1400SLHD**  
 ♦ ♦ ♦  
 12" x 6'8"  
 14" x 6'8"



**1405SLHD**  
 ♦ ♦ ♦  
 12" x 6'8" ‡  
 14" x 6'8" ‡



**19020T**  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 Continuous Sill Systems Only  
 3'0" door + (2) 14" sidelites  
 Continuous / Boxed Sill Systems  
 Grille Sticks Applied



**19220T**  
 ♦ ♦  
 3'0" door + (2) 12" sidelites  
 3'0" door + (2) 14" sidelites  
 Continuous Sill Systems Only  
 Grille Sticks Applied



**19200T**  
 ♦ ♦  
 3'0" Door Only  
 Grille Sticks Applied

## Clear Glass



**118**  
 ♦ ♦ ♦ ♦ 6  
 2'0" x 6'8" ▽  
 2'4" x 6'8" ▲ ‡  
 2'6" x 6'8" ▲ ‡  
 2'8" x 6'8" ▲ ‡  
 2'10" x 6'8" ▲ ‡  
 3'0" x 6'8" ▲ ‡  
 3'6" x 6'8" ‡



**959HD**  
 ♦ ♦ ♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**206HD**  
 ♦ ♦ ♦ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**980HD**  
 ♦ ♦ ♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1101HD**  
 ♦ ♦ ♦ 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**104**  
 ♦ ♦ ♦ 6  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**150HD**  
 ♦ ♦ ♦  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡



**289HD**  
 ♦ ♦ ♦  
 2'6" x 6'8" ‡  
 2'8" x 6'8" ‡  
 2'10" x 6'8" ‡  
 3'0" x 6'8" ‡

Clear Glass Continues on next page.

### Options Key

- ▭ Simulated Divided Lites (SDL)\*,\*\*
- ◆ Fixed Grilles (FXG)
- ♦ Flat White Grilles Between Glass Only (GBGFW)

- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- 🐢 Turtle Glass

- ☀ Low-E Glass (LE)
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available
- ‡ 7'0" Height Available

### Features Key

- ▭ PVC Doorlite Frame\*\*

Clear Glass *Continued*



**153HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**105**  
\*  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**102**  
\*  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡



**1020HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**708HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**256HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**296HD**  
\*  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**100SL**  
\* 6  
10" x 6'8" ‡  
12" x 6'8" ‡  
14" x 6'8" ‡



**959SLHD**  
\* 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**970SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡



**210SLHD**  
\* 6  
12" x 6'8" ‡  
14" x 6'8" ‡



**150SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡



**296SLHD**  
\*  
12" x 6'8" ‡  
14" x 6'8" ‡



**19200T**  
\*  
3'0" Door Only



**19210T**  
\*  
12" & 14" Sidelite Only




**19220T**  
\*  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## Solid Panel



**969HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**978HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**1005HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡




**205HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**203HD**  
6  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**210HD**  
6  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡



**100**  
6  
2'0" x 6'8" ‡  
2'4" x 6'8" ‡  
2'6" x 6'8" ‡  
2'8" x 6'8" ‡  
2'10" x 6'8" ‡  
3'0" x 6'8" ‡  
3'6" x 6'8" ‡

\*2'0" frames do not have simulated divided lites option.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 261 for important product details that may help with your purchase decision.










# Privacy Glass with Divided Lites

Note: For details on divided lite options, see page 116.

									
TS128XJ TS128XR TS128XN TS128XC	TS108XJ TS108XR TS108XN TS108XC	TS262XJ TS262XR TS262XN TS262XC	8321XJ 8321XR 8321XN 8321XC	TS263XJ TS263XR TS263XN TS263XC	6184XJSL 6184XRSL 6184XNSL 6184XCSSL	6185XJSL 6185XRSL 6185XNSL 6185XCSSL	6186XJSL 6186XRSL 6186XNSL 6186XCSSL	632XJSL 632XRSL 632XNSL 632XCSSL	TS263XJSL TS263XRSL TS263XNSL TS263XCSSL
2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	12" x 6'8" 14" x 6'8"

# Privacy Glass

							
TS118XJ TS118XR TS118XN TS118XC	818XJ 818XR 818XN 818XC	TS206XJ TS206XR TS206XN TS206XC	8206XJ 8206XR 8206XN 8206XC	TS104XJ TS104XR TS104XN TS104XC	TS289XJ TS289XR TS289XN TS289XC	8708XJ 8708XR 8708XN 8708XC	
2'4" x 6'8" Δ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'0" x 8'0" ▽ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Δ 3'0" x 6'8"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy Glass Continues on next page.

### Options Key

-  Simulated Divided Lites (SDL)\*,\*\*
-  Low-E Glass (LE)
-  WBDR / HVHZ Options
-  6'6" Height Available
-  7'0" Height Available

### Features Key

-  PVC Doorlite Frame\*\*

### Privacy Glass

- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

Privacy Glass *Continued*



TS296XJ	896XJ	100XJSL	818XJSL	TS210XJSL	TS296XJSL
TS296XR	896XR	100XRSL	818XRSL	TS210XRSL	TS296XRSL
TS296XN	869XN	100XNSL	818XNSL	TS210XNSL	TS296XNSL
TS296XC	896XC	100XCSSL	818XCSSL	TS210XCSSL	TS296XCSSL
2'6" x 6'8"	2'8" x 8'0"	9	9	9	12" x 6'8"
2'8" x 6'8"	2'10" x 8'0"	10" x 6'8"	12" x 8'0"	12" x 6'8"	14" x 6'8"
2'10" x 6'8"	3'0" x 8'0"	12" x 6'8" ‡	14" x 8'0"	14" x 6'8"	
3'0" x 6'8"		14" x 6'8" ‡			

## Internal Blinds

Note: Product images show exterior side of door.



TS130	829	TS132	TS131	130SL	829SL	TS132SL
2'4" x 6'8" ▲	2'6" x 8'0"	2'6" x 6'8"	2'6" x 6'8"	10" x 6'8"	12" x 8'0"	12" x 6'8"
2'6" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 6'8"	12" x 6'8" ‡	14" x 8'0"	14" x 6'8"
2'8" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 6'8" ▲	14" x 6'8" ‡		
2'10" x 6'8" ▲	3'0" x 8'0"	3'0" x 6'8"	3'0" x 6'8"			
3'0" x 6'8"						

## Screen Vented Lites\*




TS243	TS137
2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8" ▲
3'0" x 6'8"	3'0" x 6'8"

\*Features a gliding operation and sash locking system.  
 \*\*2'0" frames do not have simulated divided lites option.  
 \*\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 261 for important product details that may help with your purchase decision.

# Clear Glass with Divided Lites

Note: For details on divided lite options, see page 116.



**TS1201**  
◆ ★  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS1202**  
◆ ★  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS1203**  
◆ ★  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS128**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'0" x 6'8" ◆  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS1200**  
◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS108**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'4" x 6'8" ▲  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**828**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'0" x 8'0" ◆  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**808**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**8322**  
◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**8323**  
◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**8324**  
◆ ★ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**TS262**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**8321**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**TS151**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**TS263**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**TS154**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**TS115**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'6" x 6'8"  
2'8" x 6'8"  
2'10" x 6'8" ▲  
3'0" x 6'8"



**TS255**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**TS236**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**8317**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**TS237**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"  
(Scalloped Lite Frame)



**1201SL**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1202SL**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡



**1200SL**  
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆  
10" x 6'8"  
12" x 6'8" ‡  
14" x 6'8" ‡

Clear Glass with Divided Lites *Continues on next page.*

### Options Key

- ◆ Simulated Divided Lites (SDL)\*\*,\*\*\*
- ◆ Fixed Grilles (FXG)
- ◆ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- ◆ Removable Wood Grilles (RG)
- ◆ Low-E Glass (LE)
- ◆ WBDR / HVHZ Options

### Features Key

- ◆ PVC Doorlite Frame\*\*\*



### Privacy Glass












- XJ = Chinchilla Glass
- XR = Rainglass
- XN = Granite Glass
- XC = Chord Glass

- ▲ 6'6" Height Available
- ‡ 7'0" Height Available



Clear Glass with Divided Lites *Continued*


					
<b>TS263SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	<b>TS151SL</b> ◆◆◆◆◆ 12" x 6'8" 14" x 6'8"	<b>TS3000-2C</b> ◆◆◆◆◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	<b>83000-2C</b> ◆◆◆◆◆ 2'0" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS3000-3C</b> ◆◆◆◆◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	<b>TS83000-3C</b> ◆◆◆◆◆ 2'0" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					
<b>TS3000-4C</b> ◆◆◆◆◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	<b>TS83000-4C</b> ◆◆◆◆◆ 2'0" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>TS3000-6C</b> ◆◆◆◆◆ 2'0" x 6'8" ▲ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	<b>TS83000-6C</b> ◆◆◆◆◆ 2'0" x 8'0" ▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		

										
<b>TS752</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8752</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>6184SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>86184SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>6185SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>86185SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>6186SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>86186SL</b> ◆◆◆◆◆ 12" x 8'0" 14" x 8'0"	<b>TS198</b> ◆◆◆◆◆ 2'4" x 6'8" ▲ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ▲ 3'0" x 6'8"	<b>TS1408</b> ◆◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8145</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

				
<b>TS1411</b> ◆◆◆◆◆ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS704</b> ◆◆◆◆◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>8704</b> ◆◆◆◆◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>198SL</b> ◆◆◆◆◆ 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	<b>TS1405SL</b> ◆◆◆◆◆ 12" x 6'8" 14" x 6'8"

\*2'0" frames do not have simulated divided lites option.  
 \*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.  
 Note: See page 261 for important product details that may help with your purchase decision.

# Clear Glass



- |   |  |  |  |   |   |  |   |   |
|---|--|--|--|---|---|--|---|---|
| <p><b>TS118</b><br/> <br/>                 2'0" x 6'8" <br/>                 2'4" x 6'8" <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8" <br/>                 3'0" x 6'8"</p> | <p><b>818</b><br/> <br/>                 2'0" x 8'0" <br/>                 2'6" x 8'0"<br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>TS206</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>8206</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>TS104</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8" <br/>                 3'0" x 6'8"</p> | <p><b>TS150</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>TS289</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>TS153</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>TS105</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8" <br/>                 3'0" x 6'8"</p> |
|---|--|--|--|---|---|--|---|---|



- |   |   |  |   |  |  |   |   |   |
|---|---|--|---|--|--|---|---|---|
| <p><b>TS102</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8" <br/>                 3'0" x 6'8"</p> | <p><b>TS708</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>8708</b><br/> <br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>TS256</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>TS296</b><br/> <br/>                 2'6" x 6'8"<br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>896</b><br/> <br/>                 2'6" x 8'0"<br/>                 2'8" x 8'0"<br/>                 2'10" x 8'0"<br/>                 3'0" x 8'0"</p> | <p><b>TS291</b><br/> <br/>                 2'8" x 6'8"<br/>                 2'10" x 6'8"<br/>                 3'0" x 6'8"</p> | <p><b>100SL</b><br/> <br/>                 10" x 6'8"<br/>                 12" x 6'8" <br/>                 14" x 6'8" </p> | <p><b>818SL</b><br/> <br/>                 12" x 8'0"<br/>                 14" x 8'0"</p> |
|---|---|--|---|--|--|---|---|---|



- |   |   |   |  |   |  |
|---|---|---|--|---|--|
| <p><b>TS210SL</b><br/> <br/>                 10" x 6'8"<br/>                 12" x 6'8"<br/>                 14" x 6'8"</p> | <p><b>TS150SL</b><br/> <br/>                 12" x 6'8"<br/>                 14" x 6'8"</p> | <p><b>TS296SL</b><br/> <br/>                 12" x 6'8"<br/>                 14" x 6'8"</p> | <p><b>19200T</b><br/> <br/>                 3'0" Door Only</p> | <p><b>19210T</b><br/> <br/>                 12" &amp; 14" Sidelite Only</p> | <p><b>19220T</b><br/> <br/>                 3'0" door + (2) 12" sidelites<br/>                 3'0" door + (2) 14" sidelites<br/>                 Continuous Sill Systems Only</p> |
|---|---|---|--|---|--|

<p><b>Options Key</b></p> <ul style="list-style-type: none"> <li> Simulated Divided Lites (SDL)*,**</li> <li> Fixed Grilles (FXG)</li> <li> Flat White Grilles Between Glass Only (GBGFW)</li> <li> Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)</li> <li> Removable Wood Grilles (RG)</li> <li> Low-E Glass (LE)</li> </ul>	<p><b>Features Key</b></p> <ul style="list-style-type: none"> <li> Turtle Glass</li> <li> WBDR / HVHZ Options</li> <li> 6'6" Height Available</li> <li> 7'0" Height Available</li> <li> PVC Doorlite Frame**</li> </ul>
---	---

# Solid Panel



**TS290**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS214**  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS210**  
 6  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**810**  
 6  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**TS100**  
 6  
 2'0" x 6'8"  
 2'4" x 6'8" Δ  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8" Δ  
 3'0" x 6'8"



**800**  
 6  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Note: See page 261 for important product details that may help with your purchase decision.  
 Bottom: Profiles Door – 205HD

### Options Key

6 WBDP / HVHZ Options

Δ 6'6" Height Available

# Fire Doors

Classic-Craft®, Fiber-Classic®, Smooth-Star® & Steel

The phrase  
“safety first” is more  
than just a saying. It’s  
our standard.

From smooth to wood-grained, we have products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*

217

• Safety first.

## Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

### Therma-Tru® Adjusta-Fit 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.


\*To confirm Fire door requirements in your jurisdiction, always check with your local building code authority.





## 90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater.

Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.\*




SE100  
 6  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡  
 3'6" x 6'8" ‡




SE210HD  
 6  
 2'6" x 6'8"  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE514  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡



SE978HD  
 6  
 2'8" x 6'8" ‡  
 2'10" x 6'8"  
 3'0" x 6'8" ‡




SE969HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



SE1005HD  
 6  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

## 20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. All of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

 WBDR / HVHZ Options: Look for this icon to find steel door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.\*

### Classic-Craft.

### Mahogany Collection™



CCMF890  
 3'0" x 8'0"



CCMF060  
 3'0" x 6'8"



CCMF701  
 3'0" x 6'8"

### Rustic Collection™



CCRF205  
3'0" x 6'8"

CCRF8205  
3'0" x 8'0"

CCRF205A  
3'0" x 6'8"

CCRF8205A  
3'0" x 8'0"

CCRF8225  
3'0" x 8'0"

CCRF8225R  
3'0" x 8'0"

CCRF8005  
3'0" x 8'0"

CCRF8005A  
3'0" x 8'0"

CCRF040  
3'0" x 6'8"

CCRF8040  
3'0" x 8'0"



CCRF040F  
3'0" x 6'8"

CCRF8040F  
3'0" x 8'0"

CCRF200  
3'0" x 6'8"

CCRF8200  
3'0" x 8'0"

CCRF200A  
3'0" x 6'8"

CCRF8200A  
3'0" x 8'0"

CCRF8220  
3'0" x 8'0"

CCRF8220R  
3'0" x 8'0"

### Oak Collection™



CCF91  
3'0" x 6'8"

CCF831  
3'0" x 8'0"

### Canvas Collection®



CCF810  
3'0" x 8'0"

CCF060  
2'8" x 6'8"  
3'0" x 6'8"



CCVF400  
3'0" x 6'8"

CCVF205  
3'0" x 6'8"

CCVF8205  
3'0" x 8'0"

CCVF205A  
3'0" x 6'8"

CCVF8205A  
3'0" x 8'0"

CCVF455  
3'0" x 6'8"

CCVF455A  
3'0" x 6'8"

Classic-Craft *Continues on next page.*

#### Options Key

‡ 7'0" Height Available

#### Features Key

■ No Stile Lines

6 WBDR / HVHZ Options

Classic-Craft. *Continued*



CCVF220 3'0" x 6'8"	CCVF8220 3'0" x 8'0"	CCVF200 3'0" x 6'8"	CCVF060 3'0" x 6'8"	CCVF8060 3'0" x 8'0"	CCVF831 3'0" x 8'0"	CCVF050 3'0" x 6'8"
------------------------	-------------------------	------------------------	------------------------	-------------------------	------------------------	------------------------

Fiber-Classic.

Mahogany Collection™



FMF31 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF220 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--



FMF205 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF755 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF600 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF134 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF60 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FMF860 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FMF100 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FMF8100 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	--	---	--

Oak Collection™



FCF31 2'8" x 6'8" 3'0" x 6'8"	FCF809 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF862 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF808 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCF755 2'8" x 6'8" 3'0" x 6'8"	FCF134 2'8" x 6'8" 3'0" x 6'8"	FCF160* 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCF8160 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF100 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	FCF8100 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
-------------------------------------	--	--	--	--------------------------------------	--------------------------------------	--	---	---	--

\*Available with elevated 10" bottom rail.

Note: See page 261 for important product details that may help with your purchase decision.



<b>SSF93</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF220*</b> 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8220</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF200</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8200</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF205</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8205</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF31</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF831</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF960</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF755</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	--	--	--	---	--	--	---	---	---



<b>SSF600</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF8600</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF11</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>SSF160*</b> 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8160</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>SSF100</b> 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>SSF8100</b> 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	---	---	---	---

## Profiles™



<b>969HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>978HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1005HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--	---

## Traditions



<b>205HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>203HD</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>210HD</b> 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	<b>100</b> 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8"
--	--	---	--



<b>TS290</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS214</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS210</b> 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>TS100</b> 2'0" x 6'8" 2'4" x 6'8" ‡ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" ‡ 3'0" x 6'8"
--	--	---	---

### Options Key


- ▲ 6'6" Height Available
- ‡ 7'0" Height Available
- ‡ NEW 7'0" Height Available

### Features Key

- No Stile Lines
- Ⓢ WBDP / HVHZ Options



# PULSE



222

- Modern design. Upbeat living.




Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With four distinct aesthetic approaches – Ari, Línea, Echo and Solei – the entrance becomes modern art.

\*Please verify that there is a Therma-Tru product approval for the configuration before buying.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.  
Top: Pulse Línea, Chinchilla Glass, Door – S1LXJ

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



## The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



Fiberglass



Steel




WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*




**1 Start with a STYLE.**

Combine doors and sidelites to create an entrance that fits your vision.



**2 Choose a MATERIAL.**

Each style is available in any of these material choices.




**3 Then select a GLASS.**

Find an available glass design to complete the statement you want to make.



**Also Available for Línea**



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Element (Left)
- 6 Element (Right)
- 7 Maple Park®
- 8 Avonlea®
- 9 Saratoga™
- 10 Arden®
- 11 Texas Star
- 12 Crystal Diamonds™
- 13 **NEW** Axis™

**Pulse. Size Options**

	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8"	2'6" x 8'0"◦	2'6" x 6'8"	2'6" x 8'0"◦	2'6" x 6'8"	2'6" x 8'0"◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
Sidelites	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"	10" x 6'8"•	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

• Available in full-lite sidelites only.  
◦ Available in Línea, Echo and Solei only.

**Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 261 for important product details that may help with your purchase decision.


Right Page: Pulse Ari, Chinchilla Glass, Door – S2XJ

# Ari



# Línea

Note: Product images show exterior side of door.




Línea *Continues on next page.*

- Options Key**
- ◆ Brass Caming (1A)
  - Brushed Nickel Caming (1C)
  - ◆ Black Nickel Caming (1D)
  - ⑨ WBDR / HVHZ Options


- Features Key**
- ▶ Art Glass / Black Nickel Caming (1D)
  - ★ Low-E Glass (LE)

- Privacy Glass**
- XJ = Chinchilla Glass
  - XR = Rainglass
  - XN = Granite Glass
  - XC = Chord Glass






S1LSA X6  
S81LSA X6



S1SA X6  
S81SA X6



S1RSA X6  
S81RSA X6



S1LEML  
◆6



S1EML  
◆6



S1REML  
◆6




S1LEMR  
◆6



S1EMR  
◆6




S1REMR  
◆6



S1LFW  
◆◆6



S1FW  
◆◆6



S1RFW  
◆◆6




S1LAV  
◆6




S1AV  
◆6




S1RAV  
◆6




S1LSG ◆◆6  
S81LSG ◆◆6




S1SG ◆◆6  
S81SG ◆◆6




S1RSG ◆◆6  
S81RSG ◆◆6



S1LANR ◆6  
S1LANG ●●6






S1ANR ◆6  
S1ANG ●●6



S1RANR ◆6  
S1RANG ●●6

**Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 261 for important product details that may help with your purchase decision.



**It's your decision, by design.**  
 Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

- Options Key**
- ❖ Brass Caming (1A)
  - ⊞ Brushed Nickel Caming (1C)
  - ◆ Black Nickel Caming (1D)
  - ◻ Red Waterglass / Brushed Nickel Caming (1C)

- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- ⦿ Granite Glass / Black Nickel Caming (1D)

⚡ WBDR / HVHZ Options

- Features Key**
- ✘ Wrought Iron (1W)
  - ☀ Low-E Glass (LE)

- Privacy Glass**
- XJ = Chinchilla Glass
  - XR = Rainglass
  - XN = Granite Glass
  - XC = Chord Glass



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Light Oak stain.) | Smooth Fiberglass | Steel

# Echo

Note: Product images show exterior side of door.



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX




S86LAX



S86AX



S86RAX



S9LAX



S9AX



S9RAX



S8LAX



S8AX



S8RAX

**Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 261 for important product details that may help with your purchase decision.



S811LAX


S811AX

S811RAX

S810LAX

S810AX

S810RAX



S4LXJ  
S4LXR  
S4LXN  
S4LXC  
S4LCL\*

S84LXJ  
S84LXR  
S84LXN  
S84LXC  
S84LCL\*

S4XJ  
S4XR  
S4XN  
S4XC  
S4CL\*


S84XJ  
S84XR  
S84XN  
S84XC  
S84CL\*

S4RXJ  
S4RXR  
S4RXN  
S4RXC  
S4RCL\*

S84RXJ  
S84RXR  
S84RXN  
S84RXC  
S84RCL\*

S5LXJ  
S5LXR  
S5LXN  
S5LXC  
S5LCL\*

S85LXJ  
S85LXR  
S85LXN  
S85LXC  
S85LCL\*



S5XJ  
S5XR  
S5XN  
S5XC  
S5CL\*

S85XJ  
S85XR  
S85XN  
S85XC  
S85CL\*

S5RXJ  
S5RXR  
S5RXN  
S5RXC  
S5RCL\*

S85RXJ  
S85RXR  
S85RXN  
S85RXC  
S85RCL\*

S86LXJ  
S86LXR  
S86LXN  
S86LXC  
S86LCL\*

S86XJ  
S86XR  
S86XN  
S86XC  
S86CL\*

S86RXJ  
S86RXR  
S86RXN  
S86RXC  
S86RCL\*

**Echo** Continues on next page.

**It's your decision, by design.**  
 Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Light Oak stain.)

Smooth Fiberglass

Steel

**Options Key**  
 ◆ Black Nickel Caming (1D)

**Features Key**  
 ✨ Low-E Glass (LE)

**Privacy Glass**  
 XJ = Chinchilla Glass  
 XR = Rainglass  
 XN = Granite Glass  
 XC = Chord Glass



**Echo** *Continued*

Note: Product images show exterior side of door.




S9LXJ  
S9LXR  
S9LXN  
S9LXC  
S9LCL\*



S9XJ  
S9XR  
S9XN  
S9XC  
S9CL\*



S9RXJ  
S9RXR  
S9RXN  
S9RXC  
S9RCL\*



S8LXJ  
S8LXR  
S8LXN  
S8LXC  
S8LCL\*



S8XJ  
S8XR  
S8XN  
S8XC  
S8CL\*



S8RXJ  
S8RXR  
S8RXN  
S8RXC  
S8RCL\*



S811LXJ  
S811LXN  
S811LXR  
S811LXC  
S811LCL\*



S811XJ  
S811XN  
S811XR  
S811XC  
S811CL\*



S811RXJ  
S811RXN  
S811RXR  
S811RXC  
S811RCL\*



S810LXJ  
S810LXN  
S810LXR  
S810LXC  
S810LCL\*



S810XJ  
S810XN  
S810XR  
S810XC  
S810CL\*




S810RXJ  
S810RXN  
S810RXR  
S810RXC  
S810RCL\*

**Solei**



S7AX  
S87AX



S7XJ  
S7XN  
S7XR  
S7XC  
S7CL\*  
S87XJ  
S87XN  
S87XR  
S87XC  
S87CL\*



S7  
S87




**Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 261 for important product details that may help with your purchase decision.  
Bottom: Pulse Solei, Granite Glass, Door – S87XN; Echo, Granite Glass, Sidelite – S85XNSL

# Sidelites

Note: Product images show exterior side of door.



Sidelites *Continue on next page.*

Wood-Grained Fiberglass: Mahogany or Oak (Shown in Light Oak stain.)	Smooth Fiberglass	Steel

**It's your decision, by design.**  
 Select a look for the door and sidelites. Choose a material. Find an available glass design to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

- Options Key**
- ◆ Brass Caming (1A)
  - ▣ Brushed Nickel Caming (1C)
  - ◆ Black Nickel Caming (1D)
  - Red Waterglass / Brushed Nickel Caming (1C)

- Red Waterglass / Black Nickel Caming (1D)
- Granite Glass / Brushed Nickel Caming (1C)
- Granite Glass / Black Nickel Caming (1D)


- ★ Low-E Glass (LE)
- Vented Sidelite (No Impact) (6'8" & 8'0" in 14") (6'8" full-lite only in 12")
- ⌚ WBDR / HVHZ Options

- Features Key**
- ▶ Art Glass / Black Nickel Caming (1D)
  - ✕ Wrought Iron (1W)

- Privacy Glass**
- XJ = Chinchilla Glass
  - XN = Granite Glass
  - XR = Rainglass
  - XC = Chord Glass

**Sidelites** *Continued*

Note: Product images show exterior side of door.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Light Oak stain.)	Smooth Fiberglass	Steel

**It's your decision, by design.**  
Select a look for the door and sidelites. Choose a material. Find an available product design to complete the statement. Stain or paint it any color. Explore all the possible combinations at [www.thermatru.com/pulse](http://www.thermatru.com/pulse).

- |   |   |   |
|---|---|---|
| <p><b>Options Key</b></p> <ul style="list-style-type: none"> <li>● Vented Sidelite (No Impact)<br/>(6'8" &amp; 8'0" in 14")<br/>(6'8" full-lite only in 12")</li> </ul> | <p><b>Features Key</b></p> <ul style="list-style-type: none"> <li>☀ Low-E Glass (LE)</li> </ul> | <p><b>Privacy Glass</b></p> <ul style="list-style-type: none"> <li>XJ = Chinchilla Glass</li> <li>XN = Granite Glass</li> <li>XR = Rainglass</li> <li>XC = Chord Glass</li> </ul> |
|---|---|---|

**Note: Door and sidelite styles shown in smooth fiberglass. To see styles in other material choices, go to [www.thermatru.com/pulse](http://www.thermatru.com/pulse).**

Note: See page 261 for important product details that may help with your purchase decision.

Top: Pulse Echo, Chord Glass, Door – S4XC

Right Page: Pulse Línea, Sedona Glass, Doors – S1SN





# Hinged Patio Doors



234

- Simply beautiful, any way you see it.



Extend the beauty and quality of a Therma-Tru® entrance to the back of the home with hinged patio doors. Smart options to control the level of privacy and light, complement exterior window patterns, and let fresh air into the home offer convenience and curb appeal that's unsurpassed from any view.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with GBGs, Doors – S828  
 Bottom: Smooth-Star, Flush-Glazed Glass, Doors – S8000

## Door Selections



Classic-Craft<sup>®</sup>  
Mahogany  
Collection™



Classic-Craft<sup>®</sup>  
Oak Collection™



Classic-Craft<sup>®</sup>  
Rustic Collection™




Classic-Craft<sup>®</sup>  
Canvas  
Collection



Fiber-Classic<sup>®</sup>  
Mahogany  
Collection™



Fiber-Classic<sup>®</sup>  
Oak Collection™



Smooth-Star<sup>®</sup>




Profiles™ Traditions

(Wood-grained images shown in Light Oak stain.)

## Glass Selections



Bevelline™



Internal Blinds



Clear

### Divided Lites

For details on divided lite options, see page 116.



Simulated  
Divided  
Lites



Grilles  
Between  
Glass



Fixed  
Grilles



Removable  
Wood  
Grilles


## Low-E Glass



Energy-efficient Low-E glass can help keep a home warm in the winter and cool in the summer. Available for internal blinds, divided lites and clear glass.

## Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.



■ = Available • = Not Applicable					
Door Selections	Classic-Craft <sup>®</sup>	Fiber-Classic <sup>®</sup>	Smooth-Star <sup>®</sup>	Profiles™	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Glass Selections					
Bevelline™	•	■	•	•	•
Internal Blinds	•	■	■	■	■
Flush-Glazed with Divided Lites	•	■	■	•	•
Flush-Glazed Clear	•	■	■	•	•
Low-E with Divided Lites	Standard	Option	Option	Option	Option
Low-E	Standard	Option	Option	Option	Option
Clear with Divided Lites	•	■	■	■	■
Clear	•	■	■	■	■
Also Available	13 Decorative / 4 Privacy Designs	16 Decorative / 4 Privacy Designs	16 Decorative / 4 Privacy Designs	16 Decorative / 4 Privacy Designs	16 Decorative / 4 Privacy Designs
Available Sizes					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"-3'0"	2'0"-3'6"	2'0"-3'6"	2'0"-3'0"
Double Widths	6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	•	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options					
Vented Sidelites (Single / Double Widths)	•	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"-6'0" Widths	•	•
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•	■	■	■	■
Tru-Defense Eligible	■	■	■	•	•

# Hinged Patio Door Systems




- 1** Multi-Point Locking System (Recommended)
- 2** Bottom Sweep
- 3** Sill
- 4** Hinges
- 5** Corner Seal Pads (Inswing Only)
- 6** Rain Deflector (Inswing Only)
- 7** Sill Pan (Recommended)
- 8** Astragal
- 9** Frame Components
- 10** Multi-Point Locking System (Included)
- 11** Removable Screens

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.


## Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T  
Grille Sticks  
Applied



19050T  
Grille Sticks  
Applied

## Vented Sidelites


**Enjoy the view – and a fresh breeze, too.**

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

### Available Configurations



Single Door with  
Vented Sidelites  
(Inswing Only)




Double Doors with  
Vented Sidelites (Inswing Only)




### Available Door Styles

Fiber-Classic® Mahogany (Page 156) / Fiber-Classic® Oak (Page 156)  
See page numbers above for door styles and sizes.



### Available Configurations




## Internal Blinds




### Available Door Styles

Fiber-Classic® Mahogany (Page 167) / Fiber-Classic® Oak (Page 167) /  
Smooth-Star® (Page 168) / Profiles™ (Page 207)  
See page numbers above for door styles and sizes.



### Available Configurations






# Flush-Glazed Glass with Divided Lites

## Colonial Style




### Available Door Styles

Fiber-Classic® Oak (Page 169) / Smooth-Star® (Page 170)  
 See page numbers above for door styles and sizes.



### Available Configurations




## Craftsman Style




### Available Door Styles

Fiber-Classic® Oak (Page 169) / Smooth-Star® (Page 171)  
 See page numbers above for door styles and sizes.



### Available Configurations




Note: See page 261 for important product details that may help with your purchase decision.

# Prairie Style




### Available Door Styles

Fiber-Classic® Oak (Page 170) / Smooth-Star® (Page 171)  
 See page numbers above for door styles and sizes.



### Available Configurations




# Flush-Glazed Glass




### Available Door Styles

Fiber-Classic® Oak (Page 172) / Smooth-Star® (Page 172)  
 See page numbers above for door styles and sizes.



### Available Configurations




# Clear Glass with Divided Lites

## Colonial Style




### Available Door Styles

Classic-Craft® Oak (Page 86) / Classic-Craft® Canvas (Page 103) /  
 Fiber-Classic® Mahogany (Page 172) / Fiber-Classic® Oak (Page 176) /  
 Smooth-Star® (Page 181) / Profiles™ (Page 207) / Traditions (Page 213)  
 See page numbers above for door styles and sizes.



### Available Configurations




## Craftsman Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 174) / Fiber-Classic® Oak (Page 179) /  
 Smooth-Star® (Page 184) / Profiles™ (Page 208) / Traditions (Page 214)  
 See page numbers above for door styles and sizes.



### Available Configurations




Note: See page 261 for important product details that may help with your purchase decision.

# Prairie Style




### Available Door Styles

Fiber-Classic® Mahogany (Page 175) / Fiber-Classic® Oak (Page 180) / Smooth-Star® (Page 185) / Profiles™ (Page 209) / Traditions (Page 214)  
 See page numbers above for door styles and sizes.



### Available Configurations




# Low-E / Clear Glass




### Available Door Styles

Classic-Craft® Mahogany (Page 60) / Classic-Craft® Rustic (Page 74) / Classic-Craft® Oak (Page 86) / Classic-Craft® Canvas (Page 103) / Fiber-Classic® Mahogany (Page 186) / Fiber-Classic® Oak (Page 187) / Smooth-Star® (Page 188) / Profiles™ (Page 209) / Traditions (Page 215)  
 See page numbers above for door styles and sizes.



### Available Configurations







Top: Smooth-Star, Flush-Glazed Glass with GBGs, Doors – S2050  
Bottom: Smooth-Star, Flush-Glazed Glass, Doors – S8000

# Vinyl Sliding Patio Doors



243

• Fully assembled and ready to install.

Crafted to ensure smooth operation, Therma-Tru® vinyl sliding patio units are delivered fully assembled and ready to install.

- Features fully adjustable rollers for smooth operation.
- Reinforced windows help provide security and weather protection.
- Engineered with a tamper-resistant, adjustable locking system – standard for security.
- Available Sizes: 5'0"–8'0" widths in 6'6" height.
- Configurations: Available in double and triple units.
- Glass Options: Clear, insulated glass with optional Low-E for increased energy efficiency. Optional contour or flat or grilles between glass available to customize the doors to complement window patterns.
- Optional DP-50 Impact-rated product available.



**Single-Point Locking  
System Handleset**



**Integral J-Channel  
with Score Lines**

To view our full offering of vinyl sliding patio doors, please see your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com).

**10 YEAR  
LIMITED  
WARRANTY**



Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.







# Door System Components



- Engineered to work together.

More than a beautiful door. A Therma-Tru® door system with genuine Therma-Tru components is engineered with craftsman precision for durability and reliability through the years. With weather resistance and energy efficiency so the door performs as exceptionally as it looks.

Visit our online replacement parts configurator and helpful videos to maintain the integrity of a complete door system with genuine Therma-Tru components – [www.thermatru.com/parts](http://www.thermatru.com/parts).



Left Page: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XCSL, Dentil Shelf

Top: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028



# Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

## Inswing Options



**Composite Adjustable Sill** 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, U-shaped weather seal adds protection, and flush stainless steel screws adjust to help maintain a tight seal.

**NEW** continuous length with spread mullion capability to fill 49"-75" rough openings.\*



**Hardwood Adjustable Sill**

Durable hardwood cap and nosing can be stained to match door and trim, U-shaped weather seal adds protection, and flush zinc dichromate screws adjust to help maintain a tight seal.



**Basic Composite Adjustable Sill**

Wood-grained composite cap and nosing resist rot, adds protection, and zinc dichromate screws with removable screw caps adjust to help maintain a tight seal.



**Basic Fixed Sill**


Slanted cap and nosing mates with the single-bulb bottom sweep to help form a tight seal.



**Moderate Climate Sill**  
(For Warmer Climates)


All-aluminum construction resists corrosion and slanted cap helps maintain contact with the door bottom.

## Inswing Sill Extenders



1"

2"



1-3/4"

3-1/4"

## Outswing Options



**Composite Outswing Sill** 

Thick, through-colored wood-grained composite cap and nosing resist wear and rot, and integrated weatherstrip helps form a tight seal under wind pressure.



**Aluminum Sill with Thermal Break**

All-aluminum construction resists corrosion, and integrated weatherstrip helps form a tight seal under wind pressure. Also available without thermal break.



**Coastal Sill** (For Coastal Regions)

All-aluminum construction resists corrosion, extra-high cap profile provides improved resistance to wind-driven moisture infiltration, and integrated weatherstrip helps form a tight seal under wind pressure. Helps meet code requirements in HVHZ coastal regions.

## Outswing Sill Extender



2"

Finishes:  
Lightwood (Premium)  
Darkwood (Premium)

## Public Access Sill



**Public Access Sill with Thermal Break\*\***  
(For ADA Applications)

All-aluminum construction resists corrosion, and 1/2"- high surface with 1:2 ramp slope meets Americans with Disabilities Act (ADA) requirements. Also available without thermal break.

## Options Key

 Tru-Defense Eligible


\*See the Therma-Tru 2015 *Architectural Details & Components* manual for actual unit size specifications.

\*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

\*\*\*For full details on the Tru-Defense Warranty Rider, visit [www.thermatru.com/trudefense](http://www.thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 261 for important product details that may help with your purchase decision.

## Sill Finishes



**Mill**



**Bronze**



**Brass**



**Satin Nickel**

## Cap Colors




**Lightwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Darkwood (Premium)**  
Composite Adjustable /  
Composite Outswing



**Lightwood (Economy)**  
Basic Composite Adjustable



**Darkwood (Economy)**  
Basic Composite Adjustable /  
Basic Fixed



**Hardwood**  
Hardwood Adjustable

■ = Available  
• = Not Applicable

	Inswing Options						Outswing Options						Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Moderate Climate		Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal		Public Access (Inswing / Outswing)	Public Access (ADA)**	
<b>Sill Finishes</b>														
Mill	■	■	■	■	■		■	■	■	■		■	■	
Bronze	■	■	■	■	•		■	■	■	•		■	■	
Brass	■	•	•	•	•		■	•	•	•		•	•	
Satin Nickel	■	•	•	•	•		■	•	•	•		•	•	
<b>Cap Colors</b>														
Lightwood	■	•	■	•	•		■	•	•	•		•	•	
Darkwood	■	•	■	■	•		■	•	•	•		•	•	
Hardwood	•	■	•	•	•		•	•	•	•		•	•	
<b>Sill Configurations</b>														
Single	■	■	■	■	■		■	■	■	■		■	■	
French	■	■	•	■	■		■	■	■	■		■	■	
Double Patio	■	■	•	•	•		■	•	•	•		•	•	
Triple Patio	■	■	•	•	•		■	•	•	•		•	•	
Lineal	■	■	•	•	•		•	•	•	•		•	•	
<b>Sidelite Configurations</b>														
Boxed Sidelites	■	•	•	•	•		•	•	•	•		•	•	
Single with Sidelites	■	■	•	•	•		■	•	•	•		•	•	
French with Sidelites	■	•	•	•	•		•	•	•	•		•	•	
Single Vented Sidelites	■	•	•	•	•		•	•	•	•		•	•	
French Vented Sidelites	■	•	•	•	•		•	•	•	•		•	•	
<b>Depths</b>														
4-9/16"	■	•	■	■	•		•	•	■	■		■	■	
5-3/4"	■	■	■	■	■		■	■	•	•		•	•	
6-9/16"	•	•	•	•	•		•	•	•	•		■	■	
7-3/4"	■	■	■	■	•		•	■	•	•		•	•	
<b>Substrates</b>														
Composite Extruded	■	•	•	•	•		■	•	•	•		•	•	
Composite Injection Molded	■	•	■	•	•		•	•	•	•		•	•	
Treated Pine	•	■	•	■	•		•	■	■	■		•	•	
Composite Blocked	•	•	•	•	■		•	•	•	•		•	•	
<b>Other Options</b>														
Integrated Thermal Break	■	■	■	■	•		■	■	•	•		■	■	
Screen Rail Available	■	■	•	•	•		■	•	•	•		•	•	
Sill Extenders Available	■	■	■	•	•		■	•	•	•		•	•	
Sill Covers Available	■	■	■	■	■		■	•	•	•		•	•	
Tru-Defense Eligible***	■	•	•	•	•		■	•	•	•		•	•	
With Anchor Holes	•	•	•	•	•		•	■	■	•		■	■	
Without Anchor Holes	•	•	•	•	•		•	■	•	•		•	•	

# Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

## Inswing Options



### Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable

**Colors:**  
Bronze  
Stone  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



### Kerf-Applied Single-Bulb Bottom Sweep

**Sills:**  
Moderate Climate  
Basic Fixed

**Colors:**  
Bronze  
Stone



### Inactive Door Bottom

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze  
Stone

## Outswing Options



### Outswing Bottom Sweep

**Sills:**  
Composite Outswing  
Aluminum  
Coastal

**Color:**  
Bronze



### Inactive Door Bottom

**Sills:**  
Composite Outswing

**Colors:**  
Bronze  
Stone

## ADA / Replacement



### Bottom Sweep

**Sills:**  
Public Access

**Color:**  
Bronze

# Sill Protection



### Sill Covers (Recommended)

Fits over the sill to help protect cap and finish from damage during installation. Made of a heavy-duty material to withstand wear, and available in a variety of options to fit our sills.

See page 247 for availability.

Shown over composite adjustable sill.




### Sill Pan (Recommended)

Fits between the sill and subfloor for an added layer of protection against moisture. Engineered with sloped channels to help collect and drain moisture away.

# Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

## Classic-Craft. 7-Shape Pads



**Colors:**  
Bronze  
Stone  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Fiber-Classic. / Smooth-Star. 7-Shape Pads



**Colors:**  
Bronze  
Stone  
White

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Basic Composite Adjustable  
Public Access

## Basic Fixed Pads



**Colors:**  
Bronze

**Sills:**  
Basic Fixed  
Moderate Climate

# Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.

## Medium-Reach Weatherstrip



**Colors:**  
Bronze  
Stone  
White

## Long-Reach Weatherstrip



**Colors:**  
Bronze  
Stone  
White

# Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

## Rain Deflector (Inswing)




**Colors:**  
Bronze  
Stone  
White

## Rain Guard (Outswing)



**Colors:**  
Bronze  
Stone  
White



Bottom of door; exterior view.



Top of door; exterior view.

## Options Key

Tru-Defense Eligible



# Hardware

## Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Featuring premium stainless steel construction that resists corrosion.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

### Standard Door MPLS



**Tongue**  
(For single door systems.)  
Heights: 6'6", 6'8", 7'0", 8'0"  
Configurations: Inswing, Outswing



**Shootbolt**  
(For double door systems.)  
Heights: 6'6", 6'8", 7'0", 8'0"  
Configurations: Inswing, Outswing

### Vented Sidelite MPLS



**Tongue**  
(Included in vented sidelite units.)  
Heights: 6'6", 6'8", 8'0"



Side view of door.

Engages at three critical points.

Integrated mishandling device.

1" premium stainless steel deadbolt.

Self-lubricating locks.

### Options Key

Tru-Defense Eligible

\*ASTM-476. As tested by an independent laboratory. Not available in certain configurations.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing.  
See page 261 for important product details that may help with your purchase decision.

## Handleset Options for Standard Door MPLS



Backplates:  
Wide  
Narrow

Locking:  
Active  
Inactive

**Options Shown**  
Top:  
Wide Back Active  
Bottom:  
Narrow Back Inactive

## Finish Options for Handlesets & Hinges



Bright Brass    Antique Brass    Brushed Nickel    Black Nickel    Antique Nickel    Polished Chrome    Oil-Rubbed Bronze    White Narrow Handlesets Only

## Hinges & Strike Plate

Hinge Finish Options	Hinges							
	Adjustable	Classic-Craft <sup>®</sup> Ball-Bearing	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded	Adjustable Security Strike Plate (For Latch & Deadbolt)
Bright Brass	■	■	■	●	●	●	●	●
Antique Brass	■	■	■	●	●	●	●	■
Brushed Nickel	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	●	■	●	■	■
Antique Nickel	■	■	■	●	●	●	●	■
Polished Chrome	■	■	■	●	■	●	■	■
Oil-Rubbed Bronze	■	■	■	■	■	●	■	■
Stainless Steel	●	■	■	●	■	■	■	■
Zinc Dichromate	●	■	■	■	■	■	■	■

■ = Available  
● = Not Applicable

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Featuring options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry. Tested to withstand up to three times the force of standard strike plates.\*

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or paintable aluminum.



## Stainable Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Grain Options:**  
Oak  
Mahogany  
Fir
- Weatherstrip:**  
Bronze

Shown in Oak grain with Mahogany stain.



## Aluminum Astragal

- Heights:**  
6'6"  
6'8"  
7'0"  
8'0"
- Width:**  
7/8"
- Configurations:**  
Inswing  
Outswing  
Multi-Point Lock  
Double Bore  
Left-Handed  
Right-Handed
- Finish Colors:**  
Bronze  
White
- Weatherstrip:**  
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip helps form a tight seal between the astragal and active door when closed.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

## Textures Available

Stainable (Shown in Light Oak stain.)

Aluminum



Oak Grain



Mahogany Grain



Fir Grain



Bronze



White



## SAME-DAY STAIN

Finish with the same stain as the doors. Kit available in seven finish colors on pages 254-255.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 261 for important product details that may help with your purchase decision.

Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

## Options Key

 Tru-Defense Eligible





Top: Classic-Craft Mahogany Collection, Bella Glass, Doors – CCM895B

Bottom: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL



# SAME-DAY® STAIN

**Create the authentic look of real wood in just a few simple steps.**

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors.

## All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*



Watch easy-to-follow instructions at [www.samedaystain.com](http://www.samedaystain.com).




\*Actual coverage may vary based on product selected, application method and desired appearance.


**5 YEAR LIMITED WARRANTY**

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to [www.samedaystain.com](http://www.samedaystain.com) or ask your seller for more details.

## Classic-Craft® American Style Collection™




## Classic-Craft® Mahogany Collection™




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 261 for important product details that may help with your purchase decision.


### Classic-Craft® Rustic Collection™




### Classic-Craft® Oak Collection™



### Fiber-Classic® Mahogany Collection™



### Fiber-Classic® Oak Collection™



# Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.




## Privacy Glass

Achieve the desired look and level of privacy with additional options, including white-frosted glass shown above.



Special Quote SDL Pattern Example



Special  
Quote  
GBG  
Color  
Options

## Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.



Texas Star with Standard Brushed Nickel Caming



Texas Star with Special Quote Black Nickel Caming

## Caming Colors

Pair black nickel, brushed nickel or brass coming with any decorative glass design to complement home hardware and fixtures.

# 3'6" Width Door Style Options

Door Styles	Ari Styles				Linea Styles		Echo Styles		Solei Styles				
Augustine.	◆	◆	◆	◆									
Borrassa.	◆	◆	◆	◆									
Blackstone.					*▷	*			*▷	*			
Crystalline.					*▷	*			*▷	*			
Sedona					*▷				*▷	*			
Salinas.					*▷	*			*▷	*			
Element					*▷				*▷				
Maple Park.					*▷				*▷				
Avonlea.					*▷				*▷				
Saratoga.					*▷				*▷	*			
Arden.					*▷				*▷				
Texas Star					*▷				*▷				
Wellesley.					*▷	*							
Concorde.					*▷	*	*▷						
Kensington.					*▷								
Crystal Diamonds.					*▷		*▷						
Axis.					*▷	*		*▷	*	*▷	*	*▷	*
Frosted Images.					*▷	*	*▷						
Privacy Glass					*▷	*		*▷	*	*▷	*	*▷	*
Internal Blinds					*▷	*		*▷	*			*▷	*
Divided Lites					*▷	*							
Clear					*▷	*	*▷	*	*▷	*	*▷	*	*

## Solid-Panel Door Styles

◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	▲	▲	▲	*▷	*	

## Key

- ◆ Classic-Craft® Rustic Collection™
- ▲ Classic-Craft® Oak Collection™
- \* Smooth-Star®
- ▷ Profiles™ & Traditions

Classic-Craft® American Style & Rustic Collections

Coming Soon in More 3'6" Width Door Style Options



Sample of the New Styles

Classic-Craft. American Style Collection™

Introducing the 3'6" x 8'0" Craftsman 2-panel flush-glazed door with a bigger glass opening than other Therma-Tru® 8'0" Craftsman doors. Available with decorative and specialty glass in simulated divided lite configurations.

Classic-Craft. Rustic Collection™


Introducing the 3'0" x 8'0" and 3'6" x 8'0" 2-panel square top doors with on-trend, wider panel embossments. Available with decorative and specialty glass options in 31" width for new and existing 3'6" x 8'0" doors.

To learn more about availability, call 1-800-843-7628.



## 7'0" Height Door Style Options

Door Styles




Glass Designs

Blackstone.	▼▲*	▲*	*													▼▲*
Crystalline.	▼▲*	▲*	*		▶	▶	▶			▶		▲*				▼▲*
Sedona	▼▲*	▲*	*			▶										▼▲*
Salinas.	▼▲*	▲*	*		▶	▶										▼▲*
Element	▼▲*															▼▲*
Maple Park.	▼▲*	▲*	*			▶					▲*					▼▲*
Avonlea.	▼▲*	▲*	*			▶										▼▲*
Saratoga.	▼▲*	▲*	*			▶					▲*					▼▲*
Arden.	▼▲*	▲*	*			▶										▼▲*
Texas Star	▼▲*	▲*	*			▶										▼▲*
Wellesley.	▼▲*	▲*	*			▶					▲*					▼▲*
Concorde.	▼▲*	▲*	*		▶	▶	▶	*		▶	▲*					▼▲*
Kensington.	▼▲*	▲*	*			▶										▼▲*
Crystal Diamonds.	▼▲*	▲*	*			▶	▶	*		▶						▼▲*
Axis.	▼▲*	▲*	*			▶						▲*				▼▲*
Bevelline.	▼▲	▲														▼▲
Frosted Images.	▼▲*	▲*	*		▶	▶	▶	*		▶						▼▲*
Privacy Glass	▼▲*	▲*	*	▼▲*		▶				▶	▲*	▲*				▼▲*
Internal Blinds	▼▲*	▲*	*	▼▲*												▼▲*
Screen Vented		*	*	*												
Divided Lites	▼▲*	▲*	*		▶	▶	▶		*	▶	▲*		▶	▶		▼▲*
Clear	▼▲*	▲*	*	▼▲*	▶	▶	▶	*	*	▶	▲*	▲*				▼▲*
Solid Panel																

## 6'6" Height Door Style Options

Door Styles




Glass Designs

Blackstone.	▼▲*				▼▲*
Crystalline.	▼▲*				▼▲*
Sedona	▼▲*				▼▲*
Salinas.	▼▲*				▼▲*
Element	▼▲*				▼▲*
Maple Park.	▼▲*				▼▲*
Avonlea.	▼▲*				▼▲*
Saratoga.	▼▲*				▼▲*
Arden.	▼▲*				▼▲*
Texas Star	▼▲*				▼▲*
Wellesley.	▼▲*				▼▲*
Concorde.	▼▲*		*▶		▼▲*
Kensington.	▼▲*				▼▲*
Crystal Diamonds.	▼▲*		*▶		▼▲*
Axis.	▼▲*				▼▲*
Bevelline.	▼▲				▼▲
Frosted Images.	▼▲*		*▶		▼▲*
Privacy Glass	▼▲*	▶			▼▲*
Internal Blinds	▼▲*	▶			▼▲*
Screen Vented		▶			
Divided Lites	▼▲*			▶	▼▲*
Clear	▼▲*	▶	*▶	▶	▼▲*
Solid Panel					▼▲*

## Key

- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- \* Smooth-Star®
- ▶ Profiles™ & Traditions
- Steel Edge



	▶						
	▶	▶	▶				
	▶						
	▶						
	▶						
	▶						
	▶						
	▶						
	▶	▶					
	▶	▶					
	▶		▶				
	▶	▶					
	▶		▶				
	▶						
	▶	▶					
	▶	▶	▶				
				■*	■	■▲*	■▼▲*



Bottom: Smooth-Star Door – S220

## Entry &amp; Patio Door Systems

Feature	Classic-Craft	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")	Vinyl Sliding
<b>Skin Material</b>	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel	Vinyl
<b>Skin Texture</b>	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth	Smooth
<b>Exterior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
<b>Interior Finish</b>	Stain or Paint	Stain or Paint	Paint	Paint	Paint	White
<b>Panel – Top Rail</b>	Composite	Composite	Composite	Wood	Wood	Vinyl
<b>Panel – Bottom Rail</b>	Composite	Composite	Composite	Composite	Composite	Vinyl
<b>Lock Stile</b>	4-1/8" Full-Length Engineered Lumber Stile	1-1/4" Engineered Lumber	1-1/4" Engineered Lumber	1-1/4" Wood	1-1/4" Wood	–
<b>Lock Block</b>	4-1/8" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood	–
<b>Height Options</b>	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"	6'6"
<b>Width Options</b>	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	5'0" – 8'0"
<b>Panel Options</b>	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
<b>Sidelite Options</b>	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	–
<b>Glass Options</b>	SMC Frame; Deco / Privacy / Low-E IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	BTS Frame; Deco / Privacy / Low-E / Clear IG	Low-E / Clear IG
<b>Sill*</b>	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum	–
<b>Weatherstrip – Hinge</b>	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	–
<b>Weatherstrip – Lock</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic	–
<b>Weatherstrip – Head</b>	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic	–
<b>Multi-Point Lock</b>	Recommended	Recommended	Recommended	–	–	–
<b>Security Strike Plate</b>	Recommended	Recommended	Recommended	Recommended	Recommended	–
<b>Hinges*</b>	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning	–
<b>Frame*</b>	Hardwood	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine	Vinyl
<b>Screens &amp; Screen Accessories Available</b> Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	–
<b>Residential Limited Warranty</b>	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years	10 Years

For dimensional data, see your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for a copy of the Therma-Tru 2015 Unit & Rough Opening Sizing Booklet.

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 F, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

Glass designs may differ from depiction due to the size of glass and hand craftsmanship. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-minute Fire-rated fiberglass doors, impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Door Systems; Steel – Pulse., Profiles., Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru. Vinyl Sliding Patio Door Systems Residential 10-Year Limited Warranty: PVI Sliding Patio Doors
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Fiberglass Door Systems
- Therma-Tru. Construction Glass Breakage Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft., Fiber-Classic. and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products

## Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.**



**Therma-Tru. Owner's Manual & Warranties**

[www.thermatru.com/warranty](http://www.thermatru.com/warranty)



## Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

### Trade Professionals Online

Go to one place to find everything Therma-Tru, from selling tools to training materials to technical information.

**Dealer** – [www.thermatru.com/trade/dealer](http://www.thermatru.com/trade/dealer)

**Builder** – [www.thermatru.com/trade/builder](http://www.thermatru.com/trade/builder)

**Remodeler** – [www.thermatru.com/trade/remodeler](http://www.thermatru.com/trade/remodeler)



### Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at [www.thermatru.com/learning](http://www.thermatru.com/learning).

Can **you** make the grade?



### Unlock the Opportunities

Play to learn about our new products and door system solutions, and enter for a chance to win prizes at [www.unlocktheopportunities.com](http://www.unlocktheopportunities.com).

**Promotion runs January 20–June 30, 2015.**



### DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at [www.thermatru.com/doorways](http://www.thermatru.com/doorways).


**Android version available February 2015.**



Download on the  
**App Store**


### Build Your Door

Let homeowners research and design a door with their own personal touch – all from the convenience of home – at [www.thermatru.com](http://www.thermatru.com).



### Consumers Digest Best Buy

Order free, ready-to-use promotional items to promote Classic-Craft in your showroom at [www.thermatru.com/trade-professionals/consumersdigest](http://www.thermatru.com/trade-professionals/consumersdigest).



## American Style Collection.

19200T.....	48
19220T.....	48
AB30T.....	46
ABRT.....	46
CCA1423SL.....	46
CCA210.....	48
CCA210SL.....	48
CCA210XC.....	47
CCA210XCSL.....	47
CCA210XJ.....	47
CCA210XJSL.....	47
CCA210XN.....	47
CCA210XNSL.....	47
CCA210XR.....	47
CCA210XRSL.....	47
CCA211.....	46
CCA211SL.....	46
CCA212.....	46
CCA212SL.....	46
CCA220.....	48
CCA220SL.....	48
CCA220XC.....	47
CCA220XCNSL.....	47
CCA220XJ.....	47
CCA220XJSL.....	47
CCA220XN.....	47
CCA220XNSL.....	47
CCA220XR.....	47
CCA220XRSL.....	47
CCA221.....	46
CCA222.....	46
CCA230.....	48
CCA230XC.....	47
CCA230XJ.....	47
CCA230XN.....	47
CCA230XR.....	47
CCA231.....	46
CCA232.....	46
CCA240.....	48
CCA240XC.....	47
CCA240XJ.....	47
CCA240XN.....	47
CCA240XR.....	47
CCA260.....	48
CCA260XC.....	47
CCA260XJ.....	47
CCA260XN.....	47
CCA260XR.....	47
CCA8210.....	48
CCA8210XC.....	47
CCA8210XJ.....	47
CCA8210XN.....	47
CCA8210XR.....	47
CCA8211.....	46
CCA8212.....	46
CCA8220.....	48
CCA8220XC.....	47
CCA8220XJ.....	47
CCA8220XN.....	47
CCA8220XR.....	47
CCA8221.....	46
CCA8222.....	46
CCA8230.....	48
CCA8230XC.....	47
CCA8230XJ.....	47
CCA8230XN.....	47
CCA8230XR.....	47
CCA8231.....	46
CCA8232.....	46
CCA8240.....	48
CCA8240XC.....	47
CCA8240XJ.....	47
CCA8240XN.....	47
CCA8240XR.....	47
CCA8260.....	48
CCA8260XC.....	47
CCA8260XJ.....	47
CCA8260XN.....	47
CCA8260XR.....	47
CCA89100.....	46
CCA89200.....	46
CCA89300.....	46
CCA9100.....	46
CCA9100SL.....	46
CCA9200.....	46
CCA9300.....	46
HW30T.....	46
HWRT.....	46
VG30T.....	46
VGRT.....	46

## Mahogany Collection.

19200T.....	60
19220T.....	60
AB30T.....	57
ABRT.....	57
ARHRT.....	55
AS30T.....	56
ASET.....	56
ASHRT.....	56
ASRT.....	56
BEBHRT.....	57
BEEET-B.....	57
BERT-B.....	57
CC060T.....	55
CC600T.....	55
CC620T.....	55
CCM100.....	60
CCM10022.....	59
CCM100XC.....	59
CCM100XJ.....	59
CCM100XN.....	59
CCM100XR.....	59
CCM103.....	58
CCM105.....	56
CCM109.....	55
CCM110B.....	56
CCM1419.....	57
CCM1423.....	57

CCM1423SL.....	57
CCM1424.....	57
CCM1465.....	57
CCM1475.....	57
CCM1485.....	55
CCM1495.....	55
CCM1528.....	57
CCM1842.....	58
CCM1843SL.....	58
CCM1844.....	58
CCM1851.....	58
CCM1851SL.....	58
CCM200.....	60
CCM200XC.....	59
CCM200XJ.....	59
CCM200XN.....	59
CCM200XR.....	59
CCM203.....	58
CCM204.....	59
CCM205.....	56
CCM209.....	55
CCM210B.....	56
CCM300.....	60
CCM30027.....	55
CCM300XC.....	59
CCM300XJ.....	59
CCM300XN.....	59
CCM300XR.....	59
CCM302.....	59
CCM303.....	58
CCM305.....	56
CCM309.....	55
CCM310B.....	56
CCM3300SL.....	60
CCM3302SL.....	59
CCM3303SL.....	58
CCM3305SL.....	56
CCM3309SL.....	55
CCM3310BSL.....	57
CCM3400SL.....	60
CCM3400XCSL.....	59
CCM3400XHSL.....	57
CCM3400XJSL.....	59
CCM3400XNSL.....	55
CCM3400XNSL.....	59
CCM3403SL.....	58
CCM3405SL.....	56
CCM3409SL.....	55
CCM3410BSL.....	57
CCM3412SL.....	59
CCM3500SL.....	60
CCM3502SL.....	59
CCM3503SL.....	58
CCM3505SL.....	56
CCM3509SL.....	55
CCM3510BSL.....	57
CCM400.....	60
CCM403.....	58
CCM405.....	56
CCM409.....	55
CCM500.....	60
CCM503.....	58
CCM505.....	56
CCM509.....	55
CCM60.....	60
CCM600.....	60
CCM600XC.....	59
CCM600XJ.....	59
CCM600XN.....	59
CCM600XR.....	59
CCM603.....	58
CCM605.....	56

## Rustic Collection..

19020T.....	74
19200T.....	74
19220T.....	74
AB30T.....	69
ABRT.....	69
ARHRT.....	67
AS30T.....	68
ASET.....	68
ASHRT.....	68
ASRT.....	68
BEBHRT.....	69
BEEET-B.....	69
BERT-B.....	69
CBHRT.....	71
CC040T.....	70
CC060T.....	67
CC090T.....	71
CC400T.....	70
CC420T.....	70
CC900T.....	71
CC920T.....	71
CCR040.....	75
CCR04020.....	74
CCR04020XC.....	73
CCR04020XJ.....	73
CCR04020XN.....	73
CCR04020XR.....	73
CCR04022.....	72
CCR04023.....	71
CCR04024B.....	69
CCR04025.....	68
CCR04026.....	71
CCR04027.....	67
CCR04028.....	70
CCR04029.....	67
CCR04037.....	67
CCR04037A.....	67
CCR040R.....	75
CCR100.....	75
CCR10022.....	72
CCR100A.....	75
CCR100R.....	75
CCR1414.....	69
CCR1415.....	69
CCR1417.....	69
CCR1423.....	69
CCR1423SL.....	69
CCR1511.....	70
CCR1511A.....	70
CCR1512.....	70
CCR1512A.....	70
CCR1514.....	70
CCR1514A.....	70
CCR1515.....	70
CCR1516.....	70
CCR1518.....	70
CCR1528.....	70
CCR1838.....	72
CCR1839.....	72
CCR1841.....	72
CCR1851.....	72
CCR1851SL.....	72
CCR200.....	75
CCR20020.....	74
CCR20020XC.....	73
CCR20020XJ.....	73
CCR20020XN.....	73
CCR20020XR.....	73
CCR20022.....	72
CCR20023.....	71
CCR20024B.....	69
CCR20025.....	68

CCR20026.....	71
CCR20027.....	68
CCR20028.....	70
CCR20029.....	67
CCR20037.....	68
CCR20037A.....	68
CCR200A.....	75
CCR205.....	75
CCR20520.....	74
CCR20520XC.....	73
CCR20520XJ.....	73
CCR20520XN.....	73
CCR20520XR.....	73
CCR20522.....	72
CCR20523.....	71
CCR20524B.....	69
CCR20525.....	68
CCR20526.....	71
CCR20527.....	67
CCR20528.....	70
CCR20529.....	67
CCR20537.....	67
CCR20537A.....	68
CCR205A.....	75
CCR30020.....	74
CCR30020XC.....	73
CCR30020XJ.....	73
CCR30020XN.....	73
CCR30020XR.....	73
CCR30023.....	71
CCR30024B.....	69
CCR30025.....	68
CCR30026.....	71
CCR30027.....	67
CCR30028.....	70
CCR30029.....	67
CCR3400SL.....	74
CCR3400XCSL.....	74
CCR3400XHSL.....	70
CCR3400XJSL.....	74
CCR3400XNSL.....	68
CCR3400XNSL.....	74
CCR3400XRSL.....	74
CCR3405SL.....	68
CCR3406SL.....	71
CCR3407SL.....	71
CCR3408SL.....	70
CCR3409SL.....	67
CCR3410BSL.....	69
CCR3412SL.....	73
CCR8000SL.....	74
CCR8000XCSL.....	74
CCR8000XHSL.....	70
CCR8000XJSL.....	74
CCR8000XNSL.....	68
CCR8000XNSL.....	74
CCR8000XRSL.....	74
CCR8001SL.....	68
CCR8005.....	75
CCR8005A.....	75
CCR8006SL.....	71
CCR8007SL.....	71
CCR8008SL.....	70
CCR8009SL.....	67
CCR8010BSL.....	69
CCR8040.....	75
CCR804020.....	74
CCR804020XC.....	73
CCR804020XJ.....	73
CCR804020XN.....	73
CCR804020XR.....	73
CCR804022.....	72
CCR804023.....	71

CCR804024B.....	69	CCR820030XR.....	74	VG30T.....	66	CC2160SL.....	81	CC880XJ.....	86	<b>Canvas Collection.</b>	
CCR804025.....	68	CCR820032.....	73	VGRT.....	66	CC2270SL.....	87	CC880XN.....	86	19020T.....	104
CCR804026.....	71	CCR820032A.....	73	ZHHRT.....	72	CC2272SL.....	85	CC880XR.....	86	19200T.....	104
CCR804027.....	67	CCR820035.....	68	ZHRT.....	72	CC2276SL.....	84	CC881.....	85	19210T.....	104
CCR804028.....	70	CCR820035A.....	68	<b>Oak Collection.</b>		CC2277SL.....	83	CC882.....	86	19220T.....	104
CCR804029.....	67	CCR820037.....	68	19020T.....	86	CC2279SL.....	81	CC882XC.....	85	AB30T.....	97
CCR804030.....	74	CCR820037A.....	68	19020T.....	87	CC3412SL.....	85	CC882XJ.....	85	ABRT.....	97
CCR804030A.....	74	CCR8200A.....	75	19200T.....	86	CC3502SL.....	85	CC882XN.....	85	ARHRT.....	94
CCR804030AXC.....	74	CCR8205.....	75	19200T.....	87	CC40.....	87	CC882XR.....	85	AS30T.....	96
CCR804030AXJ.....	74	CCR820520.....	74	19220T.....	86	CC400T.....	83	CC886.....	84	ASET.....	96
CCR804030AXN.....	74	CCR820520XC.....	73	19220T.....	87	CC420T.....	83	CC887.....	83	ASHRT.....	96
CCR804030AXR.....	74	CCR820520XJ.....	73	AB30T.....	82	CC44.....	84	CC889.....	80	ASRT.....	96
CCR804030XC.....	73	CCR820520XN.....	73	ABRT.....	82	CC45.....	80	CC890.....	86	BEBHRT.....	96
CCR804030XJ.....	73	CCR820520XR.....	73	ARHRT.....	81	CC47.....	83	CC890XC.....	86	BEET-B.....	96
CCR804030XN.....	73	CCR820522.....	72	BEBHRT.....	81	CC48.....	86	CC890XJ.....	86	BERT-B.....	96
CCR804030XR.....	73	CCR820523.....	71	BEET-B.....	81	CC48XC.....	86	CC890XN.....	86	CBHRT.....	100
CCR804032.....	73	CCR820524B.....	69	BERT-B.....	81	CC48XJ.....	86	CC890XR.....	86	CC040T.....	98
CCR804032A.....	73	CCR820525.....	68	CBHRT.....	84	CC48XN.....	86	CC892.....	86	CC060T.....	94
CCR804035.....	68	CCR820526.....	71	CC040T.....	83	CC48XR.....	86	CC892XC.....	85	CC090T.....	100
CCR804035A.....	68	CCR820527.....	67	CC060T.....	81	CC49.....	86	CC892XJ.....	85	CC400T.....	98
CCR804037.....	67	CCR820528.....	70	CC090T.....	84	CC49XC.....	85	CC892XN.....	85	CC420T.....	98
CCR804037A.....	67	CCR820529.....	67	CC10.....	87	CC49XJ.....	85	CC892XR.....	85	CC600T.....	94
CCR8040R.....	75	CCR820530.....	74	CC100.....	86	CC49XN.....	85	CC896.....	84	CC620T.....	94
CCR8100.....	75	CCR820530A.....	74	CC10022.....	85	CC49XR.....	85	CC897.....	83	CC900T.....	100
CCR8100A.....	75	CCR820530AXC.....	74	CC100XC.....	86	CC60.....	87	CC898.....	85	CC920T.....	100
CCR8100R.....	75	CCR820530AXJ.....	74	CC100XJ.....	86	CC600T.....	81	CC89812SL.....	80	CCV050.....	104
CCR8102SL.....	73	CCR820530AXN.....	74	CC100XN.....	86	CC61.....	87	CC89815.....	80	CCV05012.....	103
CCR81414.....	69	CCR820530AXR.....	74	CC100XR.....	86	CC612.....	85	CC89816.....	80	CCV05012XC.....	101
CCR81415.....	69	CCR820530XC.....	73	CC1010SL.....	87	CC620T.....	81	CC89818.....	80	CCV05012XJ.....	101
CCR81417.....	69	CCR820530XJ.....	73	CC1016SL.....	84	CC70.....	86	CC899.....	80	CCV05012XN.....	101
CCR81423SL.....	69	CCR820530XN.....	73	CC1017SL.....	83	CC76.....	84	CC89922.....	80	CCV05012XR.....	101
CCR81511.....	70	CCR820530XR.....	73	CC1019SL.....	81	CC77.....	83	CC89923.....	80	CCV05020.....	103
CCR81511A.....	70	CCR820532.....	72	CC102.....	86	CC78.....	85	CC89924.....	80	CCV05020XC.....	102
CCR81512.....	70	CCR820532A.....	73	CC1020BSL.....	81	CC79.....	80	CC89925SL.....	80	CCV05020XJ.....	102
CCR81512A.....	70	CCR820535.....	68	CC102XC.....	85	CC8000SL.....	87	CC90.....	86	CCV05020XN.....	102
CCR81514.....	70	CCR820535A.....	68	CC102XJ.....	85	CC8000XCSL.....	86	CC900B.....	81	CCV05020XR.....	102
CCR81514A.....	70	CCR820537.....	67	CC102XN.....	85	CC8000XJSL.....	86	CC900T.....	84	CCV05022.....	101
CCR81515.....	70	CCR820537A.....	68	CC102XR.....	85	CC8000XNSL.....	86	CC901B.....	81	CCV05023.....	99
CCR81516.....	70	CCR8205A.....	75	CC106.....	84	CC8000XRSL.....	86	CC902B.....	81	CCV05024B.....	96
CCR81518.....	70	CCR8220.....	75	CC107.....	83	CC8006SL.....	84	CC90XC.....	86	CCV05025.....	95
CCR81838.....	72	CCR8220R.....	75	CC109.....	80	CC8007SL.....	83	CC90XJ.....	86	CCV05026.....	99
CCR81839.....	72	CCR8225.....	75	CC11.....	87	CC8009SL.....	81	CC90XN.....	86	CCV05027.....	95
CCR81841.....	72	CCR8225R.....	75	CC110B.....	81	CC8010BSL.....	81	CC90XR.....	86	CCV05028.....	98
CCR81845.....	72	CCR89812SL.....	66	CC111B.....	81	CC810.....	87	CC91.....	87	CCV05029.....	94
CCR81845A.....	72	CCR89819.....	66	CC112B.....	81	CC8102SL.....	85	CC92.....	86	CCV060.....	104
CCR81846.....	72	CCR89821.....	66	CC113B.....	81	CC811.....	87	CC920T.....	84	CCV06020.....	104
CCR81846A.....	72	CCR89822.....	66	CC114B.....	81	CC81418.....	82	CC922.....	85	CCV06020XC.....	102
CCR81847.....	72	CCR89918.....	66	CC1418.....	82	CC81419.....	82	CC92XC.....	85	CCV06020XJ.....	102
CCR81847A.....	72	CCR89919.....	66	CC1423.....	82	CC81420.....	82	CC92XJ.....	85	CCV06020XN.....	102
CCR81851SL.....	72	CCR89921.....	66	CC1423SL.....	82	CC81423SL.....	82	CC92XN.....	85	CCV06020XR.....	102
CCR8200.....	75	CCR89925SL.....	66	CC1424.....	82	CC822.....	85	CC92XR.....	85	CCV06022.....	101
CCR820020.....	74	CCR9812.....	66	CC16.....	84	CC830.....	86	CC96.....	84	CCV06023.....	99
CCR820020XC.....	73	CCR9812SL.....	66	CC17.....	83	CC830XC.....	86	CC97.....	83	CCV06024B.....	96
CCR820020XJ.....	73	CCR9819.....	66	CC19.....	81	CC830XJ.....	86	CC9811.....	80	CCV06025.....	96
CCR820020XN.....	73	CCR9821.....	66	CC2020SL.....	87	CC830XN.....	86	CC9812.....	80	CCV06026.....	100
CCR820020XR.....	73	CCR9822.....	66	CC2020XCSL.....	86	CC830XR.....	86	CC9812SL.....	80	CCV06028.....	98
CCR820022.....	72	CCR9918.....	66	CC2020XJSL.....	86	CC831.....	87	CC9818.....	80	CCV06029.....	94
CCR820023.....	71	CCR9919.....	66	CC2020XNSL.....	86	CC832.....	86	CC99.....	80	CCV0609.....	103
CCR820024B.....	69	CCR9921.....	66	CC2020XRSL.....	86	CC832XC.....	85	CC9922.....	80	CCV0609XC.....	101
CCR820025.....	68	CCR9925.....	66	CC2025SL.....	86	CC832XJ.....	85	CC9925.....	80	CCV0609XJ.....	101
CCR820026.....	71	CCR9925SL.....	66	CC2025XCSL.....	85	CC832XN.....	85	CC9925SL.....	80	CCV0609XN.....	101
CCR820027.....	68	DLHRT.....	74	CC2025XJSL.....	85	CC832XR.....	85	CC9926.....	80	CCV0609XR.....	101
CCR820028.....	70	HW30T.....	66	CC2025XRSL.....	85	CC833.....	85	DLHRT.....	87	CCV10015.....	103
CCR820029.....	67	HWRT.....	66	CC2040SL.....	83	CC836.....	84	HW30T.....	80	CCV10015XC.....	101
CCR820030.....	74	LC30T.....	73	CC2044SL.....	84	CC837.....	83	HWRT.....	80	CCV10015XJ.....	101
CCR820030A.....	74	LCET.....	73	CC2060SL.....	81	CC839.....	80	LC30T.....	85	CCV10015XN.....	101
CCR820030AXC.....	74	LCHRT.....	73	CC2080BSL.....	81	CC860.....	87	LCET.....	85	CCV10020.....	103
CCR820030AXJ.....	74	LCRT.....	73	CC2120SL.....	87	CC870.....	86	LCHRT.....	85	CCV10020XC.....	102
CCR820030AXN.....	74	LF30T.....	71	CC2122SL.....	85	CC876.....	84	LCRT.....	85	CCV10020XJ.....	102
CCR820030AXR.....	74	LFET.....	71	CC2140SL.....	83	CC877.....	83	PRHRT.....	83	CCV10020XN.....	102
CCR820030XC.....	74	LFHRT.....	71	CC2144SL.....	84	CC879.....	81	VG30T.....	80	CCV10020XR.....	102
CCR820030XJ.....	74	LFRT.....	71			CC880.....	86	VGRT.....	80	CCV10022.....	101
CCR820030XN.....	74	PRHRT.....	70			CC880XC.....	86				

CCV10023..... 99	CCV22029..... 94	CCV806025..... 96	CCV820535..... 95	CCV931..... 94	<b>Fiber-Classic Mahogany Collection</b>
CCV10024B..... 96	CCV3412SL..... 101	CCV806026..... 100	CCV820535A..... 96	CCV932..... 93	FCM10..... 186
CCV10025..... 95	CCV400..... 104	CCV806027..... 95	CCV820537..... 95	CCV940..... 103	FCM100..... 124
CCV10026..... 99	CCV4100..... 97	CCV806028..... 98	CCV820537A..... 95	CCV940XC..... 102	FCM1000..... 190
CCV10027..... 95	CCV4100SL..... 97	CCV806029..... 94	CCV8205A..... 104	CCV940XJ..... 102	FCM1006..... 131
CCV10028..... 98	CCV4200..... 97	CCV8100SL..... 104	CCV8220..... 104	CCV940XN..... 102	FCM100-A..... 124
CCV10029..... 94	CCV4300..... 97	CCV8100XCSL..... 102	CCV822012..... 103	CCV940XR..... 102	FCM101..... 124
CCV100SL..... 104	CCV455..... 104	CCV8100XHSL..... 98	CCV822012XC..... 101	CCV950SL..... 103	FCM101-A..... 124
CCV100XCSL..... 102	CCV45520..... 103	CCV8100XJSL..... 102	CCV822012XJ..... 101	CCV950XCSL..... 102	FCM101SL..... 124
CCV100XHSL..... 98	CCV45520XC..... 102	CCV8100XNSL..... 95	CCV822012XN..... 101	CCV950XJSL..... 102	FCM101SL-A..... 124
CCV100XJSL..... 102	CCV45520XJ..... 102	CCV8100XRSL..... 102	CCV822012XR..... 101	CCV960..... 103	FCM1025..... 156
CCV100XNSL..... 95	CCV45520XN..... 102	CCV8102SL..... 101	CCV822020..... 103	CCV960XC..... 102	FCM1027..... 133
CCV100XNSL..... 102	CCV45520XR..... 102	CCV8103SL..... 99	CCV822020XC..... 102	CCV960XJ..... 102	FCM1029..... 140
CCV100XRSL..... 102	CCV45522..... 101	CCV8104BSL..... 96	CCV822020XJ..... 102	CCV960XN..... 102	FCM104..... 142
CCV103SL..... 99	CCV45523..... 99	CCV8105SL..... 96	CCV822022..... 101	CCV960XR..... 102	FCM104XC..... 163
CCV104BSL..... 96	CCV45524B..... 96	CCV8106SL..... 100	CCV822023..... 99	CCV9811..... 93	FCM104XJ..... 163
CCV105SL..... 96	CCV45525..... 95	CCV8108SL..... 98	CCV822024..... 96	CCV9812..... 93	FCM104XN..... 163
CCV106SL..... 100	CCV45526..... 99	CCV8109SL..... 94	CCV822025..... 95	CCV9818..... 93	FCM104XR..... 163
CCV108SL..... 98	CCV45527..... 95	CCV8111SL..... 94	CCV822026..... 99	CCV9920..... 93	FCM105..... 142
CCV109SL..... 94	CCV45528..... 98	CCV8112SL..... 93	CCV822027..... 95	CCV9922..... 93	FCM1051..... 130
CCV1414..... 97	CCV45529..... 94	CCV81414..... 97	CCV822028..... 98	CCV9925..... 93	FCM105SL..... 143
CCV1415..... 97	CCV45537..... 95	CCV81415..... 97	CCV822029..... 94	CCV9918..... 93	FCM106..... 143
CCV1416..... 97	CCV45537A..... 95	CCV81417..... 97	CCV831..... 104	CCV9919..... 93	FCM108..... 119
CCV1418..... 97	CCV455A..... 104	CCV81418..... 97	CCV860..... 104	CCV9920..... 93	FCM1089SL..... 174
CCV1423..... 97	CCV803012..... 103	CCV81420..... 97	CCV8950XCSL..... 102	CCV9922..... 93	FCM109..... 119
CCV1423SL..... 97	CCV803012XC..... 101	CCV81423SL..... 97	CCV8950XJSL..... 102	CCV9925..... 93	FCM109SL..... 119
CCV1424..... 97	CCV803012XJ..... 101	CCV81512..... 97	CCV8950XNSL..... 102	CCV9926..... 93	FCM10XC..... 163
CCV1512..... 97	CCV803012XN..... 101	CCV81512A..... 98	CCV8950XRSL..... 102	DLHRT..... 104	FCM10XJ..... 163
CCV1512A..... 98	CCV803012XR..... 101	CCV81515..... 97	CCV89815..... 93	HW30T..... 94	FCM10XN..... 163
CCV1513..... 98	CCV803020..... 104	CCV81516..... 97	CCV89818..... 93	HWRT..... 94	FCM10XR..... 163
CCV1513A..... 98	CCV803020XC..... 102	CCV81518..... 98	CCV89819..... 93	LC30T..... 101	FCM11..... 157
CCV1515..... 97	CCV803020XJ..... 102	CCV81519..... 97	CCV89821..... 93	LCET..... 101	FCM110..... 119
CCV1516..... 97	CCV803020XN..... 102	CCV81520..... 98	CCV89822..... 93	LCHRT..... 101	FCM113..... 127
CCV1517..... 97	CCV803020XR..... 102	CCV81838..... 100	CCV89918..... 93	LCRT..... 101	FCM114..... 127
CCV1519..... 97	CCV803022..... 101	CCV81839..... 100	CCV89919..... 93	LF30T..... 99	FCM114SL..... 127
CCV1528..... 97	CCV803023..... 99	CCV81840..... 100	CCV89921..... 93	LFET..... 99	FCM115..... 127
CCV1838..... 100	CCV803024B..... 96	CCV81841..... 100	CCV89922..... 93	LFHRT..... 99	FCM115SL..... 127
CCV1839..... 100	CCV803025..... 96	CCV81843..... 100	CCV89924..... 94	LFRT..... 99	FCM116..... 167
CCV1840..... 100	CCV803026..... 100	CCV81846..... 100	CCV9010SL..... 104	PRHRT..... 98	FCM118..... 127
CCV1843..... 100	CCV803027..... 95	CCV81846A..... 100	CCV9011SL..... 94	VG30T..... 93	FCM12..... 156
CCV1851..... 100	CCV803028..... 98	CCV8205..... 104	CCV9012SL..... 93	VGRT..... 93	FCM1200..... 173
CCV1851SL..... 100	CCV803029..... 94	CCV820512..... 103	CCV9020SL..... 103	ZHHRT..... 100	FCM1200SL..... 174
CCV200..... 104	CCV805015..... 103	CCV820512XC..... 101	CCV910..... 104	ZHRT..... 100	FCM1201..... 172
CCV205..... 104	CCV805015XC..... 101	CCV820512XJ..... 101	CCV910XC..... 102		FCM1201SL..... 174
CCV20520..... 103	CCV805015XJ..... 101	CCV820512XN..... 101	CCV910XCSL..... 102		FCM1202..... 172
CCV20520XC..... 102	CCV805015XN..... 101	CCV820512XR..... 101	CCV910XJ..... 102		FCM1202SL..... 174
CCV20520XJ..... 102	CCV805020..... 103	CCV820520..... 103	CCV910XJSL..... 102		FCM1203..... 172
CCV20520XN..... 102	CCV805020XC..... 102	CCV820520XC..... 102	CCV910XN..... 102		FCM1208..... 173
CCV20520XR..... 102	CCV805020XJ..... 102	CCV820520XJ..... 102	CCV910XNSL..... 102		FCM1209..... 172
CCV20522..... 101	CCV805020XN..... 102	CCV820520XN..... 102	CCV910XR..... 102		FCM12101SL..... 186
CCV20523..... 99	CCV805020XR..... 102	CCV820520XR..... 102	CCV910XRSL..... 102		FCM12101XCSL..... 164
CCV20524B..... 96	CCV805022..... 101	CCV820522..... 101	CCV911..... 94		FCM12101XJSL..... 164
CCV20525..... 95	CCV805023..... 99	CCV820522A..... 99	CCV912..... 93		FCM12101XNSL..... 164
CCV20526..... 99	CCV805024B..... 96	CCV820525..... 95	CCV912SL..... 93		FCM12101XRSL..... 164
CCV20527..... 95	CCV805025..... 95	CCV820526..... 99	CCV920..... 103		FCM12102SL..... 174
CCV20528..... 98	CCV805026..... 99	CCV820527..... 95	CCV920XC..... 102		FCM12102XC..... 159
CCV20529..... 94	CCV805027..... 95	CCV820528..... 98	CCV920XCJ..... 102		FCM12102XJSL..... 159
CCV20537..... 95	CCV805028..... 98	CCV820529..... 94	CCV920XCNSL..... 102		FCM12102XNSL..... 159
CCV20537A..... 95	CCV805029..... 94	CCV820530..... 104	CCV920XR..... 102		FCM1212..... 172
CCV205A..... 104	CCV806012..... 103	CCV820530A..... 104	CCV920XRSL..... 102		FCM1212101SL..... 186
CCV220..... 104	CCV806012XC..... 101	CCV820530AXC..... 102	CCV921..... 94		FCM1212101XC..... 164
CCV22020..... 103	CCV806012XJ..... 101	CCV820530AXN..... 102	CCV922..... 93		FCM1212101XNSL..... 164
CCV22020XC..... 102	CCV806012XN..... 101	CCV820530AXR..... 102	CCV930..... 103		FCM1212101XRSL..... 164
CCV22020XJ..... 102	CCV806012XR..... 101	CCV820530XC..... 102	CCV930XC..... 102		FCM121202SL..... 174
CCV22020XN..... 102	CCV806020..... 104	CCV820530XJ..... 102	CCV930XJ..... 102		FCM121202XC..... 159
CCV22020XR..... 102	CCV806020XC..... 102	CCV820530XR..... 102	CCV930XN..... 102		FCM121202XNSL..... 159
CCV22022..... 101	CCV806020XJ..... 102	CCV820532..... 101	CCV930XR..... 102		FCM1212101SL..... 186
CCV22023..... 99	CCV806020XN..... 102	CCV820532A..... 101			FCM1212101XC..... 164
CCV22024B..... 96	CCV806020XR..... 102				FCM1212101XNSL..... 164
CCV22025..... 95	CCV806022..... 101				FCM1212101XRSL..... 164
CCV22026..... 99	CCV806023..... 99				FCM1212101XNSL..... 164
CCV22027..... 95	CCV806024B..... 96				FCM1212101XRSL..... 164
CCV22028..... 98					FCM1212101XNSL..... 164







FC1400.....	180	FC2321G.....	139	FC63XJSL.....	161	FC776.....	136	FC80954.....	136	FC85901G.....	138
FC1400SL.....	180	FC2321R.....	139	FC63XNSL.....	161	FC777.....	131	FC80955.....	132	FC85901R.....	138
FC1402.....	180	FC241.....	125	FC63XRSL.....	161	FC778.....	141	FC80956.....	134	FC860.....	191
FC1404.....	180	FC241-A.....	125	FC65.....	178	FC779.....	143	FC80957.....	141	FC860221G.....	138
FC1408.....	180	FC25.....	156	FC65XC.....	160	FC780.....	146	FC80958.....	151	FC860221R.....	138
FC1408SL.....	180	FC3000-2C.....	179	FC65XJ.....	160	FC781.....	151	FC80959.....	146	FC861.....	188
FC1409.....	170	FC3000-3C.....	179	FC65XN.....	160	FC782.....	134	FC810SL.....	151	FC861XC.....	165
FC1409SL.....	170	FC3000-4C.....	179	FC65XR.....	160	FC783.....	151	FC8113SL.....	158	FC861XJ.....	165
FC140SL.....	167	FC3000-6C.....	179	FC66.....	157	FC783SL.....	151	FC811LSL.....	130	FC861XR.....	165
FC141.....	167	FC31.....	190	FC668.....	122	FC784.....	157	FC811RSL.....	130	FC861XN.....	165
FC1411.....	180	FC310.....	119	FC669.....	157	FC785.....	134	FC812SL.....	132	FC862.....	190
FC141SL.....	167	FC32.....	187	FC670.....	187	FC786.....	151	FC813.....	157	FC86220.....	187
FC142.....	141	FC32SL.....	188	FC6721GSL.....	139	FC787.....	157	FC813SL.....	149	FC862203.....	178
FC142SL.....	141	FC32XC.....	164	FC6721RSL.....	139	FC788.....	134	FC814.....	122	FC862203XC.....	160
FC143.....	141	FC32XCSSL.....	165	FC68.....	156	FC789.....	187	FC8141.....	180	FC862203XJ.....	160
FC143SL.....	141	FC32XJ.....	164	FC701G.....	139	FC789XC.....	164	FC81421GSL.....	139	FC862203XN.....	160
FC144.....	141	FC32XJSL.....	165	FC701R.....	139	FC789XJ.....	164	FC81421RSL.....	139	FC862203XR.....	160
FC1442SL.....	149	FC32XN.....	164	FC701SL.....	188	FC789XN.....	164	FC8144.....	180	FC86220XC.....	165
FC144SL.....	141	FC32XNSL.....	165	FC704.....	180	FC789XR.....	164	FC8145.....	180	FC86220XJ.....	165
FC145.....	141	FC32XR.....	164	FC707.....	136	FC790.....	151	FC8145SL.....	180	FC86220XN.....	165
FC146.....	141	FC32XRSL.....	165	FC707SL.....	123	FC791.....	158	FC8149.....	149	FC86220XR.....	165
FC147.....	143	FC3487SL.....	179	FC708.....	187	FC792.....	134	FC814SL.....	128	FC86221G.....	139
FC147SL.....	144	FC3487XCSSL.....	161	FC708XC.....	165	FC794.....	120	FC815SL.....	136	FC86221R.....	139
FC148.....	149	FC3487XJSL.....	161	FC708XJ.....	165	FC795.....	141	FC816.....	119	FC86221.....	122
FC148SL.....	149	FC3487XNSL.....	161	FC708XN.....	165	FC796.....	143	FC81645.....	154	FC86224.....	149
FC149.....	149	FC3487XRSL.....	161	FC708XR.....	165	FC797.....	146	FC81646.....	153	FC86243.....	120
FC149SL.....	149	FC369.....	127	FC709.....	149	FC798.....	149	FC81646SL.....	154	FC86245.....	158
FC150.....	149	FC38.....	122	FC710.....	187	FC799.....	151	FC81649.....	154	FC86247.....	146
FC151.....	149	FC38SL.....	123	FC710XC.....	164	FC800.....	134	FC81651.....	153	FC86248.....	156
FC152.....	149	FC43.....	123	FC710XJ.....	164	FC801.....	120	FC81651SL.....	154	FC86249.....	144
FC156.....	149	FC43SL.....	123	FC710XN.....	164	FC802.....	122	FC81652.....	153	FC86252.....	125
FC16.....	122	FC44.....	157	FC710XR.....	164	FC803.....	187	FC81652SL.....	154	FC86252-A.....	125
FC160.....	187	FC44SL.....	158	FC7125SL.....	179	FC803021G.....	138	FC81653.....	154	FC86253.....	128
FC160XC.....	164	FC45.....	122	FC713.....	143	FC803021R.....	138	FC81654.....	153	FC86254.....	136
FC160XJ.....	164	FC46SL.....	122	FC714.....	120	FC803XC.....	165	FC81654SL.....	154	FC86255.....	132
FC160XN.....	164	FC47SL.....	188	FC721.....	144	FC803XJ.....	165	FC8165L.....	125	FC86256.....	134
FC160XR.....	164	FC47XCSSL.....	165	FC735.....	146	FC803XN.....	165	FC816SL-A.....	125	FC86257.....	141
FC163.....	143	FC47XJSL.....	165	FC736.....	132	FC803XR.....	165	FC817.....	127	FC86258.....	151
FC164.....	120	FC47XNSL.....	165	FC752.....	178	FC805.....	151	FC817SL.....	141	FC862721GSL.....	139
FC1645.....	154	FC47XRSL.....	165	FC755.....	191	FC806.....	158	FC818SL.....	144	FC862721RSL.....	139
FC1646.....	153	FC48.....	187	FC756.....	130	FC806GSL.....	139	FC82.....	176	FC86275SL.....	179
FC1646SL.....	154	FC48SL.....	188	FC756LSL.....	130	FC806RSL.....	139	FC820.....	146	FC8704.....	180
FC1647.....	153	FC48XC.....	164	FC756RSL.....	130	FC807.....	178	FC821.....	143	FC8707.....	136
FC165.....	141	FC48XCSSL.....	165	FC757.....	151	FC807SL.....	134	FC822.....	125	FC8708.....	187
FC1651.....	153	FC48XJ.....	164	FC757SL.....	151	FC807XC.....	160	FC822-A.....	125	FC8708XC.....	165
FC1651SL.....	154	FC48XJSL.....	165	FC758.....	133	FC807XJ.....	160	FC828.....	176	FC8708XJ.....	165
FC1652.....	153	FC48XN.....	164	FC758SL.....	134	FC807XN.....	160	FC82XC.....	160	FC8708XN.....	165
FC1652SL.....	154	FC48XNSL.....	165	FC759.....	151	FC807XR.....	160	FC82XJ.....	160	FC8708XR.....	165
FC1654.....	153	FC48XR.....	164	FC759SL.....	151	FC808.....	191	FC82XN.....	160	FC8721.....	144
FC1655.....	154	FC48XRSL.....	165	FC761.....	134	FC808SL.....	120	FC82XR.....	160	FC8735.....	146
FC1656SL.....	154	FC547.....	151	FC761SL.....	134	FC809.....	190	FC8310.....	177	FC8736.....	132
FC1661.....	154	FC58.....	156	FC762.....	151	FC80920.....	187	FC8310SL.....	179	FC8752.....	178
FC18.....	176	FC58SL.....	156	FC762SL.....	151	FC809203.....	178	FC8311.....	177	FC8867SL.....	149
FC18SL.....	178	FC60.....	191	FC763.....	157	FC809203XC.....	160	FC8311SL.....	179	FC89701.....	149
FC18XC.....	160	FC60221G.....	138	FC764.....	133	FC809203XJ.....	160	FC8313.....	177	FC8972.....	167
FC18XCSSL.....	160	FC60221R.....	138	FC764SL.....	134	FC809203XN.....	160	FC8313SL.....	179	FC900.....	131
FC18XJ.....	160	FC6093.....	136	FC765.....	119	FC809203XR.....	160	FC8316.....	177	FC900SL.....	132
FC18XJSL.....	160	FC6094.....	143	FC765SL.....	120	FC80920XC.....	165	FC8318.....	178	FC901.....	131
FC18XN.....	160	FC6095.....	146	FC766.....	187	FC80920XJ.....	165	FC8319.....	178	FC901SL.....	132
FC18XNSL.....	160	FC61.....	188	FC766XC.....	164	FC80920XN.....	165	FC832.....	178	FC902.....	131
FC18XR.....	160	FC61XC.....	165	FC766XJ.....	164	FC80920XR.....	165	FC8320.....	178	FC9021G.....	138
FC18XRSL.....	160	FC61XJ.....	165	FC766XN.....	164	FC80921G.....	139	FC8321.....	178	FC9021GSL.....	139
FC198.....	180	FC61XN.....	165	FC766XR.....	164	FC80921R.....	139	FC8321XC.....	160	FC9021R.....	138
FC198SL.....	180	FC61XR.....	165	FC767.....	151	FC80941.....	122	FC8321XJ.....	160	FC9021RSL.....	139
FC20042.....	149	FC62.....	187	FC768.....	157	FC80942.....	149	FC8321XN.....	160	FC902SL.....	132
FC21.....	122	FC626.....	149	FC768GSL.....	139	FC80943.....	120	FC8321XR.....	160	FC903.....	131
FC2101.....	177	FC62XC.....	164	FC768RSL.....	139	FC80945.....	158	FC8322.....	178	FC904.....	132
FC2101SL.....	179	FC62XJ.....	164	FC769.....	134	FC80947.....	146	FC8323.....	178	FC905.....	136
FC2102.....	177	FC62XN.....	164	FC770.....	119	FC80948.....	156	FC8324.....	178	FC905SL.....	136
FC2106.....	176	FC62XR.....	164	FC772.....	122	FC80949.....	144	FC832XC.....	160	FC906.....	136
FC2107.....	176	FC63.....	178	FC773.....	125	FC80952.....	125	FC832XJ.....	160	FC906SL.....	136
FC2108.....	176	FC63SL.....	179	FC773-A.....	125	FC80952-A.....	125	FC832XN.....	160	FC907.....	136
FC23.....	178	FC63XCSSL.....	161	FC775.....	127	FC80953.....	127	FC832XR.....	160	FC907SL.....	136

FC908.....	136	FC06190XNSL.....	161	S108XC.....	161	S140STC.....	190	S2100.....	172	S3000-3C.....	184
FC909.....	136	FC06190XRSL.....	161	S108XJ.....	161	S140XC.....	165	S2101.....	181	S3000-4C.....	184
FC910.....	146	FC082000-2C.....	169	S108XN.....	161	S140XJ.....	165	S2101SL.....	183	S3000-6C.....	184
FC910SL.....	146	FC082000-3C.....	169	S108XR.....	161	S140XN.....	165	S2102.....	181	S3000F-2C.....	184
FC911.....	146	FC082000-4C.....	169	S10XC.....	166	S140XR.....	165	S2103.....	170	S3000F-3C.....	184
FC911SL.....	146	FC082000-6C.....	169	S10XJ.....	166	S141.....	181	S2103SL.....	171	S3000F-4C.....	184
FC912.....	146	FC083000F-2C.....	179	S10XN.....	166	S1411.....	185	S2104.....	170	S3000F-6C.....	184
FC912SL.....	146	FC083000F-3C.....	179	S10XR.....	166	S141STC.....	190	S2104SL.....	171	S308SL.....	183
FC913.....	146	FC083000F-4C.....	179	S11.....	191	S141XC.....	161	S2105.....	170	S308XCSL.....	162
FC914.....	146	FC083000F-6C.....	179	S115.....	183	S141XJ.....	161	S2106.....	181	S308XJSL.....	162
FC915.....	146	FC083000P-2C.....	179	S1170SL.....	183	S141XN.....	161	S2107.....	181	S308XNSL.....	162
FC916.....	146	FC083000P-3C.....	179	S1170XCSL.....	162	S141XR.....	161	S2108.....	181	S308XRSL.....	162
FC916SL.....	146	FC083000P-4C.....	179	S1170XJSL.....	162	S1442SL.....	150	S2108SL.....	189	S30XC.....	166
FC917.....	146	FC083000P-6C.....	179	S1170XNSL.....	162	S150.....	188	S2109.....	166	S30XJ.....	166
FC918G.....	138			S1170XRSL.....	162	S150SL.....	189	S210XJSL.....	166	S30XN.....	166
FC918R.....	138	<b>Smooth-Star.</b>		S118.....	188	S151.....	183	S210XNSL.....	166	S30XR.....	166
FC919G.....	138	19020T.....	186	S118XC.....	165	S151SL.....	184	S210XRSL.....	166	S31.....	191
FC919R.....	138	19020T.....	189	S118XJ.....	165	S154.....	137	S211.....	126	S310.....	120
FC92.....	177	19055T.....	126	S118XN.....	165	S154SL.....	137	S211-A.....	126	S32.....	182
FC920G.....	139	19055T-A.....	126	S118XR.....	165	S155.....	144	S213.....	137	S32XC.....	161
FC920R.....	139	19080T.....	124	S12.....	126	S155SL.....	145	S214.....	144	S32XJ.....	161
FC921G.....	139	19200T.....	186	S1200.....	181	S156.....	149	S2150.....	171	S32XN.....	161
FC921R.....	139	19200T.....	189	S1200SL.....	183	S16.....	152	S220.....	191	S32XR.....	161
FC922G.....	138	19210T.....	189	S1201.....	181	S160.....	149	S2200.....	172	S34.....	158
FC922R.....	138	19220T.....	186	S1201SL.....	183	S160SL.....	150	S2250.....	170	S3487SL.....	184
FC924G.....	139	19220T.....	189	S1202.....	181	S161.....	149	S2321G.....	140	S3487XCSL.....	162
FC924R.....	139	19520T.....	126	S1202SL.....	183	S161SL.....	150	S2321R.....	140	S3487XJSL.....	162
FC925.....	167	19520T-A.....	126	S1203.....	181	S162.....	150	S236.....	183	S3487XNSL.....	162
FC92SL.....	179	19720T.....	145	S1204.....	170	S163.....	150	S237.....	183	S3487XRSL.....	162
FC92XC.....	160	19730T.....	145	S1204SL.....	171	S1645.....	155	S241.....	125	S35.....	126
FC92XCSSL.....	160	19740T.....	137	S1205.....	170	S1646.....	154	S241-A.....	125	S3570SL.....	152
FC92XJ.....	160	19750T.....	137	S1205SL.....	171	S1646SL.....	155	S243.....	168	S35-A.....	126
FC92XJSL.....	160	19800T.....	124	S1206.....	170	S1647.....	154	S250.....	158	S36.....	152
FC92XN.....	160	19810T.....	124	S1206SL.....	171	S1650.....	154	S250SL.....	159	S369.....	128
FC92XNSL.....	160	19820T.....	124	S1207.....	170	S1651.....	154	S255.....	183	S37.....	147
FC92XR.....	160	85901SL.....	142	S1208.....	181	S1651SL.....	155	S256.....	189	S38.....	123
FC92XRSL.....	160	85919SL.....	142	S1208SL.....	183	S1652.....	154	S256XC.....	166	S400.....	147
FC02000-2C.....	169	ANRTG.....	140	S1209.....	181	S1652SL.....	155	S256XJ.....	166	S4070SL.....	148
FC02000-3C.....	169	ANRTR.....	140	S1209SL.....	183	S1653.....	154	S256XN.....	166	S41.....	137
FC02000-4C.....	169	AVRT.....	135	S1211.....	181	S1654.....	154	S256XR.....	166	S416SL.....	147
FC02000-6C.....	169	AXRT.....	155	S1211SL.....	183	S1655.....	154	S260.....	159	S42.....	144
FC03000F-2C.....	179	BLHRT.....	124	S1212.....	181	S1656.....	154	S262.....	182	S426.....	147
FC03000F-3C.....	179	BSHRT.....	121	S128.....	181	S1656SL.....	155	S262XC.....	161	S43.....	150
FC03000F-4C.....	179	BSRT.....	121	S128XC.....	161	S1658.....	154	S262XJ.....	161	S430.....	147
FC03000F-6C.....	179	CNHRT.....	148	S128XJ.....	161	S1661.....	155	S262XN.....	161	S430SL.....	148
FC06184SL.....	180	CNRT.....	148	S128XN.....	161	S17.....	147	S262XR.....	161	S450.....	147
FC06184XCSL.....	161	DLHRT.....	189	S128XR.....	161	S198.....	185	S263SL.....	184	S450SL.....	148
FC06184XJSL.....	161	EMRT.....	130	S12-A.....	126	S198SL.....	186	S263XCSL.....	162	S454.....	147
FC06184XNSL.....	161	FWRT.....	133	S130.....	168	S20.....	137	S263XJSL.....	162	S4570SL.....	121
FC06184XRSL.....	161	KNRT.....	150	S130SL.....	168	S200.....	191	S263XNSL.....	162	S547.....	152
FC06185SL.....	180	S10.....	189	S131.....	168	S2000.....	172	S263XRSL.....	162	S5870SL.....	145
FC06185XCSL.....	161	S100.....	191	S132.....	168	S2000-2C.....	171	S289.....	188	S5901G.....	139
FC06185XJSL.....	161	S1000.....	147	S132SL.....	168	S2000-3C.....	171	S289E.....	158	S5901R.....	139
FC06185XNSL.....	161	S1001.....	150	S137.....	168	S2000-4C.....	171	S289ESL.....	159	S600.....	191
FC06185XRSL.....	161	S1006.....	132	S138.....	158	S2000-6C.....	171	S289XC.....	166	S6000.....	120
FC06186SL.....	180	S100SL.....	189	S138SL.....	159	S2000SL.....	172	S289XJ.....	166	S6000SL.....	121
FC06186XCSL.....	161	S100XCSL.....	166	S139.....	125	S2000SL-2C.....	171	S289XN.....	166	S6002.....	120
FC06186XJSL.....	161	S100XJSL.....	166	S139-A.....	125	S2000SL-4C.....	171	S289XR.....	166	S6002SL.....	121
FC06186XNSL.....	161	S100XNSL.....	166	S139SL.....	126	S20042.....	149	S291.....	137	S6006.....	128
FC06186XRSL.....	161	S100XRSL.....	166	S139SL-A.....	126	S2009.....	171	S291SL.....	137	S6006SL.....	129
FC06188SL.....	180	S102.....	188	S140.....	188	S2009SL.....	171	S292.....	144	S6008.....	128
FC06188XCSL.....	161	S1027.....	134	S1400.....	185	S2010.....	170	S292SL.....	145	S6008SL.....	129
FC06188XJSL.....	161	S1029.....	141	S1400SL.....	186	S2010SL.....	171	S294.....	126	S6009.....	128
FC06188XNSL.....	161	S103.....	158	S1401.....	171	S205.....	191	S294-A.....	126	S6009SL.....	129
FC06188XRSL.....	161	S104.....	188	S1401SL.....	171	S2050.....	170	S294SL.....	126	S601.....	189
FC06189SL.....	180	S104XC.....	166	S1402.....	185	S206.....	188	S294SL-A.....	126	S6010.....	128
FC06189XCSL.....	161	S104XJ.....	166	S1404.....	185	S206E.....	158	S296.....	189	S6011.....	128
FC06189XJSL.....	161	S104XN.....	166	S1405.....	185	S206XC.....	165	S296XC.....	166	S6012.....	128
FC06189XNSL.....	161	S104XR.....	166	S1405SL.....	186	S206XJ.....	165	S296XJ.....	166	S6013.....	121
FC06189XRSL.....	161	S105.....	189	S1406.....	185	S206XN.....	165	S296XN.....	166	S6014.....	128
FC06190SL.....	180	S1051.....	130	S1407.....	185	S206XR.....	165	S296XR.....	166	S6015L.....	189
FC06190XCSL.....	161	S108.....	181	S1408.....	185	S2070SL.....	159	S30.....	188	S601XC.....	166
FC06190XJSL.....	161	S1089.....	181	S1409.....	171	S210.....	191	S3000-2C.....	184	S601XCSL.....	166
		S1089SL.....	183								



S601XJ.....	166	S6060RSL.....	130	S6103.....	132	S756SL.....	152	S81646SL.....	155	S82XJ.....	161
S601XJSL.....	166	S6061.....	168	S6104.....	132	S757SL.....	148	S81649.....	155	S82XJSL.....	162
S601XN.....	166	S6062.....	185	S6105.....	132	S758SL.....	124	S81650.....	154	S82XN.....	161
S601XNSL.....	166	S6062SL.....	186	S6106.....	132	S761SL.....	189	S81651.....	154	S82XNSL.....	162
S601XR.....	166	S6063.....	181	S6107.....	132	S766SL.....	152	S81651SL.....	155	S82XR.....	161
S601XRSL.....	166	S6063STC.....	190	S6108.....	132	S767SL.....	148	S81652.....	154	S82XRSL.....	162
S602.....	137	S6063XC.....	161	S6111.....	121	S768GSL.....	140	S81652SL.....	155	S830.....	188
S6021.....	188	S6063XJ.....	161	S6113.....	123	S768RSL.....	140	S81653.....	154	S83000-2C.....	184
S6021XC.....	165	S6063XN.....	161	S6117.....	144	S768SL.....	124	S81654.....	154	S83000-3C.....	184
S6021XJ.....	165	S6063XR.....	161	S6119.....	150	S770.....	188	S81654SL.....	155	S83000-4C.....	184
S6021XN.....	165	S606SL.....	185	S6121.....	135	S770XC.....	166	S817.....	128	S83000-6C.....	184
S6021XR.....	165	S606XC.....	162	S6123.....	123	S770XJ.....	166	S818.....	188	S83000F-2C.....	184
S6022.....	182	S606XCSSL.....	162	S6124SL.....	185	S770XN.....	166	S81828.....	181	S83000F-3C.....	184
S60221G.....	139	S606XJ.....	162	S6124XCSSL.....	162	S770XR.....	166	S818XC.....	165	S83000F-4C.....	184
S60221R.....	139	S606XJSL.....	162	S6124XJSL.....	162	S771.....	121	S818XJ.....	165	S83000F-6C.....	184
S6022XC.....	161	S606XN.....	162	S6124XNSL.....	162	S772.....	152	S818XN.....	165	S830XC.....	166
S6022XJ.....	161	S606XNSL.....	162	S6124XRSL.....	162	S773.....	147	S818XR.....	165	S830XJ.....	166
S6022XN.....	161	S606XR.....	162	S6125SL.....	185	S774.....	144	S81929P.....	188	S830XN.....	166
S6022XR.....	161	S606XRSL.....	162	S6125XCSSL.....	162	S80.....	188	S81929PXC.....	165	S830XR.....	166
S6023.....	158	S607.....	184	S6125XJSL.....	162	S8000.....	172	S81929PXJ.....	165	S831.....	191
S6024.....	152	S6070.....	141	S6125XNSL.....	162	S8000-12.....	170	S81929PXN.....	165	S8310.....	182
S6025.....	126	S6070SL.....	142	S6125XRSL.....	162	S8000-18.....	170	S81929PXR.....	165	S8310SL.....	183
S6025-A.....	126	S6071.....	141	S6126SL.....	185	S8000-9.....	171	S81930P.....	152	S8311.....	181
S6026.....	147	S6071SL.....	142	S6126XCSSL.....	162	S803021G.....	139	S81931P.....	158	S8311SL.....	183
S6027.....	123	S6072.....	142	S6126XJSL.....	162	S803021R.....	139	S81932P.....	134	S83120.....	189
S6029.....	137	S6073.....	142	S6126XNSL.....	162	S806GSL.....	140	S81933P.....	120	S831203.....	183
S602SL.....	137	S6073SL.....	142	S6126XRSL.....	162	S806RSL.....	140	S81935P.....	123	S831203XC.....	162
S6030.....	144	S6074.....	142	S6127SL.....	135	S807.....	183	S81936P.....	126	S831203XJ.....	162
S6031.....	128	S6075.....	142	S6128SL.....	168	S807XC.....	162	S81936P-A.....	126	S831203XN.....	162
S6032.....	120	S6076.....	142	S6130SL.....	124	S807XJ.....	162	S81937P.....	128	S831203XR.....	162
S6034.....	168	S6077.....	142	S6131SL.....	133	S807XN.....	162	S81938P.....	137	S83120XC.....	166
S6035.....	168	S6078.....	142	S6132SL.....	150	S807XR.....	162	S81939P.....	132	S83120XJ.....	166
S6036.....	150	S6079.....	142	S6134SL.....	129	S808.....	181	S81940P.....	142	S83120XN.....	166
S604.....	126	S607SL.....	185	S6135SL.....	142	S808SL.....	183	S81941P.....	144	S83120XR.....	166
S6041.....	188	S607XC.....	162	S6136LSL.....	130	S80XC.....	165	S81942P.....	147	S83121G.....	140
S6041XC.....	166	S607XCSSL.....	162	S6136RSL.....	130	S80XJ.....	165	S81983.....	142	S83121R.....	140
S6041XJ.....	166	S607XJ.....	162	S626.....	149	S80XN.....	165	S82.....	181	S8313.....	181
S6041XN.....	166	S607XJSL.....	162	S63.....	182	S80XR.....	165	S820.....	147	S8313SL.....	183
S6041XR.....	166	S607XN.....	162	S668.....	123	S810.....	191	S8200.....	191	S83141.....	123
S6042.....	182	S607XNSL.....	162	S669.....	158	S81000.....	191	S82000-2C.....	171	S83142.....	150
S6042XC.....	161	S607XR.....	162	S6721G.....	139	S81086SL.....	189	S82000-3C.....	171	S83143.....	121
S6042XJ.....	161	S607XRSL.....	162	S6721GSL.....	140	S81086XCSSL.....	166	S82000-4C.....	171	S83145.....	159
S6042XN.....	161	S608.....	185	S6721R.....	139	S81086XJSL.....	166	S82000-6C.....	171	S83147.....	147
S6042XR.....	161	S6080.....	189	S6721RSL.....	140	S81086XNSL.....	166	S8201.....	191	S83149.....	144
S6043.....	158	S6080XC.....	166	S700.....	152	S81086XRSL.....	166	S8202.....	184	S83152.....	126
S6044.....	152	S6080XJ.....	166	S701G.....	140	S811.....	182	S8202SL.....	185	S83152-A.....	126
S6045.....	126	S6080XN.....	166	S701R.....	140	S8113SL.....	159	S8203.....	184	S83153.....	128
S6045-A.....	126	S6080XR.....	166	S704.....	185	S81186SL.....	183	S8204.....	184	S83154.....	137
S6046.....	147	S6081.....	158	S707.....	137	S812.....	158	S8204SL.....	185	S83155.....	132
S6047.....	123	S6082.....	144	S708.....	189	S81208.....	181	S8205.....	184	S83156.....	135
S6049.....	137	S6083.....	152	S708XC.....	166	S81225.....	168	S8207SL.....	185	S83157.....	142
S604-A.....	126	S6084.....	147	S708XJ.....	166	S813.....	158	S821.....	144	S83158.....	152
S604SL.....	126	S6085.....	121	S708XN.....	166	S81300SL.....	159	S82103.....	170	S8316.....	181
S604SL-A.....	126	S608XC.....	162	S708XR.....	166	S814.....	123	S82104.....	170	S8317.....	183
S605.....	184	S608XJ.....	162	S709.....	150	S8140.....	188	S82105.....	170	S8318.....	182
S6050.....	144	S608XN.....	162	S7125SL.....	184	S81401.....	171	S82106.....	170	S8319.....	182
S6051.....	128	S608XR.....	162	S716.....	152	S8140STC.....	190	S82107.....	170	S832.....	182
S6052.....	121	S609.....	132	S716SL.....	152	S8140XC.....	165	S82112.....	171	S8320.....	182
S6054.....	168	S6090.....	147	S721.....	145	S8140XJ.....	165	S82113.....	171	S8321.....	183
S6055.....	168	S6091.....	144	S726.....	152	S8140XN.....	165	S82114.....	171	S8321XC.....	161
S6056.....	150	S6091SL.....	145	S730.....	152	S8140XR.....	165	S82116.....	171	S8321XJ.....	161
S605SL.....	185	S6092.....	137	S730SL.....	152	S8141.....	185	S82200.....	172	S8321XN.....	161
S605XC.....	162	S6092SL.....	137	S735.....	147	S81421GSL.....	140	S82250.....	170	S8321XR.....	161
S605XCSSL.....	162	S6093.....	137	S736.....	133	S81421RSL.....	140	S822XC.....	161	S8322.....	182
S605XJ.....	162	S6094.....	144	S750SL.....	152	S8144.....	185	S822XJ.....	161	S8323.....	183
S605XJSL.....	162	S6095.....	147	S751SL.....	189	S8145.....	185	S822XN.....	161	S8324.....	183
S605XN.....	162	S6097.....	182	S751XCSSL.....	166	S8145SL.....	186	S822XR.....	161	S832XC.....	161
S605XNSL.....	162	S6100.....	132	S751XJSL.....	166	S8149.....	149	S828.....	181	S832XJ.....	161
S605XR.....	162	S6100SL.....	133	S751XNSL.....	166	S814SL.....	123	S829.....	168	S832XN.....	161
S605XRSL.....	162	S6101.....	132	S751XRSL.....	166	S815.....	123	S829SL.....	168	S832XR.....	161
S606.....	184	S6101SL.....	133	S752.....	183	S816.....	120	S82SL.....	183	S833.....	126
S6060.....	130	S6102.....	132	S754.....	152	S81645.....	155	S82XC.....	161	S833-A.....	126
S6060LSL.....	130	S6102SL.....	133	S755.....	191	S81646.....	154	S82XCSSL.....	162	S834.....	158

S836 ..... 152  
 S837 ..... 147  
 S84 ..... 158  
 S84586SL ..... 124  
 S85892 ..... 120  
 S85892SL ..... 121  
 S85893 ..... 128  
 S85893SL ..... 129  
 S85895 ..... 147  
 S85895SL ..... 147  
 S85896 ..... 144  
 S85896SL ..... 145  
 S85897 ..... 132  
 S85898 ..... 132  
 S85898SL ..... 133  
 S85900 ..... 134  
 S85900SL ..... 135  
 S85901 ..... 142  
 S85901G ..... 139  
 S85901R ..... 139  
 S85902 ..... 147  
 S85902SL ..... 148  
 S85903 ..... 130  
 S85903LSL ..... 130  
 S85903RSL ..... 130  
 S85905 ..... 121  
 S85906 ..... 135  
 S85907 ..... 123  
 S85908 ..... 137  
 S85909 ..... 144  
 S85910SL ..... 189  
 S85910XCSSL ..... 166  
 S85910XJSL ..... 166  
 S85910XNSL ..... 166  
 S85910XRSL ..... 166  
 S85911SL ..... 135  
 S85912SL ..... 121  
 S85914SL ..... 124  
 S85915SL ..... 126  
 S85915SL-A ..... 126  
 S85916SL ..... 129  
 S85917SL ..... 137  
 S85918SL ..... 133  
 S85920SL ..... 148  
 S85922SL ..... 145  
 S85923SL ..... 152  
 S85924SL ..... 185  
 S85925SL ..... 185  
 S85926SL ..... 185  
 S85927SL ..... 121  
 S85928SL ..... 168  
 S85930SL ..... 148  
 S85931SL ..... 129  
 S85932SL ..... 137  
 S85934SL ..... 145  
 S86 ..... 152  
 S8600 ..... 191  
 S8600XC ..... 166  
 S8600XJ ..... 166  
 S8600XN ..... 166  
 S8600XR ..... 166  
 S8601 ..... 189  
 S8601SL ..... 189  
 S8601XCSSL ..... 166  
 S8601XJSL ..... 166  
 S8601XNSL ..... 166  
 S8601XRSL ..... 166  
 S8602 ..... 137  
 S860221G ..... 139  
 S860221R ..... 139  
 S8602SL ..... 137  
 S8604 ..... 126

S8604-A ..... 126  
 S8605 ..... 184  
 S8605SL ..... 185  
 S8605XC ..... 162  
 S8605XJ ..... 162  
 S8605XN ..... 162  
 S8605XR ..... 162  
 S8606 ..... 184  
 S8606SL ..... 185  
 S8606XC ..... 162  
 S8606XJ ..... 162  
 S8606XN ..... 162  
 S8606XR ..... 162  
 S8607 ..... 184  
 S8607SL ..... 185  
 S8607XC ..... 162  
 S8607XJ ..... 162  
 S8607XN ..... 162  
 S8607XR ..... 162  
 S8608 ..... 185  
 S8608XC ..... 162  
 S8608XJ ..... 162  
 S8608XN ..... 162  
 S8608XR ..... 162  
 S8609 ..... 132  
 S86721GSL ..... 140  
 S86721RSL ..... 140  
 S8675SL ..... 184  
 S867SL ..... 150  
 S8704 ..... 185  
 S8707 ..... 137  
 S8708 ..... 189  
 S8708XC ..... 166  
 S8708XJ ..... 166  
 S8708XN ..... 166  
 S8708XR ..... 166  
 S8721 ..... 145  
 S8735 ..... 147  
 S8736 ..... 133  
 S8752 ..... 183  
 S880 ..... 188  
 S880SL ..... 189  
 S880XC ..... 165  
 S880XCSSL ..... 166  
 S880XJ ..... 165  
 S880XJSL ..... 166  
 S880XN ..... 165  
 S880XNSL ..... 166  
 S880XR ..... 165  
 S880XRSL ..... 166  
 S881 ..... 182  
 S881SL ..... 184  
 S881XC ..... 161  
 S881XCSSL ..... 162  
 S881XJ ..... 161  
 S881XJSL ..... 162  
 S881XN ..... 161  
 S881XNSL ..... 162  
 S881XR ..... 161  
 S881XRSL ..... 162  
 S882 ..... 182  
 S884 ..... 158  
 S884SL ..... 159  
 S886 ..... 152  
 S886SL ..... 152  
 S887 ..... 126  
 S887-A ..... 126  
 S887SL ..... 126  
 S887SL-A ..... 126  
 S888 ..... 123  
 S888SL ..... 124  
 S891 ..... 137  
 S891SL ..... 137

S892 ..... 144  
 S892SL ..... 145  
 S893 ..... 128  
 S894 ..... 120  
 S894SL ..... 121  
 S895 ..... 128  
 S895SL ..... 129  
 S896 ..... 189  
 S896XC ..... 166  
 S896XJ ..... 166  
 S896XN ..... 166  
 S896XR ..... 166  
 S897 ..... 191  
 S89701 ..... 150  
 S8972 ..... 168  
 S898 ..... 185  
 S898SL ..... 186  
 S90 ..... 188  
 S901 ..... 168  
 S901SL ..... 168  
 S902 ..... 149  
 S9021G ..... 139  
 S9021GSL ..... 140  
 S9021R ..... 139  
 S9021RSL ..... 140  
 S902SL ..... 150  
 S90SL ..... 172  
 S90XC ..... 165  
 S90XJ ..... 165  
 S90XN ..... 165  
 S90XR ..... 165  
 S91 ..... 126  
 S912 ..... 147  
 S916 ..... 123  
 S916SL ..... 123  
 S918G ..... 139  
 S918R ..... 139  
 S919G ..... 139  
 S919R ..... 139  
 S91-A ..... 126  
 S91SL ..... 126  
 S91SL-A ..... 126  
 S92 ..... 182  
 S920G ..... 140  
 S920R ..... 140  
 S921G ..... 140  
 S921R ..... 140  
 S922G ..... 139  
 S922R ..... 139  
 S923G ..... 139  
 S923R ..... 139  
 S924G ..... 140  
 S924R ..... 140  
 S925 ..... 168  
 S926 ..... 123  
 S92SL ..... 171  
 S92XC ..... 161  
 S92XJ ..... 161  
 S92XN ..... 161  
 S92XR ..... 161  
 S93 ..... 191  
 S930 ..... 123  
 S930SL ..... 124  
 S9320 ..... 189  
 S93203 ..... 183  
 S93203XC ..... 162  
 S93203XJ ..... 162  
 S93203XN ..... 162  
 S93203XR ..... 162  
 S9320XC ..... 166  
 S9320XJ ..... 166  
 S9320XN ..... 166  
 S9320XR ..... 166

S9321G ..... 140  
 S9321R ..... 140  
 S9341 ..... 123  
 S9342 ..... 150  
 S9343 ..... 121  
 S9345 ..... 159  
 S9347 ..... 147  
 S9349 ..... 144  
 S9352 ..... 126  
 S9352-A ..... 126  
 S9353 ..... 128  
 S9354 ..... 137  
 S9355 ..... 132  
 S9356 ..... 135  
 S9357 ..... 142  
 S9358 ..... 152  
 S936 ..... 123  
 S94 ..... 158  
 S94SL ..... 159  
 S95 ..... 126  
 S950 ..... 123  
 S950SL ..... 124  
 S95-A ..... 126  
 S96 ..... 152  
 S960 ..... 191  
 S962 ..... 134  
 S962SL ..... 135  
 S964 ..... 134  
 S964SL ..... 135  
 S966 ..... 134  
 S968 ..... 134  
 S96SL ..... 152  
 S97 ..... 147  
 S970 ..... 135  
 S971 ..... 168  
 S972 ..... 121  
 S973 ..... 128  
 S975 ..... 120  
 S975SL ..... 121  
 S976 ..... 134  
 S976SL ..... 135  
 S977 ..... 123  
 S979 ..... 120  
 S97SL ..... 148  
 S980 ..... 134  
 S981 ..... 123  
 S982 ..... 137  
 S983 ..... 144  
 S985 ..... 135  
 S988 ..... 135  
 S989 ..... 158  
 S991 ..... 135  
 S992 ..... 189  
 S992XC ..... 166  
 S992XJ ..... 166  
 S992XN ..... 166  
 S992XR ..... 166  
 S993 ..... 152  
 S994 ..... 158  
 S995 ..... 135  
 S997 ..... 121  
 S998 ..... 142  
 S999 ..... 144  
 SART ..... 129  
 WLHRT ..... 145

# Steel

## Profiles..

100..... 210  
 102..... 210  
 104..... 209  
 105..... 210  
 108..... 207  
 118..... 209  
 128..... 207  
 130..... 207  
 131..... 207  
 137..... 207  
 138..... 205  
 139..... 197  
 198..... 209  
 310..... 196  
 369..... 198  
 610..... 200  
 620..... 202  
 626..... 203  
 700..... 204  
 716..... 204  
 916..... 196  
 1006..... 199  
 1010..... 198  
 1027..... 200  
 1028..... 202  
 1029..... 201  
 1200..... 207  
 1201..... 207  
 1202..... 207  
 1203..... 207  
 03142HD ..... 203  
 1001HD ..... 196  
 1002HD ..... 198  
 1004HD ..... 207  
 1005HD ..... 210  
 1006SL ..... 199  
 1007HD ..... 199  
 1007SLHD ..... 199  
 1008HD ..... 199  
 1009HD ..... 199  
 1009SLHD ..... 199  
 100SL ..... 210  
 100XCSSL ..... 206  
 100XJSL ..... 206  
 100XNSL ..... 206  
 100XRSL ..... 206  
 1010LSL ..... 198  
 1010RSL ..... 198  
 1011HD ..... 199  
 1020HD ..... 210  
 1020HDXC ..... 206  
 1020HDXJ ..... 206  
 1020HDXN ..... 206  
 1020HDXR ..... 206  
 1021HD ..... 205  
 1022HD ..... 202  
 1023HD ..... 204  
 1024HD ..... 203  
 1025HD ..... 196  
 1027SL ..... 200  
 1029SL ..... 201  
 1031HD ..... 200  
 1031SLHD ..... 200  
 1032HD ..... 201  
 1032SLHD ..... 201  
 1034HD ..... 200  
 1035HD ..... 201  
 1037HD ..... 196  
 1037SLHD ..... 196  
 1038HD ..... 200  
 1038SLHD ..... 200  
 1039HD ..... 200

1039SLHD ..... 200  
 103HD ..... 205  
 1040HD ..... 201  
 1040SLHD ..... 201  
 1041HD ..... 202  
 1041SLHD ..... 202  
 1042HD ..... 196  
 1044HD ..... 200  
 1045HD ..... 201  
 1047HD ..... 200  
 1048HD ..... 201  
 104XC ..... 206  
 104XJ ..... 206  
 104XN ..... 206  
 104XR ..... 206  
 1055HD ..... 197  
 1089SLHD ..... 208  
 108XC ..... 206  
 108XJ ..... 206  
 108XN ..... 206  
 108XR ..... 206  
 1101HD ..... 209  
 1101XC ..... 206  
 1101XJHD ..... 206  
 1101XNHD ..... 206  
 1101XRHD ..... 206  
 1102HD ..... 207  
 1107HD ..... 200  
 1109HD ..... 204  
 1110HD ..... 205  
 1111HD ..... 201  
 1112HD ..... 200  
 1113HD ..... 203  
 1114HD ..... 197  
 1114HD-A ..... 197  
 1115HD ..... 198  
 1116HD ..... 199  
 1117HD ..... 196  
 1118HD ..... 202  
 1119HD ..... 196  
 1120HD ..... 202  
 1121HD ..... 207  
 1122HD ..... 208  
 1123HD ..... 208  
 1123HDXC ..... 206  
 1123HDXJ ..... 206  
 1123HDXN ..... 206  
 1123HDXR ..... 206  
 115HD ..... 208  
 118XC ..... 206  
 118XJ ..... 206  
 118XN ..... 206  
 118XR ..... 206  
 1200SL ..... 208  
 1201SL ..... 208  
 1202SL ..... 208  
 128XC ..... 206  
 128XJ ..... 206  
 128XN ..... 206  
 128XR ..... 206  
 130SL ..... 207  
 132HD ..... 207  
 132SLHD ..... 207  
 139SL ..... 197  
 139SL-A ..... 197  
 1400SLHD ..... 209  
 1403HD ..... 209  
 1405HD ..... 209  
 1405SLHD ..... 209  
 1406HD ..... 209  
 1408HD ..... 209

1411HD.....	209	262HDXJ.....	206	630HD.....	203	966GSLHD.....	201	130SL.....	212	TS118XN.....	211
150HD.....	209	262HDXN.....	206	631HD.....	203	966RHD.....	201	19200T.....	215	TS118XR.....	211
150SLHD.....	210	262HDXR.....	206	632SL.....	208	966RSLHD.....	201	19210T.....	215	TS1200.....	213
151HD.....	208	263HD.....	208	6720HDXCSSL.....	206	966SLHD.....	203	19220T.....	215	TS1201.....	213
151SLHD.....	208	263HDXC.....	206	6720HDXJSL.....	206	967HD.....	202	198SL.....	214	TS1202.....	213
153HD.....	210	263HDXJ.....	206	6720HDXNSL.....	206	967SLHD.....	203	6184SL.....	214	TS1203.....	213
154HD.....	208	263HDXN.....	206	6720HDXRSL.....	206	968HD.....	198	6184XCSSL.....	211	TS128.....	213
1643HD.....	204	263HDXR.....	206	6720SLHD.....	208	969HD.....	210	6184XJSL.....	211	TS128XC.....	211
1643SLHD.....	205	263SLHD.....	208	6721GHD.....	201	970SLHD.....	210	6184XNSL.....	211	TS128XJ.....	211
1644HD.....	204	263SLHDXC.....	206	6721GSL.....	201	971SLHD.....	198	6184XRSL.....	211	TS128XN.....	211
1644SLHD.....	205	263SLHDXJ.....	206	6721RHD.....	201	974SLHD.....	204	6185SL.....	214	TS128XR.....	211
1651HD.....	204	263SLHDXN.....	206	6721RSL.....	201	975SLHD.....	197	6185XCSSL.....	211	TS130.....	212
1651SL.....	204	263SLHDXR.....	206	7021GHD.....	201	977SLHD.....	203	6185XJSL.....	211	TS131.....	212
1657HD.....	204	289EHD.....	205	7021RHD.....	201	978HD.....	210	6185XNSL.....	211	TS132.....	212
1657SLHD.....	205	289ESLHD.....	205	704HD.....	209	980HD.....	209	6185XRSL.....	211	TS132SL.....	212
1659HD.....	204	289HD.....	209	707HD.....	200	980HDXC.....	206	6186SL.....	214	TS137.....	212
1660HD.....	204	289HDXC.....	206	708HD.....	210	980HDXJ.....	206	6186XCSSL.....	211	TS1405SL.....	214
1662HD.....	204	289HDXJ.....	206	708HDXC.....	206	980HDXN.....	206	6186XJSL.....	211	TS1408.....	214
19020T.....	209	289HDXN.....	206	708HDXJ.....	206	980HDXR.....	206	6186XNSL.....	211	TS1411.....	214
19055T.....	197	289HDXR.....	206	708HDXN.....	206	982HD.....	208	6186XRSL.....	211	TS150.....	215
19055T-A.....	197	294HD.....	197	708HDXR.....	206	982HDXC.....	206	632SL.....	213	TS150SL.....	215
19080T.....	197	294HD-A.....	197	716SL.....	204	982HDXJ.....	206	632XCSSL.....	211	TS151.....	213
19200T.....	209	294SLHD.....	197	721HD.....	202	982HDXN.....	206	632XJSL.....	211	TS151SL.....	214
19200T.....	210	294SLHD-A.....	197	726HD.....	204	982HDXR.....	206	632XNSL.....	211	TS153.....	215
19210T.....	210	296HD.....	210	730HD.....	204	984HD.....	207	632XRSL.....	211	TS154.....	213
19220T.....	209	296HDXC.....	206	730SLHD.....	204	985HD.....	205	818SL.....	215	TS198.....	214
19220T.....	210	296HDXJ.....	206	735HD.....	203	988HD.....	200	818XC.....	211	TS206.....	215
19520T.....	197	296HDXN.....	206	736HD.....	199	989HD.....	202	818XCSSL.....	212	TS206XC.....	211
19520T-A.....	197	296HDXR.....	206	750SLHD.....	204	990HD.....	204	818XJ.....	211	TS206XJ.....	211
19720T.....	202	296SLHD.....	210	752HD.....	209	991HD.....	196	818XJSL.....	212	TS206XN.....	211
19730T.....	202	296SLHDXC.....	206	753HD.....	204	996HD.....	197	818XN.....	211	TS206XR.....	211
19740T.....	200	296SLHDXJ.....	206	754HD.....	204	996HD-A.....	197	818XNSL.....	212	TS210.....	216
19750T.....	200	296SLHDXN.....	206	806GSL.....	201	999HD.....	202	818XR.....	211	TS210SL.....	215
19800T.....	197	296SLHDXR.....	206	806RSL.....	201	ANRTG.....	201	818XRSL.....	212	TS210XCSSL.....	212
19810T.....	197	3000-2C.....	208	916SL.....	197	ANRTR.....	201	8206XC.....	211	TS210XJSL.....	212
19820T.....	197	3000-3C.....	208	922G.....	201	AVRT.....	200	8206XJ.....	211	TS210XNSL.....	212
198SL.....	209	3000-4C.....	208	922R.....	201	AXRT.....	205	8206XN.....	211	TS210XRSL.....	212
203HD.....	210	3000-6C.....	209	923GHD.....	201	BLHRT.....	197	8206XR.....	211	TS214.....	216
205HD.....	210	309HD.....	196	923RHD.....	201	BSHRT.....	196	828SL.....	213	TS236.....	213
206EHD.....	205	310SL.....	196	924GHD.....	201	BSRT.....	196	829SL.....	212	TS237.....	213
206HD.....	209	311HD.....	196	924RHD.....	201	CNHRT.....	203	83000-2C.....	214	TS243.....	212
206HDXC.....	206	311SLHD.....	196	926HD.....	196	CNRT.....	203	8321XC.....	211	TS255.....	213
206HDXJ.....	206	369SL.....	198	930HD.....	196	EMRT.....	198	8321XJ.....	211	TS256.....	215
206HDXN.....	206	371HD.....	198	930SLHD.....	197	FWRT.....	199	8321XN.....	211	TS256XC.....	211
206HDXR.....	206	371SLHD.....	198	936HD.....	197	KNRT.....	203	8321XR.....	211	TS256XJ.....	211
207GHD.....	201	372HD.....	198	936SLHD.....	197	SART.....	198	86184SL.....	214	TS256XN.....	211
207RHD.....	201	374HD.....	198	950HD.....	196	WLHRT.....	202	86185SL.....	214	TS256XR.....	211
2109HD.....	207	400HD.....	203	950SLHD.....	197	<b>Traditions</b>		86186SL.....	214	TS262.....	213
210HD.....	210	416SL.....	203	953HD.....	196	800.....	216	869XN.....	212	TS262XC.....	211
210SLHD.....	210	426HD.....	202	956SLHD.....	197	808.....	213	8708XC.....	211	TS262XJ.....	211
210SLHDXC.....	206	430HD.....	202	959HD.....	209	810.....	216	8708XJ.....	211	TS262XN.....	211
210SLHDXJ.....	206	430SLHD.....	203	959HDXC.....	206	818.....	215	8708XN.....	211	TS262XR.....	211
210SLHDXN.....	206	450HD.....	202	959HDXCSSL.....	206	828.....	213	8708XR.....	211	TS263.....	213
210SLHDXR.....	206	450SLHD.....	203	959HDXJ.....	206	829.....	212	896XC.....	212	TS263SL.....	214
2110HD.....	207	453HD.....	202	959HDXJSL.....	206	896.....	215	896XJ.....	212	TS263XC.....	211
2111HD.....	208	454HD.....	203	959HDXN.....	206	8145.....	214	896XR.....	212	TS263XCSSL.....	211
211HD.....	197	4572SLHD.....	208	959HDXNSL.....	206	8206.....	215	TS100.....	216	TS263XJ.....	211
211HD-A.....	197	6023HD.....	208	959HDXR.....	206	8317.....	213	TS102.....	215	TS263XJSL.....	211
236HD.....	208	610SL.....	200	959HDXRSL.....	206	8321.....	213	TS104.....	215	TS263XN.....	211
237HD.....	208	613HD.....	200	959SLHD.....	210	8322.....	213	TS104XC.....	211	TS263XNSL.....	211
243HD.....	207	615HD.....	200	961HD.....	208	8323.....	213	TS104XJ.....	211	TS263XR.....	211
250HD.....	205	615SLHD.....	200	961HDXC.....	206	8324.....	213	TS104XN.....	211	TS263XRSL.....	211
250SLHD.....	205	6184SL.....	209	961HDXJ.....	206	8704.....	214	TS104XR.....	211	TS289.....	215
253HD.....	205	6185SL.....	209	961HDXN.....	206	8708.....	215	TS105.....	215	TS289XC.....	211
255HD.....	208	6186SL.....	209	961HDXR.....	206	8752.....	214	TS108.....	213	TS289XJ.....	211
256HD.....	210	620SL.....	202	963HD.....	205	100SL.....	215	TS108XC.....	211	TS289XN.....	211
256HDXC.....	206	623HD.....	202	964HD.....	204	100XCSSL.....	212	TS108XJ.....	211	TS289XR.....	211
256HDXJ.....	206	625HD.....	202	964SLHD.....	204	100XJSL.....	212	TS108XN.....	211	TS290.....	216
256HDXN.....	206	625SLHD.....	202	965HD.....	197	100XNSL.....	212	TS108XR.....	211	TS291.....	215
256HDXR.....	206	626SL.....	203	965HD-A.....	197	100XRSL.....	212	TS115.....	213	TS296.....	215
260HD.....	205	627HD.....	203	965SLHD.....	197	1200SL.....	213	TS118.....	215	TS296SL.....	215
262HD.....	208	628HD.....	203	965SLHD-A.....	197	1201SL.....	213	TS118XC.....	211	TS296XC.....	212
262HDXC.....	206	628SLHD.....	203	966GHD.....	201	1202SL.....	213	TS118XJ.....	211	TS296XCSSL.....	212

# Fire

TS296XJ ..... 212  
 TS296XJSL ..... 212  
 TS296XN ..... 212  
 TS296XNSL ..... 212  
 TS296XR ..... 212  
 TS296XRSL ..... 212  
 TS3000-2C ..... 214  
 TS3000-3C ..... 214  
 TS3000-4C ..... 214  
 TS3000-6C ..... 214  
 TS704 ..... 214  
 TS708 ..... 215  
 TS708XC ..... 211  
 TS708XJ ..... 211  
 TS708XN ..... 211  
 TS708XR ..... 211  
 TS752 ..... 214  
 TS83000-3C ..... 214  
 TS83000-4C ..... 214  
 TS83000-6C ..... 214

## Classic-Craft Mahogany Collection™

CCMF060 ..... 218  
 CCMF701 ..... 218  
 CCMF890 ..... 218

## Classic-Craft Rustic Collection™

CCRF040 ..... 219  
 CCRF040F ..... 219  
 CCRF200 ..... 219  
 CCRF200A ..... 219  
 CCRF205 ..... 219  
 CCRF205A ..... 219  
 CCRF8005 ..... 219  
 CCRF8005A ..... 219  
 CCRF8040 ..... 219  
 CCRF8040F ..... 219  
 CCRF8200 ..... 219  
 CCRF8200A ..... 219  
 CCRF8205 ..... 219  
 CCRF8205A ..... 219  
 CCRF8220 ..... 219  
 CCRF8220R ..... 219  
 CCRF8225 ..... 219  
 CCRF8225R ..... 219

## Classic-Craft Oak Collection

CCF060 ..... 219  
 CCF810 ..... 219  
 CCF831 ..... 219  
 CCF91 ..... 219

## Classic-Craft Canvas Collection

CCVF050 ..... 220  
 CCVF060 ..... 220  
 CCVF200 ..... 220  
 CCVF205 ..... 219  
 CCVF205A ..... 219  
 CCVF220 ..... 220  
 CCVF400 ..... 219  
 CCVF455 ..... 219  
 CCVF455A ..... 219  
 CCVF8060 ..... 220  
 CCVF8205 ..... 219  
 CCVF8205A ..... 219  
 CCVF8220 ..... 220  
 CCVF831 ..... 220

## Fiber-Classic Mahogany Collection™

FMF100 ..... 220  
 FMF134 ..... 220  
 FMF205 ..... 220  
 FMF220 ..... 220  
 FMF31 ..... 220  
 FMF60 ..... 220  
 FMF600 ..... 220  
 FMF755 ..... 220  
 FMF8100 ..... 220  
 FMF860 ..... 220

## Fiber-Classic Oak Collection™

FCF100 ..... 220  
 FCF134 ..... 220  
 FCF160 ..... 220  
 FCF31 ..... 220  
 FCF755 ..... 220  
 FCF808 ..... 220  
 FCF809 ..... 220  
 FCF8100 ..... 220

FCF8160 ..... 220  
 FCF862 ..... 220

## Smooth-Star

SSF100 ..... 221  
 SSF11 ..... 221  
 SSF160 ..... 221  
 SSF200 ..... 221  
 SSF205 ..... 221  
 SSF220 ..... 221  
 SSF31 ..... 221  
 SSF600 ..... 221  
 SSF755 ..... 221  
 SSF8100 ..... 221  
 SSF8160 ..... 221  
 SSF8200 ..... 221  
 SSF8205 ..... 221  
 SSF8220 ..... 221  
 SSF831 ..... 221  
 SSF8600 ..... 221  
 SSF93 ..... 221  
 SSF960 ..... 221

## Profiles™

100 ..... 221  
 1005HD ..... 221  
 203HD ..... 221  
 205HD ..... 221  
 210HD ..... 221  
 969HD ..... 221  
 978HD ..... 221

## Traditions

TS100 ..... 221  
 TS210 ..... 221  
 TS214 ..... 221  
 TS290 ..... 221

## Steel Edge

SE100 ..... 218  
 SE1005HD ..... 218  
 SE210HD ..... 218  
 SE514 ..... 218  
 SE969HD ..... 218  
 SE978HD ..... 218

# Pulse®

## Ari

S2AX ..... 225  
 S2CL ..... 225  
 S2XC ..... 225  
 S2XJ ..... 225  
 S2XN ..... 225  
 S2XR ..... 225  
 S83AX ..... 225  
 S83CL ..... 225  
 S83XC ..... 225  
 S83XJ ..... 225  
 S83XN ..... 225  
 S83XR ..... 225

## Linea

S1 ..... 227  
 S1ANG ..... 226  
 S1ANR ..... 226  
 S1AV ..... 226  
 S1AX ..... 227  
 S1BL ..... 225  
 S1BS ..... 225  
 S1CD ..... 227  
 S1CL ..... 227  
 S1EML ..... 226  
 S1EMR ..... 226  
 S1FW ..... 226  
 S1L ..... 227  
 S1LANG ..... 226  
 S1LANR ..... 226  
 S1LAV ..... 226  
 S1LAX ..... 227  
 S1LBL ..... 225  
 S1LBS ..... 225  
 S1LCD ..... 227  
 S1LCL ..... 227  
 S1LEML ..... 226  
 S1LEMR ..... 226  
 S1LFW ..... 226  
 S1LSA ..... 226  
 S1LSG ..... 226  
 S1LSN ..... 225  
 S1LSNA ..... 225  
 S1LTX ..... 227  
 S1LXC ..... 227  
 S1LXJ ..... 227  
 S1LXN ..... 227  
 S1LXR ..... 227  
 S1R ..... 227  
 S1RANG ..... 226  
 S1RANR ..... 226  
 S1RAV ..... 226  
 S1RAX ..... 227  
 S1RBL ..... 225  
 S1RBS ..... 225  
 S1RCD ..... 227  
 S1RCL ..... 227  
 S1REML ..... 226  
 S1REMR ..... 226  
 S1RFW ..... 226  
 S1RSA ..... 226  
 S1RSG ..... 226  
 S1RSN ..... 225  
 S1RSNA ..... 225  
 S1RTX ..... 227  
 S1RXC ..... 227  
 S1RXJ ..... 227  
 S1RXN ..... 227  
 S1RXR ..... 227  
 S1SA ..... 226  
 S1SG ..... 226  
 S1SN ..... 225  
 S1SNA ..... 225

S1TX ..... 227  
 S1XC ..... 227  
 S1XJ ..... 227  
 S1XN ..... 227  
 S1XR ..... 227  
 S81 ..... 227  
 S81AX ..... 227  
 S81AX ..... 227  
 S81BL ..... 225  
 S81BS ..... 225  
 S81CL ..... 227  
 S81L ..... 227  
 S81LAX ..... 227  
 S81LAX ..... 227  
 S81LBL ..... 225  
 S81LBS ..... 225  
 S81LCL ..... 227  
 S81LSA ..... 226  
 S81LSG ..... 226  
 S81LSN ..... 225  
 S81LSNA ..... 225  
 S81LXC ..... 227  
 S81LXJ ..... 227  
 S81LXN ..... 227  
 S81LXR ..... 227  
 S81R ..... 227  
 S81RAX ..... 227  
 S81RAX ..... 227  
 S81RBL ..... 225  
 S81RBS ..... 225  
 S81RCL ..... 227  
 S81RSA ..... 226  
 S81RSG ..... 226  
 S81RSN ..... 225  
 S81RSNA ..... 225  
 S81RXC ..... 227  
 S81RXJ ..... 227  
 S81RXN ..... 227  
 S81RXR ..... 227  
 S81SA ..... 226  
 S81SG ..... 226  
 S81SN ..... 225  
 S81SNA ..... 225  
 S81XC ..... 227  
 S81XJ ..... 227  
 S81XN ..... 227  
 S81XR ..... 227

## Echo

S4AX ..... 228  
 S4CL ..... 229  
 S4LAX ..... 228  
 S4LCL ..... 229  
 S4LXC ..... 229  
 S4LXJ ..... 229  
 S4LXN ..... 229  
 S4LXR ..... 229  
 S4RAX ..... 228  
 S4RCL ..... 229  
 S4RXC ..... 229  
 S4RXJ ..... 229  
 S4RXN ..... 229  
 S4RXC ..... 229  
 S4XC ..... 229  
 S4XJ ..... 229  
 S4XN ..... 229  
 S4XR ..... 229  
 S5AX ..... 228  
 S5CL ..... 229  
 S5LAX ..... 228  
 S5LCL ..... 229  
 S5LXC ..... 229  
 S5LXJ ..... 229  
 S5LXN ..... 229  
 S5LXN ..... 229

S5LXR ..... 229  
 S5RAX ..... 228  
 S5RCL ..... 229  
 S5RXC ..... 229  
 S5RXJ ..... 229  
 S5RXN ..... 229  
 S5RXR ..... 229  
 S5XC ..... 229  
 S5XJ ..... 229  
 S5XN ..... 229  
 S5XR ..... 229  
 S810AX ..... 229  
 S810CL ..... 230  
 S810LAX ..... 229  
 S810LCL ..... 230  
 S810LXC ..... 230  
 S810LXJ ..... 230  
 S810LXN ..... 230  
 S810LXR ..... 230  
 S810LSN ..... 225  
 S810RAX ..... 229  
 S810RCL ..... 230  
 S810RXC ..... 230  
 S810RXJ ..... 230  
 S810RXN ..... 230  
 S810RXR ..... 230  
 S810XC ..... 230  
 S810XJ ..... 230  
 S810XN ..... 230  
 S810XR ..... 230  
 S811AX ..... 229  
 S811CL ..... 230  
 S811LAX ..... 229  
 S811LCL ..... 230  
 S811LXC ..... 230  
 S811LXJ ..... 230  
 S811LXN ..... 230  
 S811LXR ..... 230  
 S811RAX ..... 229  
 S811RCL ..... 230  
 S811RXC ..... 230  
 S811RXJ ..... 230  
 S811RXN ..... 230  
 S811RXR ..... 230  
 S811XC ..... 230  
 S811XJ ..... 230  
 S811XN ..... 230  
 S811XR ..... 230  
 S84AX ..... 228  
 S84CL ..... 229  
 S84LAX ..... 228  
 S84LCL ..... 229  
 S84LXC ..... 229  
 S84LXJ ..... 229  
 S84LXN ..... 229  
 S84LXR ..... 229  
 S84RAX ..... 228  
 S84RCL ..... 229  
 S84RXC ..... 229  
 S84RXJ ..... 229  
 S84RXN ..... 229  
 S84RXR ..... 229  
 S84XC ..... 229  
 S84XJ ..... 229  
 S84XN ..... 229  
 S84XR ..... 229  
 S85AX ..... 228  
 S85CL ..... 229  
 S85LAX ..... 228  
 S85LCL ..... 229  
 S85LXC ..... 229  
 S85LXJ ..... 229  
 S85LXN ..... 229  
 S85LXR ..... 229



S85RAX.....	228	S87.....	230	S85928SL.....	231
S85RCL.....	229	S87AX.....	230	S85931SL.....	231
S85RXC.....	229	S87CL.....	230	S85932SL.....	231
S85RXJ.....	229	S87XC.....	230	S85933SL.....	231
S85RXN.....	229	S87XJ.....	230	S85933SL-A.....	231
S85RXR.....	229	S87XN.....	230	S85AXSL.....	231
S85XC.....	229	S87XR.....	230	S85CLSL.....	232
S85XJ.....	229			S85XCSSL.....	232
S85XN.....	229	<b>Sidelites</b>		S85XJSL.....	232
S85XR.....	229	S10AXSL.....	231	S85XNSL.....	232
S86AX.....	228	S10CLSL.....	232	S85XRSL.....	232
S86CL.....	229	S10XCSSL.....	232	S86AXSL.....	231
S86LAX.....	228	S10XJSL.....	232	S86CLSL.....	232
S86LCL.....	229	S10XNSL.....	232	S86XCSSL.....	232
S86LXC.....	229	S10XRSL.....	232	S86XJSL.....	232
S86LXJ.....	229	S1651SL.....	231	S86XNSL.....	232
S86LXN.....	229	S3570SL.....	231	S86XRSL.....	232
S86LXR.....	229	S4570SL.....	231	S9AXSL.....	231
S86RAX.....	228	S4AXSL.....	231	S9CLSL.....	232
S86RCL.....	229	S4CLSL.....	232	S9XCSSL.....	232
S86RXC.....	229	S4XCSSL.....	232	S9XJSL.....	232
S86RXJ.....	229	S4XJSL.....	232	S9XNSL.....	232
S86RXN.....	229	S4XNSL.....	232	S9XRSL.....	232
S86RXR.....	229	S4XRSL.....	232		
S86XC.....	229	S5AXSL.....	231		
S86XJ.....	229	S5CLSL.....	232		
S86XN.....	229	S5XCSSL.....	232		
S86XR.....	229	S5XJSL.....	232		
S8AX.....	228	S5XNSL.....	232		
S8CL.....	230	S5XRSL.....	232		
S8LAX.....	228	S601SL.....	231		
S8LCL.....	230	S601XCSSL.....	231		
S8LXC.....	230	S601XJSL.....	231		
S8LXJ.....	230	S601XNSL.....	231		
S8LXN.....	230	S601XRSL.....	231		
S8LXR.....	230	S602SL.....	231		
S8RAX.....	228	S604SL.....	231		
S8RCL.....	230	S604SL-A.....	231		
S8RXC.....	230	S6060LSL.....	231		
S8RXJ.....	230	S6060RSL.....	231		
S8RXN.....	230	S6127SL.....	231		
S8RXR.....	230	S6128SL.....	231		
S8XC.....	230	S6130SL.....	231		
S8XJ.....	230	S6131SL.....	231		
S8XN.....	230	S6134SL.....	231		
S8XR.....	230	S6135SL.....	231		
S9AX.....	228	S806GSL.....	231		
S9CL.....	230	S806RSL.....	231		
S9LAX.....	228	S81086SL.....	231		
S9LCL.....	230	S81086XCSSL.....	231		
S9LXC.....	230	S81086XJSL.....	231		
S9LXJ.....	230	S81086XNSL.....	231		
S9LXN.....	230	S81086XRSL.....	231		
S9LXR.....	230	S810AXSL.....	231		
S9RAX.....	228	S810CLSL.....	232		
S9RCL.....	230	S810XCSSL.....	232		
S9RXC.....	230	S810XJSL.....	232		
S9RXJ.....	230	S810XNSL.....	232		
S9RXN.....	230	S810XRSL.....	232		
S9RXR.....	230	S811AXSL.....	231		
S9XC.....	230	S811CLSL.....	232		
S9XJ.....	230	S811XCSSL.....	232		
S9XN.....	230	S811XJSL.....	232		
S9XR.....	230	S811XNSL.....	232		
		S811XRSL.....	232		
		S84586SL.....	231		
<b>Solei</b>		S84AXSL.....	231		
S7.....	230	S84CLSL.....	232		
S7AX.....	230	S84XCSSL.....	232		
S7CL.....	230	S84XJSL.....	232		
S7XC.....	230	S84XNSL.....	232		
S7XJ.....	230	S84XRSL.....	232		
S7XN.....	230	S85927SL.....	231		
S7XR.....	230				



Top: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1528, Sidelites – CCR3400XHSL  
 Bottom: Classic-Craft Canvas Collection, Arborwatch Glass, Door – CCV1414, Sidelites – CCV1423SL, Transom – ABRT





Top: Classic-Craft Rustic Collection Door – CCR205; Low-E Glass, Sidelites – CCR3400SL

Bottom Left: Smooth-Star, Concorde Glass, Door – S97, Sidelites – S416SL

Bottom Right: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM703, Sidelites – CCM3303SL, Transom – LFET





# THERMA-TRU® DOORS

[www.thermatru.com](http://www.thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



Top: Classic-Craft American Style Collection,  
Arborwatch Glass with SDLs, Door – CCA9300  
Bottom Left: Classic-Craft Mahogany Collection,  
Borrassa Glass, Door – CCM81519  
Bottom Right: Pulse Ari, Axis Glass, Door – S83AX,  
©TheHouseDesigners.com